

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	74	PM _{2.5}	1
2	Agra	Satisfactory	53	NO ₂	6
3	Ahmedabad	Satisfactory	65	PM ₁₀ , CO	7
4	Aizawl	Good	34	PM ₁₀	1
5	Alwar	Moderate	114	PM ₁₀	1
6	Amaravati	Satisfactory	61	со	1
7	Ambala	Satisfactory	66	03	1
8	Amravati	Good	44	CO, PM ₁₀	2
9	Amritsar	Satisfactory	63	PM ₁₀	1
10	Anantapur	Good	34	PM ₁₀	1
11	Ankleshwar	Satisfactory	71	со	1
12	Araria	Satisfactory	57 * AC	CO I is not calculated for today's bullet	1 n for Ahmednagar, Ajmer, Akola,

Notes:

Arrah, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Bhilwara, Bhiwani, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Charkhi Dadri, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga, Dhanbad, Dharuhera,

Jind, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kashipur, Keonjhar, Kochi,

Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Palwal, Panchkula, Pratapgarh, Purnia, Raichur, Rajgir, Ramanathapuram, Salem, Sasaram, Satna, Sikar, Sirsa, Sri Ganganagar, Srinagar, Surat, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	36	NO ₂	1
14	Asansol	Good	40	PM ₁₀	1
15	Aurangabad (Maharashtra)	Good	40	PM ₁₀	2
16	Baddi	Satisfactory	78	PM ₁₀	1
17	Badlapur	Satisfactory	56	PM ₁₀	1
18	Bagalkot	Good	46	PM ₁₀	1
19	Baghpat	Satisfactory	63	O ₃	1
20	Bahadurgarh	Satisfactory	57	PM _{2.5}	1
21	Banswara	Satisfactory	93	PM _{2.5}	1
22	Baran	Satisfactory	90	PM ₁₀	1
23	Bareilly	Good	25	SO ₂	2
24	Baripada	Satisfactory	62 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Ajmer, Akola,

Notes:

Arrah, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Bhilwara, Bhiwani, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Charkhi Dadri, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga, Dhanbad, Dharuhera,

—Ernakulam, Gadag, Gummidipoondi, Hassan, Haveri, Hosur, Imphai, Indor Jind, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kashipur, Keonjhar, Kochi,

Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Palwal, Panchkula, Pratapgarh, Purnia, Raichur, Rajgir, Ramanathapuram, Salem, Sasaram, Satna, Sikar, Sirsa, Sri Ganganagar, Srinagar, Surat, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Moderate	121	PM _{2.5}	1
26	Belapur	Satisfactory	53	со	1
27	Belgaum	Good	47	со	1
28	Bengaluru	Good	40	PM ₁₀ , CO	13
29	Bettiah	Satisfactory	100	со	1
30	Bhagalpur	Moderate	112	со	2
31	Bharatpur	Satisfactory	58	O ₃	1
32	Bhilai	Good	31	NO ₂	2
33	Bhiwadi	Moderate	171	PM ₁₀	1
34	Bhiwandi	Satisfactory	86	PM ₁₀	1
35	Bhopal	Satisfactory	60	PM ₁₀	2
36	Bihar Sharif	Satisfactory	98 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Ajmer, Akola,

Notes:

Arrah, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Bhilwara, Bhiwani, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Charkhi Dadri, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga, Dhanbad, Dharuhera,

Ernakulam, Gadag, Gummidipoondi, Hassan, Havefi, Hosur, Imphal, Indok

Jind, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kashipur, Keonjhar, Kochi, Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Palwal, Panchkula, Pratapgarh, Purnia, Raichur, Rajgir, Ramanathapuram, Salem, Sasaram, Satna, Sikar, Sirsa, Sri Ganganagar, Srinagar, Surat, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bikaner	Satisfactory	64	PM ₁₀	1
38	Bileipada	Satisfactory	89	PM ₁₀	1
39	Bulandshahr	Good	50	PM ₁₀	1
40	Bundi	Good	44	PM ₁₀	1
41	Byrnihat	Moderate	175	PM _{2.5}	1
42	Chamarajanagar	Good	41	PM ₁₀	1
43	Chandigarh	Satisfactory	56	PM ₁₀	3
44	Chandrapur	Good	50	PM ₁₀	1
45	Chennai	Satisfactory	76	NO ₂ , CO	7
46	Chhal	Good	43	со	1
47	Chhapra	Moderate	176	PM ₁₀	1
48	Chikkaballapur	Good	37 * AC	O ₃ I is not calculated for today's bullet	1 n for Ahmednagar, Ajmer, Akola,

Notes:

Arrah, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Bhilwara, Bhiwani, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Charkhi Dadri, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga, Dhanbad, Dharuhera,

Ernakulam, Cadag, Cummidipoondi, Hassan, Haveri, Hosur, Imphal, Indore

Jind, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kashipur, Keonjhar, Kochi, Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Palwal, Panchkula, Pratapgarh, Purnia, Raichur, Rajgir, Ramanathapuram, Salem, Sasaram, Satna, Sikar, Sirsa, Sri Ganganagar, Srinagar, Surat, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittoor	Good	44	03	1
50	Churu	Satisfactory	98	PM ₁₀	1
51	Coimbatore	Satisfactory	61	PM ₁₀	1
52	Cuddalore	Poor	218	NO ₂	1
53	Damoh	Good	20	со	1
54	Dausa	Satisfactory	78	PM ₁₀	1
55	Davanagere	Good	32	PM ₁₀	1
56	Dehradun	Satisfactory	97	03	1
57	Delhi	Moderate	101	NO ₂ , PM _{2.5}	36
58	Dewas	Satisfactory	68	PM ₁₀	1
59	Dharwad	Satisfactory	53	03	1
60	Dholpur	Satisfactory	56 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Ajmer, Akola,

Notes:

Arrah, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Bhilwara, Bhiwani, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Charkhi Dadri, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga, Dhanbad, Dharuhera,

Ernakulam, Cadag, Cummidipoondi, Hassan, Haveri, Hosur, Imphal, Indore

Jind, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kashipur, Keonjhar, Kochi, Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Palwal, Panchkula, Pratapgarh, Purnia, Raichur, Rajgir, Ramanathapuram, Salem, Sasaram, Satna, Sikar, Sirsa, Sri Ganganagar, Srinagar, Surat, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dhule	Good	40	со	1
62	Dindigul	Good	41	SO ₂	1
63	Durgapur	Good	48	PM ₁₀	1
64	Eloor	Satisfactory	68	PM ₁₀	1
65	Faridabad	Satisfactory	82	PM ₁₀	2
66	Fatehabad	Moderate	140	PM ₁₀	1
67	Firozabad	Satisfactory	52	PM _{2.5} , O ₃	2
68	Gandhinagar	Satisfactory	54	PM _{2.5}	3
69	Gangtok	Good	48	SO ₂	1
70	Gaya	Satisfactory	70	PM ₁₀ , O ₃	3
71	Ghaziabad	Satisfactory	94	PM _{2.5} , PM ₁₀	4
72	Gorakhpur	Good	50 * AC	SO ₂ I is not calculated for today's bullet	1 n for Ahmednagar, Ajmer, Akola,

Notes:

Arrah, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Bhilwara, Bhiwani, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Charkhi Dadri, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga, Dhanbad, Dharuhera,

<u>=rnakulam, Gadag, Gummidipoondi, Hassan, Haveri, Hosur, Imphai, Indore</u>

Jind, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kashipur, Keonjhar, Kochi, Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Palwal, Panchkula, Pratapgarh, Purnia, Raichur, Rajgir, Ramanathapuram, Salem, Sasaram, Satna, Sikar, Sirsa, Sri Ganganagar, Srinagar, Surat, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	isfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Greater Noida	Moderate	125	PM ₁₀	2
74	Gurugram	Moderate	146	PM _{2.5}	4
75	Guwahati	Good	46	PM _{2.5} , SO ₂	4
76	Gwalior	Satisfactory	58	PM _{2.5} , O ₃	4
77	Hajipur	Good	38	PM ₁₀	1
78	Haldia	Good	37	O ₃	1
79	Hanumangarh	Moderate	140	PM ₁₀	1
80	Hapur	Good	45	PM _{2.5}	1
81	Hisar	Satisfactory	82	PM _{2.5}	1
82	Howrah	Good	49	NO ₂	3
83	Hubballi	Moderate	114	со	2
84	Hyderabad	Satisfactory	57 * AC	PM ₁₀ , PM ₂₅ I is not calculated for today's bullet	13 n for Ahmednagar, Ajmer, Akola,

Notes:

Arrah, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Bhilwara, Bhiwani, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Charkhi Dadri, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga, Dhanbad, Dharuhera,

Jind, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kashipur, Keonjhar, Kochi,

Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Palwal, Panchkula, Pratapgarh, Purnia, Raichur, Rajgir, Ramanathapuram, Salem, Sasaram, Satna, Sikar, Sirsa, Sri Ganganagar, Srinagar, Surat, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jabalpur	Satisfactory	61	03	2
86	Jaipur	Satisfactory	82	PM ₁₀	6
87	Jaisalmer	Satisfactory	78	PM ₁₀	1
88	Jalandhar	Satisfactory	58	PM ₁₀	1
89	Jalgaon	Moderate	112	PM ₁₀	1
90	Jalna	Satisfactory	66	PM ₁₀	1
91	Jhalawar	Satisfactory	51	03	1
92	Jhansi	Satisfactory	87	PM ₁₀	1
93	Jhunjhunu	Moderate	103	03	1
94	Jodhpur	Satisfactory	89	PM _{2.5}	5
95	Kadapa	Good	32	03	1
96	Kaithal	Good	48 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Ajmer, Akola,

Notes:

Arrah, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Bhilwara, Bhiwani, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Charkhi Dadri, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga, Dhanbad, Dharuhera,

Ernakulam, Cadag, Gummidipoondi, Hassan, Haveri, Hosur, Imphal, Indore

Jind, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kashipur, Keonjhar, Kochi, Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Palwal, Panchkula, Pratapgarh, Purnia, Raichur, Rajgir, Ramanathapuram, Salem, Sasaram, Satna, Sikar, Sirsa, Sri Ganganagar, Srinagar, Surat, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kanchipuram	Good	29	PM ₁₀	1
98	Kannur	Satisfactory	77	PM ₁₀	1
99	Kanpur	Satisfactory	59	со	3
100	Karauli	Satisfactory	90	03	1
101	Katihar	Moderate	163	со	1
102	Katni	Good	36	03	1
103	Khanna	Satisfactory	75	PM ₁₀	1
104	Khurja	Satisfactory	92	SO ₂	1
105	Kishanganj	Good	46	со	1
106	Kohima	Good	42	SO ₂	1
107	Kolar	Good	33	PM ₁₀	1
108	Kolhapur	Good	32 * AC	O ₃ , CO I is not calculated for today's bullet	2 n for Ahmednagar, Ajmer, Akola,

Arrah, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Bhilwara, Bhiwani, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Charkhi Dadri, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga, Dhanbad, Dharuhera,

Ernakulam, Cadag, Gummidipoondi, Hassan, Haveri, Hosur, Imphal, Indorc

Jind, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kashipur, Keonjhar, Kochi,

Notes: Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger,
Nandesari, Palwal, Panchkula, Pratapgarh, Purnia, Raichur, Rajgir,
Ramanathapuram, Salem, Sasaram, Satna, Sikar, Sirsa, Sri Ganganagar,
Srinagar, Surat, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, vellore as data
was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kolkata	Good	32	O ₃ , PM ₁₀	7
110	Kollam	Satisfactory	55	PM _{2.5}	1
111	Koppal	Satisfactory	52	03	1
112	Korba	Good	36	NO ₂ , O ₃	2
113	Kota	Satisfactory	70	PM ₁₀	3
114	Kurukshetra	Good	47	PM ₁₀	1
115	Latur	Good	32	PM ₁₀	1
116	Lucknow	Good	43	PM ₁₀	5
117	Ludhiana	Moderate	104	PM ₁₀	1
118	Madikeri	Good	18	O ₃	1
119	Mahad	Good	35	O ₃	1
120	Maihar	Satisfactory	54	CO I is not calculated for today's bullet	1 n for Ahmednagar, Ajmer, Akola,

Notes:

Arrah, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Bhilwara, Bhiwani, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Charkhi Dadri, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga, Dhanbad, Dharuhera,

<u>=rnakulam, Gadag, Gummidipoondi, Hassan, Haveri, Hosur, Imphai, Indore</u>

Jind, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kashipur, Keonjhar, Kochi, Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Palwal, Panchkula, Pratapgarh, Purnia, Raichur, Rajgir, Ramanathapuram, Salem, Sasaram, Satna, Sikar, Sirsa, Sri Ganganagar, Srinagar, Surat, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandi Gobindgarh	Satisfactory	74	PM _{2.5}	1
122	Mandideep	Moderate	108	03	1
123	Mandikhera	Good	30	PM ₁₀	1
124	Manesar	Satisfactory	88	PM ₁₀	1
125	Mangalore	Good	42	PM _{2.5}	1
126	Manguraha	Very Poor	302	O ₃	1
127	Meerut	Good	49	CO, PM ₁₀	3
128	Moradabad	Satisfactory	63	PM _{2.5}	6
129	Mumbai	Satisfactory	53	O ₃ , CO	20
130	Muzaffarnagar	Satisfactory	52	PM ₁₀	1
131	Muzaffarpur	Satisfactory	90	со	3
132	Mysuru	Satisfactory	57 * AC	PM I is not calculated for today's bullet	1 n for Ahmednagar, Ajmer, Akola,

Notes:

Arrah, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Bhilwara, Bhiwani, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Charkhi Dadri, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga, Dhanbad, Dharuhera,

Ernakulam, Gadag, Gummidipoondi, Hassan, Haveri, Hosur, Imphai, Indore

Jind, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kashipur, Keonjhar, Kochi, Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Palwal, Panchkula, Pratapgarh, Purnia, Raichur, Rajgir, Ramanathapuram, Salem, Sasaram, Satna, Sikar, Sirsa, Sri Ganganagar, Srinagar, Surat, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nagaon	Good	45	PM ₁₀	1
134	Nagaur	Satisfactory	65	PM ₁₀	1
135	Nagpur	Good	44	PM ₁₀	4
136	Naharlagun	Good	13	PM _{2.5}	1
137	Nalbari	Good	21	NO ₂	1
138	Nanded	Good	30	O ₃	1
139	Narnaul	Poor	288	PM ₁₀	1
140	Nashik	Good	28	O ₃ , PM ₁₀	3
141	Navi Mumbai	Satisfactory	60	СО	4
142	Nayagarh	Good	42	NO ₂	1
143	Noida	Satisfactory	94	PM ₁₀ , CO	4
144	Ooty	Good	50 * AC	SO ₂ I is not calculated for today's bullet	1 n for Ahmednagar, Ajmer, Akola,

Notes:

Arrah, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Bhilwara, Bhiwani, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Charkhi Dadri, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga, Dhanbad, Dharuhera,

<u>=rnakulam, Gadag, Gummidipoondi, Hassan, Haveri, Hosur, Imphai, Indore</u>

Jind, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kashipur, Keonjhar, Kochi, Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Palwal, Panchkula, Pratapgarh, Purnia, Raichur, Rajgir, Ramanathapuram, Salem, Sasaram, Satna, Sikar, Sirsa, Sri Ganganagar, Srinagar, Surat, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Pali	Satisfactory	90	PM ₁₀	1
146	Palkalaiperur	Satisfactory	65	SO ₂	1
147	Panipat	Moderate	132	PM _{2.5}	1
148	Parbhani	Good	44	03	1
149	Patiala	Good	44	03	1
150	Patna	Good	48	PM _{2.5} , NO ₂	6
151	Pimpri Chinchwad	Good	35	NO ₂ , PM ₁₀	3
152	Pithampur	Satisfactory	74	PM ₁₀	1
153	Prayagraj	Satisfactory	57	PM ₁₀ , PM _{2.5}	3
154	Puducherry	Good	50	03	1
155	Pune	Moderate	121	NO ₂ , CO	4
156	Raipur	Satisfactory	57 * AC	PM ₁₀ , NO ₂ I is not calculated for today's bullet	3 n for Ahmednagar, Ajmer, Akola,

Notes:

Arrah, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Bhilwara, Bhiwani, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Charkhi Dadri, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga, Dhanbad, Dharuhera,

ьглакшат, Садад, Ситтаіроолаі, наззап, наveri, нозиг, ітрлаі, ілдоге Jind, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kashipur, Keonjhar, Kochi,

Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Palwal, Panchkula, Pratapgarh, Purnia, Raichur, Rajgir, Ramanathapuram, Salem, Sasaram, Satna, Sikar, Sirsa, Sri Ganganagar, Srinagar, Surat, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rairangpur	Satisfactory	87	PM ₁₀	1
158	Rajamahendravaram	Good	33	PM ₁₀	1
159	Rajsamand	Satisfactory	98	PM ₁₀	1
160	Ramanagara	Good	40	03	1
161	Ratlam	Good	40	PM _{2.5}	1
162	Rishikesh	Good	30	PM ₁₀	1
163	Rohtak	Moderate	177	PM _{2.5}	1
164	Rourkela	Satisfactory	78	PM ₁₀	2
165	Rupnagar	Moderate	153	PM ₁₀	1
166	Sagar	Good	45	O ₃	1
167	Saharsa	Very Poor	311	O ₃	1
168	Samastipur	Satisfactory	84	CO I is not calculated for today's bullet	1 n for Ahmednagar, Ajmer, Akola,

Notes:

Arrah, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Bhilwara, Bhiwani, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Charkhi Dadri, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga, Dhanbad, Dharuhera,

<u>=rnakulam, Gadag, Gummidipoondi, Hassan, Haveri, Hosur, Imphai, Indore</u>

Jind, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kashipur, Keonjhar, Kochi, Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Palwal, Panchkula, Pratapgarh, Purnia, Raichur, Rajgir, Ramanathapuram, Salem, Sasaram, Satna, Sikar, Sirsa, Sri Ganganagar, Srinagar, Surat, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sangli	Good	29	03	1
170	Sawai Madhopur	Satisfactory	74	PM _{2.5}	1
171	Shillong	Good	23	SO ₂	1
172	Shivamogga	Satisfactory	57	03	1
173	Silchar	Good	28	со	1
174	Siliguri	Good	28	PM ₁₀	1
175	Singrauli	Good	46	NO ₂	1
176	Sirohi	Satisfactory	67	PM ₁₀	1
177	Sivasagar	Good	18	PM ₁₀	1
178	Siwan	Satisfactory	53	PM ₁₀	1
179	Solapur	Satisfactory	80	PM ₁₀	3
180	Sonipat	Moderate	107 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Ajmer, Akola,

Notes:

Arrah, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Bhilwara, Bhiwani, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Charkhi Dadri, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga, Dhanbad, Dharuhera,

<u>-rnakulam, Gadag, Gummidipoondi, Hassan, Haveri, Hosur, Imphai, Indore</u>

Jind, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kashipur, Keonjhar, Kochi, Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Palwal, Panchkula, Pratapgarh, Purnia, Raichur, Rajgir, Ramanathapuram, Salem, Sasaram, Satna, Sikar, Sirsa, Sri Ganganagar, Srinagar, Surat, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Suakati	Good	45	03	1
182	Talcher	Satisfactory	65	со	1
183	Tensa	Good	34	03	1
184	Thane	Good	32	PM ₁₀	2
185	Thiruvananthapuram	Good	22	PM ₁₀ , CO	2
186	Thoothukudi	Good	43	PM ₁₀	1
187	Thrissur	Good	41	PM ₁₀	1
188	Tirupati	Good	46	NO ₂	2
189	Tonk	Satisfactory	64	PM ₁₀	1
190	Udaipur	Satisfactory	64	PM ₁₀	1
191	Ujjain	Satisfactory	87	со	1
192	Varanasi	Good	36 * AC	SO ₂ , PM ₁₀ I is not calculated for today's bullet	4 n for Ahmednagar, Ajmer, Akola,

Notes:

Arrah, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Bhilwara, Bhiwani, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Charkhi Dadri, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga, Dhanbad, Dharuhera,

Ernakulam, Cadag, Cummidipoondi, Hassan, Haveri, Hosur, Imphal, Indore Jind, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kashipur, Keonjhar, Kochi,

Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Palwal, Panchkula, Pratapgarh, Purnia, Raichur, Rajgir, Ramanathapuram, Salem, Sasaram, Satna, Sikar, Sirsa, Sri Ganganagar, Srinagar, Surat, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Vatva	Satisfactory	63	PM ₁₀	1
194	Vijayapura	Good	49	PM ₁₀	1
195	Vijayawada	Good	43	O ₃	1
196	Visakhapatnam	Satisfactory	91	PM ₁₀	1
197	Vrindavan	Good	41	PM ₁₀	1
198	Yadgir	Good	30	со	1
199	Yamunanagar	Satisfactory	97	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Akola, Arrah, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Bhilwara, Bhiwani, Bidar, Bilaspur, Boisar, Brajrajnagar, Buxar, Charkhi Dadri, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga, Dhanbad, Dharuhera,

Ernakulam, Gadag, Gummidipoondi, Hassan, Haveri, Hosur, Imphal, Indore, Jind, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kashipur, Keonjhar, Kochi, Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger,

Ramanathapuram, Salem, Sasaram, Satna, Sikar, Sirsa, Sri Ganganagar, Srinagar, Surat, Tirupur, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.

Nandesari, Palwal, Panchkula, Pratapgarh, Purnia, Raichur, Rajgir,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.