

### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	81	PM <sub>2.5</sub>	1
2	Ahmedabad	Satisfactory	77	PM <sub>2.5</sub>	1
3	Ajmer	Satisfactory	84	PM <sub>10</sub>	1
4	Alwar	Satisfactory	62	PM <sub>10</sub>	1
5	Amaravati	Satisfactory	57	PM <sub>10</sub>	1
6	Ambala	Moderate	113	PM <sub>10</sub>	1
7	Amritsar	Satisfactory	70	PM <sub>10</sub>	1
8	Ankleshwar	Moderate	121	PM <sub>2.5</sub>	1
9	Asanol	Satisfactory	87	PM <sub>2.5</sub>	1
10	Aurangabad	Satisfactory	79	PM <sub>10</sub>	1
11	Baghpat	Moderate	112	PM <sub>2.5</sub>	1
12	Bahadurgarh	Satisfactory	90	NO <sub>2</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Durgapur, Ghaziabad, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	115	PM <sub>10</sub>	1
14	Bathinda	Moderate	107	PM <sub>10</sub>	1
15	Bengaluru	Moderate	128	OZONE, PM <sub>10</sub> , PM <sub>2.5</sub>	8
16	Bhiwadi	Moderate	123	PM <sub>2.5</sub>	1
17	Bhiwani	Satisfactory	58	PM <sub>10</sub>	1
18	Brajrajnagar	Moderate	126	PM <sub>2.5</sub>	1
19	Bulandshahr	Satisfactory	79	PM <sub>10</sub>	1
20	Chandrapur	Moderate	119	PM <sub>10</sub>	2
21	Chennai	Moderate	185	PM <sub>2.5</sub> , CO	3
22	Chikkaballapur	Moderate	102	PM <sub>10</sub>	1
23	Damoh	Satisfactory	82	PM <sub>10</sub>	1
24	Delhi	Moderate	116	PM <sub>2.5</sub> , PM <sub>10</sub>	12

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Durgapur, Ghaziabad, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Moderate	162	PM <sub>10</sub>	1
26	Dharuhera	Moderate	110	PM <sub>10</sub>	1
27	Faridabad	Satisfactory	90	NO <sub>2</sub>	1
28	Fatehabad	Satisfactory	84	OZONE	1
29	GandhiNagar	Moderate	120	PM <sub>10</sub>	1
30	Gaya	Satisfactory	94	PM <sub>2.5</sub>	1
31	Greater_Noida	Satisfactory	99	PM <sub>2.5</sub>	1
32	Gurugram	Satisfactory	79	PM <sub>2.5</sub>	1
33	Guwahati	Poor	224	PM <sub>2.5</sub>	1
34	Haldia	Satisfactory	52	PM <sub>10</sub>	1
35	Hapur	Satisfactory	80	PM <sub>10</sub>	1
36	Hisar	Satisfactory	67	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Durgapur, Ghaziabad, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Howrah	Satisfactory	91	PM <sub>10</sub> , PM <sub>2.5</sub>	2
38	Hubballi	Moderate	111	PM <sub>10</sub>	1
39	Hyderabad	Moderate	120	PM <sub>10</sub> , PM <sub>2.5</sub>	6
40	Jaipur	Satisfactory	97	PM <sub>10</sub> , OZONE	3
41	Jalandhar	Satisfactory	94	PM <sub>10</sub>	1
42	Jind	Satisfactory	75	OZONE	1
43	Jodhpur	Moderate	122	PM <sub>10</sub>	1
44	Jorapokhar	Satisfactory	93	PM <sub>2.5</sub>	1
45	Kaithal	Moderate	103	PM <sub>10</sub>	1
46	Kalaburgi	Moderate	121	PM <sub>10</sub>	1
47	Kanpur	Moderate	137	PM <sub>2.5</sub>	1
48	Karnal	Moderate	139	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Durgapur, Ghaziabad, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Khanna	Good	48	PM <sub>10</sub>	1
50	Kolkata	Moderate	123	PM <sub>2.5</sub> , NO <sub>2</sub>	2
51	Kota	Satisfactory	89	PM <sub>10</sub>	1
52	Kurushketra	Satisfactory	99	PM <sub>10</sub>	1
53	Lucknow	Poor	248	PM <sub>2.5</sub> , CO	3
54	Ludhiana	Poor	208	PM <sub>2.5</sub>	1
55	Maihar	Satisfactory	96	со	1
56	Mandi Gobindgarh	Satisfactory	56	PM <sub>10</sub>	1
57	Mandideep	Moderate	190	OZONE	1
58	Mandikhera	Satisfactory	83	PM <sub>2.5</sub>	1
59	Manesar	Satisfactory	92	PM <sub>10</sub>	1
60	Moradabad	Moderate	134	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Durgapur, Ghaziabad, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mumbai	Moderate	115	PM <sub>10</sub>	1
62	Muzaffarnagar	Moderate	133	PM <sub>2.5</sub>	1
63	Muzaffarpur	Very Poor	302	PM <sub>2.5</sub>	1
64	Nagpur	Moderate	140	OZONE	1
65	Narnaul	Satisfactory	71	PM <sub>10</sub>	1
66	Nashik	Moderate	114	PM <sub>10</sub>	1
67	Navi Mumbai	Moderate	107	СО	1
68	Noida	Moderate	101	PM <sub>2.5</sub> , PM <sub>10</sub>	2
69	Pali	Satisfactory	90	PM <sub>10</sub>	1
70	Palwal	Moderate	104	PM <sub>2.5</sub>	1
71	Panchkula	Satisfactory	82	PM <sub>2.5</sub>	1
72	Panipat	Satisfactory	82	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Durgapur, Ghaziabad, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Patiala	Satisfactory	94	PM <sub>10</sub>	1
74	Patna	Poor	289	PM <sub>2.5</sub>	1
75	Pithampur	Moderate	164	PM <sub>10</sub>	1
76	Pune	Moderate	109	PM <sub>10</sub>	1
77	Rajamahendravaram	Satisfactory	55	PM <sub>10</sub>	1
78	Ratlam	Moderate	132	PM <sub>10</sub>	1
79	Rohtak	Moderate	146	PM <sub>2.5</sub>	1
80	Rupnagar	Satisfactory	86	PM <sub>2.5</sub>	1
81	Satna	Moderate	104	со	1
82	Siliguri	Moderate	174	PM <sub>2.5</sub>	1
83	Singrauli	Moderate	151	PM <sub>10</sub>	1
84	Sirsa	Satisfactory	57	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Durgapur, Ghaziabad, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Solapur	Moderate	112	PM <sub>10</sub>	1
86	Sonipat	Moderate	104	со	1
87	Talcher	Moderate	102	со	1
88	Thane	Moderate	144	PM <sub>10</sub>	1
89	Thiruvananthapuram	Satisfactory	86	OZONE	1
90	Tirupati	Satisfactory	85	OZONE	1
91	Udaipur	Moderate	124	PM <sub>2.5</sub>	1
92	Ujjain	Moderate	138	PM <sub>10</sub>	1
93	Vapi	Moderate	187	PM <sub>2.5</sub>	1
94	Varanasi	Poor	236	PM <sub>2.5</sub>	1
95	Vatva	Moderate	166	PM <sub>10</sub>	1
96	Vijayawada	Satisfactory	61	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Durgapur, Ghaziabad, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Yamunanagar	Moderate	169	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Durgapur, Ghaziabad, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.