

### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	332	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	145	PM <sub>2.5</sub>	1
3	Ajmer	Moderate	141	PM <sub>2.5</sub>	1
4	Alwar	Moderate	143	PM <sub>2.5</sub>	1
5	Amaravati	Moderate	125	PM <sub>2.5</sub>	1
6	Ambala	Very Poor	345	PM <sub>10</sub>	1
7	Amritsar	Moderate	157	PM <sub>2.5</sub>	1
8	Ankleshwar	Moderate	142	PM <sub>10</sub>	1
9	Asansol	Moderate	112	PM <sub>10</sub>	1
10	Aurangabad	Satisfactory	85	O <sub>3</sub>	1
11	Bagalkot	Moderate	195	PM <sub>2.5</sub>	1
12	Baghpat	Very Poor	364	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Coimbatore, Ernakulam, Hajipur, Jorapokhar, Kalyan, Nagpur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Very Poor	367	PM <sub>2.5</sub>	1
14	Ballabgarh	Very Poor	368	PM <sub>2.5</sub>	1
15	Bathinda	Moderate	192	PM <sub>2.5</sub>	1
16	Bengaluru	Moderate	101	PM <sub>2.5</sub> , PM <sub>10</sub>	9
17	Bhiwadi	Very Poor	370	PM <sub>2.5</sub>	1
18	Bhiwani	Very Poor	316	PM <sub>10</sub>	1
19	Bhopal	Moderate	174	PM <sub>10</sub>	1
20	Brajrajnagar	Moderate	119	PM <sub>2.5</sub>	1
21	Bulandshahr	Very Poor	379	PM <sub>10</sub>	1
22	Chandigarh	Moderate	120	PM <sub>10</sub>	1
23	Chandrapur	Moderate	133	PM <sub>2.5</sub>	1
24	Chennai	Moderate	118	PM <sub>2.5</sub>	3

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Coimbatore, Ernakulam, Hajipur, Jorapokhar, Kalyan, Nagpur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Moderate	128	PM <sub>2.5</sub>	1
26	Chikkamagaluru	Satisfactory	94	PM <sub>10</sub>	1
27	Damoh	Moderate	127	PM <sub>10</sub>	1
28	Delhi	Very Poor	367	PM <sub>10</sub> , PM <sub>2.5</sub>	36
29	Dewas	Moderate	110	PM <sub>2.5</sub>	1
30	Dharuhera	Very Poor	386	PM <sub>10</sub>	1
31	Eloor	Good	37	PM <sub>10</sub>	1
32	Faridabad	Very Poor	348	PM <sub>2.5</sub> , PM <sub>10</sub>	3
33	Fatehabad	Very Poor	387	PM <sub>2.5</sub>	1
34	Gandhinagar	Satisfactory	89	PM <sub>10</sub>	1
35	Gaya	Satisfactory	84	O <sub>3</sub>	1
36	Ghaziabad	Very Poor	363	PM <sub>10</sub> , PM <sub>2.5</sub>	4

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Coimbatore, Ernakulam, Hajipur, Jorapokhar, Kalyan, Nagpur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Greater Noida	Very Poor	368	PM <sub>10</sub> , PM <sub>2.5</sub>	2
38	Gurugram	Very Poor	358	PM <sub>2.5</sub>	3
39	Guwahati	Satisfactory	83	PM <sub>2.5</sub>	1
40	Gwalior	Very Poor	307	PM <sub>2.5</sub>	1
41	Hapur	Very Poor	315	PM <sub>10</sub>	1
42	Hisar	Very Poor	382	PM <sub>2.5</sub>	1
43	Howrah	Moderate	124	PM <sub>10</sub>	3
44	Hubballi	Moderate	124	PM <sub>10</sub>	1
45	Hyderabad	Moderate	170	PM <sub>2.5</sub>	6
46	Indore	Moderate	134	PM <sub>10</sub>	1
47	Jabalpur	Poor	209	PM <sub>2.5</sub>	1
48	Jaipur	Poor	283	PM <sub>2.5</sub>	3

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Coimbatore, Ernakulam, Hajipur, Jorapokhar, Kalyan, Nagpur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jalandhar	Moderate	172	PM <sub>2.5</sub>	1
50	Jind	Severe	405	PM <sub>2.5</sub>	1
51	Jodhpur	Poor	242	PM <sub>2.5</sub>	1
52	Kaithal	Very Poor	375	PM <sub>10</sub>	1
53	Kalaburgi	Moderate	167	PM <sub>2.5</sub>	1
54	Kannur	Good	46	СО	1
55	Kanpur	Poor	266	PM <sub>2.5</sub>	1
56	Karnal	Poor	260	PM <sub>2.5</sub>	1
57	Katni	Poor	257	PM <sub>10</sub>	1
58	Khanna	Poor	206	PM <sub>2.5</sub>	1
59	Kochi	Moderate	123	PM <sub>2.5</sub>	1
60	Kohima	Good	38	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Coimbatore, Ernakulam, Hajipur, Jorapokhar, Kalyan, Nagpur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kolkata	Moderate	114	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	7
62	Kollam	Poor	204	PM <sub>2.5</sub>	1
63	Kota	Moderate	172	PM <sub>2.5</sub>	1
64	Kozhikode	Satisfactory	86	PM <sub>10</sub>	1
65	Kurukshetra	Very Poor	334	PM <sub>2.5</sub>	1
66	Lucknow	Poor	226	PM <sub>2.5</sub> , PM <sub>10</sub>	4
67	Ludhiana	Moderate	161	PM <sub>2.5</sub>	1
68	Maihar	Satisfactory	57	PM <sub>10</sub>	1
69	Mandi Gobindgarh	Poor	257	PM <sub>2.5</sub>	1
70	Mandideep	Moderate	124	PM <sub>2.5</sub>	1
71	Mandikhera	Very Poor	320	PM <sub>2.5</sub>	1
72	Manesar	Poor	272	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Coimbatore, Ernakulam, Hajipur, Jorapokhar, Kalyan, Nagpur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Meerut	Very Poor	367	PM <sub>2.5</sub>	3
74	Moradabad	Very Poor	337	PM <sub>2.5</sub>	1
75	Mumbai	Moderate	119	PM <sub>10</sub> , PM <sub>2.5</sub>	9
76	Muzaffarnagar	Very Poor	364	PM <sub>10</sub>	1
77	Muzaffarpur	Moderate	150	PM <sub>2.5</sub> , PM <sub>10</sub>	2
78	Mysuru	Satisfactory	88	PM <sub>10</sub>	1
79	Nandesari	Moderate	162	СО	1
80	Narnaul	Very Poor	301	PM <sub>2.5</sub>	1
81	Nashik	Satisfactory	73	O <sub>3</sub>	1
82	Navi Mumbai	Moderate	108	PM <sub>10</sub> , PM <sub>2.5</sub>	2
83	Noida	Very Poor	356	PM <sub>2.5</sub> , PM <sub>10</sub>	3
84	Pali	Moderate	110	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Coimbatore, Ernakulam, Hajipur, Jorapokhar, Kalyan, Nagpur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Palwal	Moderate	164	PM <sub>10</sub>	1
86	Panchkula	Moderate	135	PM <sub>2.5</sub>	1
87	Panipat	Very Poor	347	PM <sub>10</sub>	1
88	Patiala	Poor	242	PM <sub>2.5</sub>	1
89	Patna	Moderate	152	PM <sub>2.5</sub> , PM <sub>10</sub>	5
90	Pithampur	Moderate	132	PM <sub>10</sub>	1
91	Pune	Satisfactory	68	PM <sub>2.5</sub>	1
92	Rajamahendravaram	Moderate	172	O <sub>3</sub>	1
93	Ramanagara	Moderate	187	O <sub>3</sub>	1
94	Ratlam	Moderate	170	PM <sub>10</sub>	1
95	Rohtak	Very Poor	331	PM <sub>2.5</sub>	1
96	Rupnagar	Poor	254	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Coimbatore, Ernakulam, Hajipur, Jorapokhar, Kalyan, Nagpur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sagar	Moderate	150	PM <sub>2.5</sub>	1
98	Satna	Satisfactory	68	PM <sub>10</sub>	1
99	Shillong	Good	18	PM <sub>2.5</sub>	1
100	Siliguri	Satisfactory	100	PM <sub>10</sub>	1
101	Singrauli	Moderate	146	PM <sub>10</sub>	1
102	Sirsa	Poor	280	PM <sub>2.5</sub>	1
103	Solapur	Moderate	121	PM <sub>10</sub>	1
104	Sonipat	Very Poor	325	PM <sub>10</sub>	1
105	Talcher	Moderate	185	NO <sub>2</sub>	1
106	Thane	Moderate	149	PM <sub>10</sub>	1
107	Thiruvananthapuram	Satisfactory	86	PM <sub>10</sub>	2
108	Thrissur	Moderate	109	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Coimbatore, Ernakulam, Hajipur, Jorapokhar, Kalyan, Nagpur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Tirupati	Moderate	132	PM <sub>2.5</sub>	1
110	Udaipur	Moderate	113	PM <sub>10</sub>	1
111	Ujjain	Poor	222	03	1
112	Vapi	Moderate	182	PM <sub>2.5</sub>	1
113	Varanasi	Poor	237	PM <sub>10</sub>	1
114	Vatva	Moderate	137	PM <sub>10</sub>	1
115	Vijayapura	Satisfactory	81	PM <sub>10</sub>	1
116	Visakhapatnam	Poor	222	PM <sub>10</sub>	1
117	Yadgir	Moderate	151	O <sub>3</sub>	1
118	Yamunanagar	Poor	250	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Coimbatore, Ernakulam, Hajipur, Jorapokhar, Kalyan, Nagpur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.