



## Air Quality Index on Jul 13, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	32	PM <sub>2.5</sub> , SO <sub>2</sub>	2
2	Agra	Good	37	PM <sub>10</sub>	5
3	Ahmedabad	Satisfactory	58	PM <sub>10</sub> , CO	2
4	Aizawl	Good	20	SO <sub>2</sub>	1
5	Ajmer	Satisfactory	71	PM <sub>10</sub>	1
6	Alwar	Satisfactory	62	PM <sub>10</sub>	1
7	Amaravati	Good	31	O <sub>3</sub>	1
8	Ambala	Satisfactory	51	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	77	NO <sub>2</sub>	1
10	Araria	Satisfactory	54	PM <sub>10</sub>	1
11	Aurangabad	Satisfactory	90	PM <sub>10</sub>	1
12	Bagalkot	Good	42	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Baddi, Baramulla, Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Damoh, Dharuhera, Gangtok, Hajipur, Hapur, Jorapokhar, Kalaburgi, Khurja, Kishanganj, Kolar, Maihar, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pali, Pithampur, Pune, Raichur, Sagar, Saharsa, Samastipur, Shillong, Siwan, Talcher, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 13, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Good	49	O <sub>3</sub>	1
14	Bahadurgarh	Satisfactory	87	PM <sub>10</sub>	1
15	Ballabgarh	Satisfactory	87	CO	1
16	Bathinda	Satisfactory	78	PM <sub>10</sub>	1
17	Bengaluru	Satisfactory	64	PM <sub>10</sub>	9
18	Bhagalpur	Satisfactory	80	PM <sub>10</sub>	2
19	Bhiwani	Satisfactory	89	PM <sub>2.5</sub>	1
20	Bhopal	Good	47	O <sub>3</sub>	1
21	Bihar Sharif	Good	28	PM <sub>2.5</sub>	1
22	Bilaspur	Satisfactory	64	CO	1
23	Bulandshahr	Good	50	O <sub>3</sub>	1
24	Buxar	Satisfactory	85	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Baddi, Baramulla, Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Damoh, Dharuhera, Gangtok, Hajipur, Hapur, Jorapokhar, Kalaburgi, Khurja, Kishanganj, Kolar, Maihar, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pali, Pithampur, Pune, Raichur, Sagar, Saharsa, Samastipur, Shillong, Siwan, Talcher, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 13, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Satisfactory	56	PM <sub>10</sub> , CO	3
26	Chandrapur	Satisfactory	82	PM <sub>2.5</sub> , CO	2
27	Charkhi Dadri	Moderate	176	PM <sub>2.5</sub>	1
28	Chennai	Satisfactory	55	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	7
29	Chhapra	Satisfactory	63	PM <sub>10</sub>	1
30	Chikkaballapur	Good	31	CO	1
31	Chikkamagaluru	Good	28	PM <sub>10</sub>	1
32	Darbhanga	Moderate	102	PM <sub>10</sub>	1
33	Davanagere	Good	15	PM <sub>10</sub>	1
34	Dehradun	Good	35	PM <sub>10</sub>	1
35	Delhi	Satisfactory	89	O <sub>3</sub> , CO, PM <sub>10</sub>	36
36	Dewas	Good	37	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Baddi, Baramulla, Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Damoh, Dharuhera, Gangtok, Hajipur, Hapur, Jorapokhar, Kalaburgi, Khurja, Kishanganj, Kolar, Maihar, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pali, Pithampur, Pune, Raichur, Sagar, Saharsa, Samastipur, Shillong, Siwan, Talcher, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 13, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Durgapur	Good	44	PM <sub>10</sub>	1
38	Eloor	Satisfactory	52	PM <sub>10</sub>	1
39	Ernakulam	Good	24	NO <sub>2</sub>	1
40	Faridabad	Moderate	104	PM <sub>10</sub>	1
41	Fatehabad	Satisfactory	71	PM <sub>10</sub>	1
42	Firozabad	Satisfactory	76	O <sub>3</sub>	1
43	Gadag	Good	27	SO <sub>2</sub>	1
44	Gandhinagar	Good	29	PM <sub>10</sub>	1
45	Gaya	Satisfactory	56	PM <sub>10</sub> , PM <sub>2.5</sub>	3
46	Ghaziabad	Satisfactory	71	CO, PM <sub>10</sub>	4
47	Gorakhpur	Good	47	SO <sub>2</sub>	1
48	Greater Noida	Satisfactory	76	PM <sub>10</sub>	2

\* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Baddi, Baramulla, Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Damoh, Dharuhera, Gangtok, Hajipur, Hapur, Jorapokhar, Kalaburgi, Khurja, Kishanganj, Kolar, Maihar, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pali, Pithampur, Pune, Raichur, Sagar, Saharsa, Samastipur, Shillong, Siwan, Talcher, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 13, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gummidipoondi	Good	14	PM <sub>2.5</sub>	1
50	Gurugram	Moderate	103	PM <sub>10</sub>	3
51	Guwahati	Good	43	O <sub>3</sub> , PM <sub>10</sub>	2
52	Gwalior	Satisfactory	63	O <sub>3</sub>	1
53	Haldia	Good	45	CO	1
54	Hassan	Good	30	SO <sub>2</sub>	1
55	Haveri	Satisfactory	78	CO	1
56	Hisar	Moderate	103	PM <sub>10</sub>	1
57	Howrah	Good	43	CO, PM <sub>10</sub>	3
58	Hubballi	Satisfactory	54	CO	1
59	Hyderabad	Satisfactory	57	CO, PM <sub>10</sub> , NO <sub>2</sub>	6
60	Imphal	Satisfactory	78	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Baddi, Baramulla, Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Damoh, Dharuhera, Gangtok, Hajipur, Hapur, Jorapokhar, Kalaburgi, Khurja, Kishanganj, Kolar, Maihar, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pali, Pithampur, Pune, Raichur, Sagar, Saharsa, Samastipur, Shillong, Siwan, Talcher, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 13, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Indore	Good	46	NO <sub>2</sub>	1
62	Jabalpur	Satisfactory	65	PM <sub>10</sub>	1
63	Jaipur	Satisfactory	64	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	3
64	Jalandhar	Satisfactory	83	PM <sub>10</sub>	1
65	Jhansi	Good	34	PM <sub>10</sub>	1
66	Jind	Satisfactory	70	PM <sub>2.5</sub>	1
67	Jodhpur	Satisfactory	75	PM <sub>10</sub>	1
68	Kaithal	Satisfactory	75	O <sub>3</sub>	1
69	Kalyan	Good	45	PM <sub>10</sub>	1
70	Kannur	Satisfactory	55	PM <sub>10</sub>	1
71	Kanpur	Satisfactory	55	PM <sub>10</sub> , O <sub>3</sub>	4
72	Karnal	Good	50	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Baddi, Baramulla, Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Damoh, Dharuhera, Gangtok, Hajipur, Hapur, Jorapokhar, Kalaburgi, Khurja, Kishanganj, Kolar, Maihar, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pali, Pithampur, Pune, Raichur, Sagar, Saharsa, Samastipur, Shillong, Siwan, Talcher, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 13, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Katihar	Moderate	109	PM <sub>10</sub>	1
74	Katni	Satisfactory	63	PM <sub>10</sub>	1
75	Khanna	Satisfactory	58	PM <sub>2.5</sub>	1
76	Kochi	Satisfactory	85	CO	1
77	Kohima	Satisfactory	52	SO <sub>2</sub>	1
78	Kolkata	Good	37	O <sub>3</sub> , PM <sub>2.5</sub> , CO	6
79	Kollam	Satisfactory	51	PM <sub>10</sub>	1
80	Koppal	Good	24	NO <sub>2</sub>	1
81	Kota	Good	47	PM <sub>10</sub>	1
82	Kozhikode	Satisfactory	62	PM <sub>10</sub>	1
83	Kurukshetra	Satisfactory	60	PM <sub>2.5</sub>	1
84	Lucknow	Satisfactory	76	O <sub>3</sub> , PM <sub>10</sub>	6

\* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Baddi, Baramulla, Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Damoh, Dharuhera, Gangtok, Hajipur, Hapur, Jorapokhar, Kalaburgi, Khurja, Kishanganj, Kolar, Maihar, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pali, Pithampur, Pune, Raichur, Sagar, Saharsa, Samastipur, Shillong, Siwan, Talcher, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 13, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ludhiana	Satisfactory	71	PM <sub>2.5</sub>	1
86	Madikeri	Good	46	CO	1
87	Mandi Gobindgarh	Satisfactory	87	PM <sub>2.5</sub>	1
88	Mandideep	Satisfactory	71	O <sub>3</sub>	1
89	Mandikhera	Good	49	CO	1
90	Manglore	Good	49	CO	1
91	Meerut	Satisfactory	62	CO, PM <sub>10</sub>	2
92	Moradabad	Satisfactory	64	PM <sub>10</sub> , CO	5
93	Motihari	Satisfactory	71	O <sub>3</sub>	1
94	Mumbai	Satisfactory	62	CO, SO <sub>2</sub> , PM <sub>10</sub>	8
95	Muzaffarnagar	Satisfactory	64	PM <sub>10</sub>	1
96	Muzaffarpur	Satisfactory	81	PM <sub>10</sub> , CO	3

\* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Baddi, Baramulla, Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Damoh, Dharuhera, Gangtok, Hajipur, Hapur, Jorapokhar, Kalaburgi, Khurja, Kishanganj, Kolar, Maihar, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pali, Pithampur, Pune, Raichur, Sagar, Saharsa, Samastipur, Shillong, Siwan, Talcher, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:





## Air Quality Index on Jul 13, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mysuru	Good	37	PM <sub>10</sub>	1
98	Nagpur	Good	25	O <sub>3</sub>	1
99	Narnaul	Satisfactory	76	PM <sub>2.5</sub>	1
100	Navi Mumbai	Moderate	184	O <sub>3</sub>	1
101	Noida	Satisfactory	79	CO, NO <sub>2</sub> , PM <sub>10</sub>	3
102	Palwal	Satisfactory	78	O <sub>3</sub>	1
103	Panchkula	Satisfactory	55	PM <sub>2.5</sub>	1
104	Panipat	Satisfactory	81	PM <sub>10</sub>	1
105	Patiala	Satisfactory	53	PM <sub>10</sub>	1
106	Patna	Satisfactory	96	PM <sub>10</sub> , NO <sub>2</sub>	6
107	Prayagraj	Satisfactory	84	PM <sub>10</sub> , SO <sub>2</sub>	2
108	Puducherry	Good	49	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Baddi, Baramulla, Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Damoh, Dharuhera, Gangtok, Hajipur, Hapur, Jorapokhar, Kalaburgi, Khurja, Kishanganj, Kolar, Maihar, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pali, Pithampur, Pune, Raichur, Sagar, Saharsa, Samastipur, Shillong, Siwan, Talcher, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 13, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Purnia	Satisfactory	87	PM <sub>10</sub>	1
110	Rajamahendravaram	Good	18	PM <sub>10</sub>	1
111	Rajgir	Good	27	PM <sub>10</sub>	1
112	Ramanagara	Good	40	PM <sub>10</sub>	1
113	Ratlam	Good	28	PM <sub>10</sub>	1
114	Rohtak	Moderate	106	PM <sub>2.5</sub>	1
115	Rupnagar	Good	34	PM <sub>10</sub>	1
116	Sasaram	Satisfactory	51	O <sub>3</sub>	1
117	Satna	Good	34	O <sub>3</sub>	1
118	Shivamogga	Good	44	PM <sub>10</sub>	1
119	Siliguri	Good	42	PM <sub>10</sub>	1
120	Singrauli	Satisfactory	90	NO <sub>2</sub>	1

\* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Baddi, Baramulla, Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Damoh, Dharuhera, Gangtok, Hajipur, Hapur, Jorapokhar, Kalaburgi, Khurja, Kishanganj, Kolar, Maihar, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pali, Pithampur, Pune, Raichur, Sagar, Saharsa, Samastipur, Shillong, Siwan, Talcher, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Jul 13, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sirsa	Satisfactory	81	O <sub>3</sub>	1
122	Solapur	Satisfactory	53	PM <sub>10</sub>	1
123	Sonipat	Satisfactory	98	PM <sub>10</sub>	1
124	Srinagar	Satisfactory	75	PM <sub>10</sub>	1
125	Thane	Satisfactory	55	PM <sub>10</sub>	1
126	Thiruvananthapuram	Satisfactory	63	PM <sub>2.5</sub> , CO	2
127	Thoothukudi	Good	38	PM <sub>10</sub>	1
128	Thrissur	Good	39	PM <sub>10</sub>	1
129	Tirupati	Good	39	PM <sub>10</sub>	1
130	Udaipur	Good	41	CO	1
131	Ujjain	Good	48	PM <sub>10</sub>	1
132	Varanasi	Satisfactory	53	PM <sub>10</sub> , NO <sub>2</sub> , O <sub>3</sub>	4

\* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Baddi, Baramulla, Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Damoh, Dharuhera, Gangtok, Hajipur, Hapur, Jorapokhar, Kalaburgi, Khurja, Kishanganj, Kolar, Maihar, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pali, Pithampur, Pune, Raichur, Sagar, Saharsa, Samastipur, Shillong, Siwan, Talcher, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 13, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Vatva	Satisfactory	60	PM <sub>10</sub>	1
134	Vijayapura	Good	49	PM <sub>10</sub>	1
135	Visakhapatnam	Satisfactory	68	PM <sub>10</sub>	1
136	Vrindavan	Good	44	SO <sub>2</sub>	1
137	Yadgir	Good	27	CO	1
138	Yamunanagar	Moderate	126	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Asansol, Aurangabad (Bihar), Aurangabad (Maharashtra), Baddi, Baramulla, Begusarai, Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Chamarajanagar, Coimbatore, Damoh, Dharuhera, Gangtok, Hajipur, Hapur, Jorapokhar, Kalaburgi, Khurja, Kishanganj, Kolar, Maihar, Manesar, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Pali, Pithampur, Pune, Raichur, Sagar, Saharsa, Samastipur, Shillong, Siwan, Talcher, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases