

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	193	PM <sub>2.5</sub>	1
2	Agra	Poor	238	PM <sub>2.5</sub>	5
3	Ahmedabad	Moderate	122	NO <sub>2</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	9
4	Aizawl	Good	23	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	98	PM <sub>10</sub>	1
6	Alwar	Moderate	138	PM <sub>2.5</sub>	1
7	Amaravati	Moderate	145	PM <sub>2.5</sub>	1
8	Ambala	Poor	290	PM <sub>2.5</sub>	1
9	Ankleshwar	Poor	255	PM <sub>2.5</sub>	1
10	Asansol	Moderate	185	03	1
11	Aurangabad	Moderate	116	PM <sub>10</sub>	1
12	Bagalkot	Satisfactory	52	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda, Bhilai, Dewas, Ernakulam, Gummidipoondi, Guwahati, Hassan, Jorapokhar, Kolar, Madikeri, Manguraha, Naharlagun, Nandesari, Rajgir, Rohtak, Siwan, Solapur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	300	PM <sub>2.5</sub>	1
14	Bahadurgarh	Very Poor	334	PM <sub>2.5</sub>	1
15	Ballabgarh	Very Poor	349	PM <sub>2.5</sub>	1
16	Bengaluru	Good	46	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	8
17	Bettiah	Very Poor	311	PM <sub>10</sub>	1
18	Bhagalpur	Very Poor	321	PM <sub>2.5</sub>	2
19	Bhiwadi	Poor	271	PM <sub>2.5</sub>	1
20	Bhiwani	Poor	300	PM <sub>2.5</sub>	1
21	Bhopal	Moderate	144	PM <sub>2.5</sub>	1
22	Bidar	Moderate	107	PM <sub>10</sub>	1
23	Bihar Sharif	Very Poor	355	PM <sub>2.5</sub>	1
24	Bilaspur	Satisfactory	98	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda, Bhilai, Dewas, Ernakulam, Gummidipoondi, Guwahati, Hassan, Jorapokhar, Kolar, Madikeri, Manguraha, Naharlagun, Nandesari, Rajgir, Rohtak, Siwan, Solapur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Brajrajnagar	Satisfactory	93	PM <sub>10</sub>	1
26	Bulandshahr	Poor	274	PM <sub>2.5</sub>	1
27	Buxar	Severe	454	PM <sub>10</sub>	1
28	Chamarajanagar	Good	32	PM <sub>10</sub>	1
29	Chandigarh	Moderate	190	PM <sub>2.5</sub> , PM <sub>10</sub>	2
30	Chandrapur	Moderate	142	PM <sub>2.5</sub>	2
31	Charkhi Dadri	Poor	285	PM <sub>2.5</sub>	1
32	Chennai	Satisfactory	52	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	7
33	Chhapra	Very Poor	373	PM <sub>2.5</sub>	1
34	Chikkaballapur	Good	37	03	1
35	Chikkamagaluru	Good	30	PM <sub>10</sub>	1
36	Coimbatore	Good	44	СО	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda, Bhilai, Dewas, Ernakulam, Gummidipoondi, Guwahati, Hassan, Jorapokhar, Kolar, Madikeri, Manguraha, Naharlagun, Nandesari, Rajgir, Rohtak, Siwan, Solapur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Moderate	154	PM <sub>2.5</sub>	1
38	Darbhanga	Very Poor	386	PM <sub>2.5</sub>	1
39	Davanagere	Satisfactory	54	PM <sub>10</sub>	1
40	Delhi	Very Poor	367	PM <sub>2.5</sub>	37
41	Dharuhera	Moderate	165	PM <sub>2.5</sub>	1
42	Durgapur	Poor	295	PM <sub>10</sub>	1
43	Eloor	Satisfactory	64	PM <sub>10</sub>	1
44	Faridabad	Very Poor	359	PM <sub>2.5</sub>	4
45	Fatehabad	Moderate	184	PM <sub>2.5</sub>	1
46	Firozabad	Poor	241	PM <sub>2.5</sub>	1
47	Gadag	Satisfactory	96	PM <sub>2.5</sub>	1
48	Gandhinagar	Satisfactory	90	PM <sub>2.5</sub> , PM <sub>10</sub>	2

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda, Bhilai, Dewas, Ernakulam, Gummidipoondi, Guwahati, Hassan, Jorapokhar, Kolar, Madikeri, Manguraha, Naharlagun, Nandesari, Rajgir, Rohtak, Siwan, Solapur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Poor	236	PM <sub>2.5</sub> , PM <sub>10</sub>	3
50	Ghaziabad	Very Poor	324	PM <sub>2.5</sub>	4
51	Gorakhpur	Moderate	184	PM <sub>2.5</sub>	1
52	Greater Noida	Poor	284	PM <sub>2.5</sub>	2
53	Gurugram	Very Poor	306	PM <sub>2.5</sub>	4
54	Gwalior	Moderate	102	PM <sub>2.5</sub>	2
55	Hajipur	Poor	266	PM <sub>2.5</sub>	1
56	Haldia	Moderate	161	PM <sub>2.5</sub>	1
57	Hapur	Poor	282	PM <sub>2.5</sub>	1
58	Hisar	Very Poor	323	PM <sub>2.5</sub>	1
59	Howrah	Poor	255	PM <sub>2.5</sub>	3
60	Hubballi	Satisfactory	82	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda, Bhilai, Dewas, Ernakulam, Gummidipoondi, Guwahati, Hassan, Jorapokhar, Kolar, Madikeri, Manguraha, Naharlagun, Nandesari, Rajgir, Rohtak, Siwan, Solapur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hyderabad	Moderate	150	PM <sub>2.5</sub>	6
62	Indore	Moderate	144	PM <sub>2.5</sub>	1
63	Jabalpur	Moderate	111	PM <sub>10</sub>	1
64	Jaipur	Moderate	128	PM <sub>10</sub> , PM <sub>2.5</sub>	2
65	Jalandhar	Poor	231	PM <sub>2.5</sub>	1
66	Jind	Poor	293	PM <sub>2.5</sub>	1
67	Jodhpur	Moderate	159	PM <sub>2.5</sub>	1
68	Kaithal	Poor	284	PM <sub>2.5</sub>	1
69	Kalaburgi	Moderate	124	PM <sub>2.5</sub>	1
70	Kalyan	Moderate	155	PM <sub>2.5</sub>	1
71	Kannur	Satisfactory	57	PM <sub>2.5</sub>	1
72	Kanpur	Poor	235	PM <sub>10</sub> , PM <sub>2.5</sub>	3

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda, Bhilai, Dewas, Ernakulam, Gummidipoondi, Guwahati, Hassan, Jorapokhar, Kolar, Madikeri, Manguraha, Naharlagun, Nandesari, Rajgir, Rohtak, Siwan, Solapur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Karnal	Poor	243	PM <sub>2.5</sub>	1
74	Katihar	Very Poor	339	PM <sub>2.5</sub>	1
75	Katni	Poor	228	PM <sub>10</sub>	1
76	Khanna	Poor	201	PM <sub>2.5</sub>	1
77	Kishanganj	Very Poor	354	PM <sub>2.5</sub>	1
78	Kochi	Moderate	131	PM <sub>2.5</sub>	1
79	Kohima	Satisfactory	62	PM <sub>10</sub>	1
80	Kolkata	Poor	255	PM <sub>2.5</sub>	6
81	Kollam	Satisfactory	78	PM <sub>2.5</sub>	1
82	Koppal	Satisfactory	56	03	1
83	Kota	Poor	215	PM <sub>2.5</sub>	1
84	Kozhikode	Good	50	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda, Bhilai, Dewas, Ernakulam, Gummidipoondi, Guwahati, Hassan, Jorapokhar, Kolar, Madikeri, Manguraha, Naharlagun, Nandesari, Rajgir, Rohtak, Siwan, Solapur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kurukshetra	Poor	284	PM <sub>2.5</sub>	1
86	Lucknow	Poor	251	PM <sub>2.5</sub>	6
87	Ludhiana	Poor	220	PM <sub>2.5</sub>	1
88	Maihar	Satisfactory	94	PM <sub>2.5</sub>	1
89	Mandi Gobindgarh	Moderate	143	PM <sub>10</sub>	1
90	Mandideep	Moderate	126	PM <sub>2.5</sub>	1
91	Mandikhera	Moderate	149	PM <sub>2.5</sub>	1
92	Manesar	Poor	275	PM <sub>2.5</sub>	1
93	Manglore	Good	40	PM <sub>2.5</sub>	1
94	Meerut	Poor	258	PM <sub>2.5</sub>	3
95	Moradabad	Poor	204	PM <sub>2.5</sub>	2
96	Motihari	Very Poor	301	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda, Bhilai, Dewas, Ernakulam, Gummidipoondi, Guwahati, Hassan, Jorapokhar, Kolar, Madikeri, Manguraha, Naharlagun, Nandesari, Rajgir, Rohtak, Siwan, Solapur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mumbai	Moderate	119	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	19
98	Munger	Moderate	169	PM <sub>2.5</sub>	1
99	Muzaffarnagar	Poor	236	PM <sub>2.5</sub>	1
100	Muzaffarpur	Very Poor	341	PM <sub>2.5</sub>	2
101	Mysuru	Good	44	03	1
102	Nagpur	Moderate	195	PM <sub>2.5</sub>	1
103	Narnaul	Poor	247	PM <sub>2.5</sub>	1
104	Nashik	Satisfactory	98	PM <sub>2.5</sub>	1
105	Navi Mumbai	Moderate	132	PM <sub>10</sub>	1
106	Noida	Very Poor	332	PM <sub>2.5</sub> , PM <sub>10</sub>	4
107	Pali	Moderate	139	PM <sub>2.5</sub>	1
108	Palwal	Moderate	182	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda,
  Bhilai, Dewas, Ernakulam, Gummidipoondi, Guwahati, Hassan, Jorapokhar,
  Kolar, Madikeri, Manguraha, Naharlagun, Nandesari, Rajgir, Rohtak, Siwan,
  Solapur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Panchkula	Poor	215	PM <sub>2.5</sub>	1
110	Panipat	Very Poor	341	PM <sub>2.5</sub>	1
111	Patiala	Poor	261	PM <sub>2.5</sub>	1
112	Patna	Very Poor	314	PM <sub>2.5</sub> , PM <sub>10</sub>	6
113	Pithampur	Moderate	145	PM <sub>2.5</sub>	1
114	Prayagraj	Poor	232	PM <sub>2.5</sub>	3
115	Puducherry	Good	42	O <sub>3</sub>	1
116	Pune	Moderate	151	PM <sub>2.5</sub>	4
117	Purnia	Very Poor	345	PM <sub>2.5</sub>	1
118	Raichur	Moderate	109	PM <sub>10</sub>	1
119	Rajamahendravaram	Moderate	134	PM <sub>2.5</sub>	1
120	Ramanagara	Good	45	03	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda, Bhilai, Dewas, Ernakulam, Gummidipoondi, Guwahati, Hassan, Jorapokhar, Kolar, Madikeri, Manguraha, Naharlagun, Nandesari, Rajgir, Rohtak, Siwan, Solapur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ratlam	Moderate	159	PM <sub>2.5</sub>	1
122	Rupnagar	Poor	285	PM <sub>2.5</sub>	1
123	Sagar	Satisfactory	62	PM <sub>2.5</sub>	1
124	Saharsa	Very Poor	385	PM <sub>10</sub>	1
125	Sasaram	Very Poor	331	PM <sub>2.5</sub>	1
126	Satna	Satisfactory	66	PM <sub>10</sub>	1
127	Shillong	Good	24	SO <sub>2</sub>	1
128	Shivamogga	Good	50	PM <sub>10</sub>	1
129	Siliguri	Moderate	114	PM <sub>10</sub>	1
130	Singrauli	Very Poor	321	PM <sub>2.5</sub>	1
131	Sirsa	Moderate	142	PM <sub>2.5</sub>	1
132	Sonipat	Poor	229	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda, Bhilai, Dewas, Ernakulam, Gummidipoondi, Guwahati, Hassan, Jorapokhar, Kolar, Madikeri, Manguraha, Naharlagun, Nandesari, Rajgir, Rohtak, Siwan, Solapur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Srinagar	Satisfactory	88	PM <sub>10</sub>	1
134	Talcher	Moderate	171	PM <sub>2.5</sub>	1
135	Thane	Poor	241	03	1
136	Thiruvananthapuram	Satisfactory	60	PM <sub>10</sub> , NO <sub>2</sub>	2
137	Thoothukudi	Good	24	PM <sub>10</sub>	1
138	Thrissur	Good	50	PM <sub>2.5</sub>	1
139	Tirupati	Good	43	со	1
140	Udaipur	Poor	243	PM <sub>2.5</sub>	1
141	Udupi	Satisfactory	79	O <sub>3</sub>	1
142	Ujjain	Moderate	180	PM <sub>10</sub>	1
143	Varanasi	Moderate	145	PM <sub>2.5</sub> , PM <sub>10</sub>	4
144	Vatva	Moderate	154	NO <sub>2</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda, Bhilai, Dewas, Ernakulam, Gummidipoondi, Guwahati, Hassan, Jorapokhar, Kolar, Madikeri, Manguraha, Naharlagun, Nandesari, Rajgir, Rohtak, Siwan, Solapur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vijayapura	Satisfactory	55	PM <sub>10</sub>	1
146	Visakhapatnam	Moderate	191	PM <sub>2.5</sub>	1
147	Vrindavan	Poor	252	PM <sub>2.5</sub>	1
148	Yadgir	Satisfactory	77	PM <sub>10</sub>	1
149	Yamunanagar	Poor	290	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda, Bhilai, Dewas, Ernakulam, Gummidipoondi, Guwahati, Hassan, Jorapokhar, Kolar, Madikeri, Manguraha, Naharlagun, Nandesari, Rajgir, Rohtak, Siwan, Solapur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.