



Air Quality Index on Dec 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	91	PM _{2.5}	1
2	Agra	Very Poor	384	PM _{2.5}	1
3	Ahmedabad	Moderate	159	PM _{2.5}	1
4	Aizawl	Moderate	146	PM _{2.5}	1
5	Ajmer	Moderate	104	PM ₁₀	1
6	Alwar	Moderate	122	PM ₁₀	1
7	Amaravati	Satisfactory	74	PM _{2.5}	1
8	Ambala	Poor	278	PM _{2.5}	1
9	Amritsar	Moderate	124	PM _{2.5}	1
10	Ankleshwar	Moderate	175	PM ₁₀	1
11	Asansol	Poor	273	PM _{2.5}	1
12	Aurangabad	Satisfactory	96	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Charkhi Dadri, Kollam, Nagpur, Panipat, Sagar, Shillong, Shivamogga, Thoothukudi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	337	PM _{2.5}	1
14	Bahadurgarh	Very Poor	333	PM _{2.5}	1
15	Ballabgarh	Very Poor	345	PM _{2.5}	1
16	Bathinda	Poor	209	PM ₁₀	1
17	Bengaluru	Satisfactory	52	CO, PM ₁₀ , NO ₂	10
18	Bhiwani	Poor	203	PM ₁₀	1
19	Bhopal	Moderate	118	PM ₁₀	1
20	Brajrajnagar	Poor	254	PM _{2.5}	1
21	Bulandshahr	Severe	413	PM _{2.5}	1
22	Chandigarh	Moderate	122	PM ₁₀	1
23	Chandrapur	Moderate	159	PM _{2.5} , PM ₁₀	2
24	Chennai	Good	36	PM _{2.5} , O ₃ , CO	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Charkhi Dadri, Kollam, Nagpur, Panipat, Sagar, Shillong, Shivamogga, Thoothukudi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Good	35	CO	1
26	Chikkamagaluru	Good	34	O ₃	1
27	Coimbatore	Good	43	CO	1
28	Damoh	Satisfactory	89	PM ₁₀	1
29	Delhi	Very Poor	383	PM _{2.5}	36
30	Dewas	Moderate	186	O ₃	1
31	Dharuhera	Severe	414	PM _{2.5}	1
32	Eloor	Good	36	CO	1
33	Ernakulam	Satisfactory	64	PM ₁₀	1
34	Faridabad	Very Poor	382	PM _{2.5} , PM ₁₀	4
35	Fatehabad	Very Poor	343	PM _{2.5}	1
36	Gandhinagar	Moderate	121	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Charkhi Dadri, Kollam, Nagpur, Panipat, Sagar, Shillong, Shivamogga, Thoothukudi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Moderate	149	PM _{2.5}	2
38	Ghaziabad	Severe	424	PM _{2.5}	4
39	Greater Noida	Severe	405	PM _{2.5}	2
40	Gurugram	Very Poor	347	PM _{2.5}	3
41	Guwahati	Moderate	152	PM _{2.5}	1
42	Gwalior	Very Poor	330	PM _{2.5}	1
43	Hajipur	Moderate	195	PM ₁₀	1
44	Hapur	Moderate	173	PM _{2.5}	1
45	Hisar	Very Poor	346	PM _{2.5}	1
46	Howrah	Very Poor	301	PM _{2.5}	3
47	Hubballi	Satisfactory	69	PM ₁₀	1
48	Hyderabad	Moderate	113	PM ₁₀ , PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Charkhi Dadri, Kollam, Nagpur, Panipat, Sagar, Shillong, Shivamogga, Thoothukudi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Moderate	114	PM ₁₀	1
50	Jabalpur	Moderate	156	PM ₁₀	1
51	Jaipur	Moderate	174	PM _{2.5} , PM ₁₀	3
52	Jalandhar	Moderate	158	PM ₁₀	1
53	Jind	Very Poor	361	PM _{2.5}	1
54	Jodhpur	Poor	221	PM _{2.5}	1
55	Jorapokhar	Moderate	122	CO	1
56	Kaithal	Poor	287	PM _{2.5}	1
57	Kalaburgi	Satisfactory	80	PM ₁₀	1
58	Kalyan	Moderate	148	PM _{2.5}	1
59	Kannur	Satisfactory	60	PM ₁₀	1
60	Kanpur	Severe	426	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Charkhi Dadri, Kollam, Nagpur, Panipat, Sagar, Shillong, Shivamogga, Thoothukudi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Moderate	126	PM ₁₀	1
62	Katni	Poor	271	PM ₁₀	1
63	Khanna	Moderate	166	PM _{2.5}	1
64	Kochi	Good	44	PM ₁₀	1
65	Kohima	Moderate	106	PM ₁₀	1
66	Kolkata	Poor	292	PM _{2.5}	7
67	Kota	Moderate	152	PM _{2.5}	1
68	Kozhikode	Satisfactory	60	CO	1
69	Kurukshetra	Very Poor	316	PM _{2.5}	1
70	Lucknow	Very Poor	387	PM _{2.5} , PM ₁₀	3
71	Ludhiana	Moderate	113	PM ₁₀	1
72	Maihar	Satisfactory	72	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Charkhi Dadri, Kollam, Nagpur, Panipat, Sagar, Shillong, Shivamogga, Thoothukudi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Poor	227	PM _{2.5}	1
74	Mandideep	Poor	228	PM ₁₀	1
75	Mandikhera	Moderate	194	PM _{2.5}	1
76	Manesar	Very Poor	321	PM _{2.5}	1
77	Medikeri	Good	29	O ₃	1
78	Meerut	Very Poor	364	PM _{2.5}	2
79	Moradabad	Poor	300	PM _{2.5}	1
80	Mumbai	Moderate	157	PM ₁₀ , PM _{2.5} , O ₃	16
81	Muzaffarnagar	Very Poor	360	PM _{2.5}	1
82	Muzaffarpur	Poor	264	PM _{2.5} , PM ₁₀	2
83	Mysuru	Good	22	NO ₂	1
84	Nandesari	Moderate	117	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Charkhi Dadri, Kollam, Nagpur, Panipat, Sagar, Shillong, Shivamogga, Thoothukudi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Narnaul	Poor	273	PM _{2.5}	1
86	Nashik	Moderate	144	PM _{2.5}	1
87	Navi Mumbai	Moderate	174	PM _{2.5} , PM ₁₀	3
88	Noida	Severe	407	PM _{2.5}	4
89	Pali	Moderate	139	PM ₁₀	1
90	Palwal	Moderate	171	PM ₁₀	1
91	Panchkula	Poor	207	PM _{2.5}	1
92	Patiala	Moderate	155	PM _{2.5}	1
93	Patna	Very Poor	315	PM _{2.5} , PM ₁₀	6
94	Pithampur	Moderate	105	O ₃	1
95	Pune	Moderate	112	PM _{2.5}	4
96	Rajamahendravaram	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Charkhi Dadri, Kollam, Nagpur, Panipat, Sagar, Shillong, Shivamogga, Thoothukudi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ramanagara	Good	24	SO ₂	1
98	Ratlam	Moderate	120	PM ₁₀	1
99	Rohtak	Very Poor	355	PM _{2.5}	1
100	Rupnagar	Moderate	114	PM ₁₀	1
101	Satna	Satisfactory	98	PM ₁₀	1
102	Siliguri	Moderate	143	PM _{2.5}	1
103	Singrauli	Poor	224	PM _{2.5}	1
104	Sirsa	Poor	211	PM _{2.5}	1
105	Solapur	Satisfactory	60	PM ₁₀	1
106	Sonipat	Poor	259	PM _{2.5}	1
107	Talcher	Moderate	131	PM ₁₀	1
108	Thane	Poor	254	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Charkhi Dadri, Kollam, Nagpur, Panipat, Sagar, Shillong, Shivamogga, Thoothukudi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thiruvananthapuram	Good	46	PM ₁₀ , CO	2
110	Thrissur	Good	47	O ₃	1
111	Tirupati	Good	39	CO	1
112	Udaipur	Moderate	122	PM ₁₀	1
113	Ujjain	Poor	224	O ₃	1
114	Vapi	Poor	233	PM _{2.5}	1
115	Varanasi	Very Poor	335	PM _{2.5}	1
116	Vatva	Poor	226	PM ₁₀	1
117	Vijayapura	Satisfactory	54	PM ₁₀	1
118	Visakhapatnam	Moderate	115	PM ₁₀	1
119	Yadgir	Satisfactory	72	O ₃	1
120	Yamunanagar	Very Poor	335	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Charkhi Dadri, Kollam, Nagpur, Panipat, Sagar, Shillong, Shivamogga, Thoothukudi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.