

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Very Poor	317	PM <sub>2.5</sub>	1
2	Agra	Poor	256	PM <sub>2.5</sub>	5
3	Ahmedabad	Satisfactory	93	PM <sub>2.5</sub> , PM <sub>10</sub>	9
4	Aizawl	Satisfactory	65	PM <sub>10</sub>	1
5	Ajmer	Moderate	130	PM <sub>10</sub>	1
6	Alwar	Moderate	105	PM <sub>2.5</sub>	1
7	Amaravati	Moderate	119	PM <sub>2.5</sub>	1
8	Ambala	Poor	209	PM <sub>2.5</sub>	1
9	Amritsar	Satisfactory	86	PM <sub>10</sub>	1
10	Ankleshwar	Satisfactory	94	PM <sub>2.5</sub>	1
11	Araria	Poor	270	PM <sub>2.5</sub>	1
12	Arrah	Very Poor	319	PM <sub>2.5</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Ernakulam, Firozabad, Kaithal, Manguraha, Muzaffarnagar, Rajamahendravaram, Rajgir, Siliguri, Siwan, Udaipur, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Very Poor	313	PM <sub>2.5</sub>	1
14	Aurangabad	Satisfactory	97	PM <sub>10</sub>	1
15	Bagalkot	Good	50	PM <sub>2.5</sub>	1
16	Baghpat	Very Poor	306	PM <sub>2.5</sub>	1
17	Bahadurgarh	Poor	258	PM <sub>2.5</sub>	1
18	Ballabgarh	Moderate	127	PM <sub>10</sub>	1
19	Bathinda	Moderate	153	PM <sub>10</sub>	1
20	Bengaluru	Moderate	119	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	10
21	Bhagalpur	Very Poor	370	PM <sub>10</sub> , PM <sub>2.5</sub>	2
22	Bhiwadi	Poor	239	PM <sub>2.5</sub>	1
23	Bhiwani	Poor	237	PM <sub>2.5</sub>	1
24	Bhopal	Moderate	106	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Ernakulam, Firozabad, Kaithal, Manguraha, Muzaffarnagar, Rajamahendravaram, Rajgir, Siliguri, Siwan, Udaipur, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bidar	Satisfactory	78	PM <sub>10</sub>	1
26	Bilaspur	Good	40	PM <sub>10</sub>	1
27	Brajrajnagar	Satisfactory	77	PM <sub>10</sub>	1
28	Bulandshahr	Very Poor	309	PM <sub>2.5</sub>	1
29	Buxar	Severe	409	PM <sub>10</sub>	1
30	Chamarajanagar	Good	30	PM <sub>10</sub>	1
31	Chandigarh	Moderate	153	PM <sub>2.5</sub>	2
32	Chandrapur	Moderate	110	PM <sub>10</sub>	2
33	Charkhi Dadri	Poor	284	PM <sub>2.5</sub>	1
34	Chennai	Satisfactory	78	PM <sub>2.5</sub> , PM <sub>10</sub>	8
35	Chhapra	Severe	406	PM <sub>2.5</sub>	1
36	Chikkaballapur	Satisfactory	93	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Ernakulam, Firozabad, Kaithal, Manguraha, Muzaffarnagar, Rajamahendravaram, Rajgir, Siliguri, Siwan, Udaipur, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	45	PM <sub>10</sub>	1
38	Coimbatore	Satisfactory	76	PM <sub>2.5</sub>	1
39	Damoh	Satisfactory	91	PM <sub>2.5</sub>	1
40	Darbhanga	Very Poor	347	PM <sub>2.5</sub>	1
41	Davanagere	Satisfactory	63	PM <sub>10</sub>	1
42	Delhi	Very Poor	316	PM <sub>2.5</sub>	36
43	Dewas	Satisfactory	87	PM <sub>10</sub>	1
44	Dharuhera	Poor	265	PM <sub>2.5</sub>	1
45	Durgapur	Very Poor	313	PM <sub>10</sub>	1
46	Eloor	Satisfactory	70	PM <sub>10</sub>	1
47	Faridabad	Very Poor	330	PM <sub>2.5</sub>	4
48	Fatehabad	Moderate	181	PM <sub>2.5</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Ernakulam, Firozabad, Kaithal, Manguraha, Muzaffarnagar, Rajamahendravaram, Rajgir, Siliguri, Siwan, Udaipur, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gadag	Good	39	PM <sub>2.5</sub>	1
50	Gandhinagar	Satisfactory	98	PM <sub>10</sub> , PM <sub>2.5</sub>	3
51	Gaya	Poor	241	PM <sub>2.5</sub>	3
52	Ghaziabad	Poor	287	PM <sub>2.5</sub>	3
53	Gorakhpur	Poor	212	PM <sub>2.5</sub>	1
54	Greater Noida	Poor	260	PM <sub>2.5</sub>	2
55	Gummidipoondi	Good	50	PM <sub>10</sub>	1
56	Gurugram	Very Poor	304	PM <sub>2.5</sub>	4
57	Guwahati	Poor	218	PM <sub>2.5</sub>	2
58	Gwalior	Poor	266	PM <sub>2.5</sub>	1
59	Hajipur	Poor	233	PM <sub>2.5</sub>	1
60	Haldia	Moderate	113	PM <sub>10</sub>	1

## Possible Health Impacts

Severe

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Ernakulam, Firozabad, Kaithal, Manguraha, Muzaffarnagar, Rajamahendravaram, Rajgir, Siliguri, Siwan, Udaipur, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Poor	269	PM <sub>2.5</sub>	1
62	Hassan	Satisfactory	89	PM <sub>10</sub>	1
63	Hisar	Very Poor	302	PM <sub>2.5</sub>	1
64	Howrah	Poor	256	PM <sub>2.5</sub>	3
65	Hubballi	Satisfactory	84	PM <sub>10</sub>	1
66	Hyderabad	Moderate	114	PM <sub>2.5</sub> , PM <sub>10</sub>	5
67	Indore	Moderate	106	PM <sub>10</sub>	1
68	Jabalpur	Moderate	145	PM <sub>10</sub>	1
69	Jaipur	Moderate	152	PM <sub>10</sub> , PM <sub>2.5</sub>	2
70	Jalandhar	Satisfactory	96	PM <sub>10</sub>	1
71	Jind	Poor	273	PM <sub>2.5</sub>	1
72	Jodhpur	Moderate	147	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Ernakulam, Firozabad, Kaithal, Manguraha, Muzaffarnagar, Rajamahendravaram, Rajgir, Siliguri, Siwan, Udaipur, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jorapokhar	Satisfactory	87	PM <sub>10</sub>	1
74	Kalaburgi	Moderate	104	PM <sub>10</sub>	1
75	Kalyan	Moderate	131	PM <sub>2.5</sub>	1
76	Kannur	Satisfactory	86	PM <sub>2.5</sub>	1
77	Kanpur	Poor	231	PM <sub>2.5</sub>	3
78	Karnal	Moderate	146	PM <sub>2.5</sub>	1
79	Katihar	Very Poor	343	PM <sub>2.5</sub>	1
80	Katni	Poor	204	PM <sub>2.5</sub>	1
81	Khanna	Moderate	115	PM <sub>10</sub>	1
82	Kishanganj	Very Poor	336	PM <sub>2.5</sub>	1
83	Kochi	Moderate	147	PM <sub>2.5</sub>	1
84	Kohima	Moderate	132	PM <sub>2.5</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Ernakulam, Firozabad, Kaithal, Manguraha, Muzaffarnagar, Rajamahendravaram, Rajgir, Siliguri, Siwan, Udaipur, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolar	Satisfactory	93	PM <sub>10</sub>	1
86	Kolkata	Poor	245	PM <sub>2.5</sub>	7
87	Kollam	Satisfactory	98	PM <sub>10</sub>	1
88	Koppal	Good	49	O <sub>3</sub>	1
89	Kota	Moderate	144	PM <sub>2.5</sub>	1
90	Kozhikode	Good	48	PM <sub>10</sub>	1
91	Kurukshetra	Poor	209	PM <sub>2.5</sub>	1
92	Lucknow	Poor	255	PM <sub>2.5</sub>	6
93	Ludhiana	Moderate	115	PM <sub>2.5</sub>	1
94	Madikeri	Satisfactory	53	PM <sub>2.5</sub>	1
95	Maihar	Satisfactory	53	со	1
96	Mandi Gobindgarh	Moderate	118	PM <sub>2.5</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Ernakulam, Firozabad, Kaithal, Manguraha, Muzaffarnagar, Rajamahendravaram, Rajgir, Siliguri, Siwan, Udaipur, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandideep	Moderate	142	PM <sub>2.5</sub>	1
98	Mandikhera	Satisfactory	88	PM <sub>10</sub>	1
99	Manesar	Poor	272	PM <sub>2.5</sub>	1
100	Manglore	Good	42	PM <sub>2.5</sub>	1
101	Meerut	Very Poor	317	PM <sub>2.5</sub>	2
102	Moradabad	Poor	206	PM <sub>2.5</sub>	4
103	Motihari	Poor	291	PM <sub>2.5</sub>	1
104	Mumbai	Satisfactory	99	PM <sub>2.5</sub> , PM <sub>10</sub>	17
105	Munger	Very Poor	381	PM <sub>2.5</sub>	1
106	Muzaffarpur	Very Poor	364	PM <sub>2.5</sub>	2
107	Mysuru	Satisfactory	55	PM <sub>10</sub>	1
108	Nagpur	Satisfactory	95	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Ernakulam, Firozabad, Kaithal, Manguraha, Muzaffarnagar, Rajamahendravaram, Rajgir, Siliguri, Siwan, Udaipur, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Naharlagun	Satisfactory	56	PM <sub>10</sub>	1
110	Nandesari	Satisfactory	97	со	1
111	Narnaul	Moderate	143	PM <sub>2.5</sub>	1
112	Nashik	Good	50	PM <sub>10</sub>	1
113	Navi Mumbai	Moderate	122	PM <sub>10</sub>	2
114	Noida	Poor	277	PM <sub>2.5</sub>	4
115	Pali	Moderate	125	PM <sub>10</sub>	1
116	Palwal	Moderate	123	PM <sub>10</sub>	1
117	Panchkula	Moderate	157	PM <sub>2.5</sub>	1
118	Panipat	Moderate	167	PM <sub>10</sub>	1
119	Patiala	Moderate	148	PM <sub>2.5</sub>	1
120	Patna	Very Poor	375	PM <sub>2.5</sub> , PM <sub>10</sub>	6

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Ernakulam, Firozabad, Kaithal, Manguraha, Muzaffarnagar, Rajamahendravaram, Rajgir, Siliguri, Siwan, Udaipur, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pithampur	Moderate	103	PM <sub>10</sub>	1
122	Prayagraj	Poor	253	PM <sub>2.5</sub>	1
123	Puducherry	Satisfactory	88	PM <sub>2.5</sub>	1
124	Pune	Moderate	103	NO <sub>2</sub> , PM <sub>2.5</sub>	3
125	Purnia	Very Poor	348	PM <sub>2.5</sub>	1
126	Raichur	Moderate	150	PM <sub>10</sub>	1
127	Ramanagara	Satisfactory	68	PM <sub>10</sub>	1
128	Ratlam	Satisfactory	76	PM <sub>10</sub>	1
129	Rohtak	Very Poor	321	PM <sub>2.5</sub>	1
130	Rupnagar	Moderate	133	PM <sub>10</sub>	1
131	Sagar	Satisfactory	67	PM <sub>2.5</sub>	1
132	Saharsa	Very Poor	353	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Ernakulam, Firozabad, Kaithal, Manguraha, Muzaffarnagar, Rajamahendravaram, Rajgir, Siliguri, Siwan, Udaipur, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sasaram	Very Poor	380	PM <sub>2.5</sub>	1
134	Satna	Satisfactory	63	PM <sub>10</sub>	1
135	Shillong	Good	27	03	1
136	Shivamogga	Satisfactory	51	PM <sub>10</sub>	1
137	Singrauli	Poor	287	PM <sub>2.5</sub>	1
138	Sirsa	Moderate	194	PM <sub>10</sub>	1
139	Solapur	Satisfactory	76	PM <sub>2.5</sub>	1
140	Sonipat	Satisfactory	98	PM <sub>2.5</sub>	1
141	Srinagar	Poor	245	PM <sub>10</sub>	1
142	Talcher	Moderate	128	NO <sub>2</sub>	1
143	Thane	Satisfactory	74	PM <sub>10</sub>	1
144	Thiruvananthapuram	Satisfactory	70	PM <sub>10</sub> , PM <sub>2.5</sub>	2

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Ernakulam, Firozabad, Kaithal, Manguraha, Muzaffarnagar, Rajamahendravaram, Rajgir, Siliguri, Siwan, Udaipur, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thoothukudi	Moderate	103	PM <sub>10</sub>	1
146	Thrissur	Moderate	110	PM <sub>10</sub>	1
147	Tirupati	Satisfactory	87	PM <sub>2.5</sub>	1
148	Udupi	Good	35	O <sub>3</sub>	1
149	Ujjain	Moderate	135	PM <sub>10</sub>	1
150	Vapi	Moderate	112	PM <sub>2.5</sub>	1
151	Varanasi	Moderate	176	PM <sub>2.5</sub>	4
152	Vatva	Moderate	123	PM <sub>10</sub>	1
153	Vijayapura	Satisfactory	51	PM <sub>10</sub>	1
154	Visakhapatnam	Moderate	152	PM <sub>2.5</sub>	1
155	Yadgir	Satisfactory	75	PM <sub>10</sub>	1
156	Yamunanagar	Moderate	155	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bihar Sharif, Ernakulam, Firozabad, Kaithal, Manguraha, Muzaffarnagar, Rajamahendravaram, Rajgir, Siliguri, Siwan, Udaipur, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.