Air Quality Index on Feb 14, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Ahmedabad	Moderate	113	$PM_{2.5}$	1
2	Ajmer	Moderate	163	$PM_{2.5}$	1
3	Alwar	Satisfactory	78	PM_{10}	1
4	Amaravati	Satisfactory	82	$PM_{2.5}$	1
5	Ambala	Moderate	112	PM_{10}	1
6	Amritsar	Satisfactory	100	PM_{10}	1
7	Ankleshwar	Moderate	151	$PM_{2.5}$	1
8	Asanol	Poor	272	$PM_{2.5}$	1
9	Bagalkot	Satisfactory	99	PM_{10}	1
10	Bahadurgarh	Satisfactory	76	PM_{10}	1
11	Ballabgarh	Poor	234	PM_{10}	1
12	Bathinda	Satisfactory	86	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Aurangabad, Chikkaballapur, Haldia, Moradabad, Mysuru, Nagpur, Nashik, Varanasi, Vijayapura, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 14, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Moderate	107	O_3, PM_{10}, $PM_{2.5}$	9
14	Bhiwadi	Poor	232	$PM_{2.5}$	1
15	Bhiwani	Moderate	119	PM_{10}	1
16	Bhopal	Moderate	147	PM_{10}	1
17	Brajrajnagar	Moderate	157	$PM_{2.5}$	1
18	Bulandshahr	Moderate	177	PM_{10}	1
19	Chandigarh	Satisfactory	93	PM_{10}	1
20	Chandrapur	Moderate	113	PM_{10}	2
21	Chennai	Moderate	130	O_3, $PM_{2.5}$, PM_{10}	4
22	Chikkamagaluru	Satisfactory	73	$PM_{2.5}$	1
23	Coimbatore	Satisfactory	76	$PM_{2.5}$	1
24	Damoh	Moderate	109	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Aurangabad, Chikkaballapur, Haldia, Moradabad, Mysuru, Nagpur, Nashik, Varanasi, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 14, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Moderate	173	$PM_{2.5}$, PM_{10}	36
26	Dewas	Moderate	112	PM_{10}	1
27	Dharuhera	Moderate	148	PM_{10}	1
28	Eloor	Moderate	152	$PM_{2.5}$	1
29	Ernakulam	Satisfactory	91	$PM_{2.5}$	1
30	Faridabad	Moderate	107	$PM_{2.5}$	1
31	Fatehabad	Moderate	111	PM_{10}	1
32	GandhiNagar	Satisfactory	81	PM_{10}	1
33	Gaya	Moderate	134	$PM_{2.5}$	1
34	Ghaziabad	Moderate	167	PM_{10}, $PM_{2.5}$	4
35	Greater_Noida	Moderate	197	PM_{10}	2
36	Gurugram	Moderate	103	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Aurangabad, Chikkaballapur, Haldia, Moradabad, Mysuru, Nagpur, Nashik, Varanasi, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 14, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Poor	281	$PM_{2.5}$	1
38	Gwalior	Moderate	152	O_3, $PM_{2.5}$	2
39	Hapur	Satisfactory	82	PM_{10}	1
40	Hisar	Moderate	112	$PM_{2.5}$	1
41	Howrah	Poor	263	PM_{10}, $PM_{2.5}$	3
42	Hubballi	Satisfactory	78	PM_{10}	1
43	Hyderabad	Moderate	145	$PM_{2.5}$, PM_{10}	6
44	Indore	Poor	201	$PM_{2.5}$	1
45	Jabalpur	Moderate	176	PM_{10}	1
46	Jaipur	Moderate	133	$PM_{2.5}$, PM_{10}	3
47	Jalandhar	Satisfactory	85	PM_{10}	1
48	Jind	Moderate	110	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Aurangabad, Chikkaballapur, Haldia, Moradabad, Mysuru, Nagpur, Nashik, Varanasi, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 14, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jodhpur	Moderate	129	PM_{10}	1
50	Jorapokhar	Poor	229	$PM_{2.5}$	1
51	Kaithal	Moderate	107	PM_{10}	1
52	Kalaburgi	Moderate	125	PM_{10}	1
53	Kalyan	Moderate	166	PM_{10}	1
54	Kannur	Moderate	130	$PM_{2.5}$	1
55	Kanpur	Moderate	128	$PM_{2.5}$	1
56	Karnal	Moderate	122	$PM_{2.5}$	1
57	Katni	Moderate	166	PM_{10}	1
58	Khanna	Satisfactory	94	PM_{10}	1
59	Kochi	Moderate	124	PM_{10}	1
60	Kolkata	Poor	243	$PM_{10}, PM_{2.5}, O_3$	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Aurangabad, Chikkaballapur, Haldia, Moradabad, Mysuru, Nagpur, Nashik, Varanasi, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 14, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kota	Satisfactory	90	PM_{10}	1
62	Kozhikode	Satisfactory	84	PM_{10}	1
63	Kurukshetra	Moderate	108	PM_{10}	1
64	Lucknow	Moderate	158	$PM_{2.5}$	4
65	Ludhiana	Satisfactory	88	PM_{10}	1
66	Maihar	Satisfactory	56	PM_{10}	1
67	Mandi Gobindgarh	Poor	208	PM_{10}	1
68	Mandideep	Moderate	172	PM_{10}	1
69	Mandikhera	Moderate	110	PM_{10}	1
70	Manesar	Moderate	111	PM_{10}	1
71	Meerut	Moderate	150	PM_{10}	2
72	Mumbai	Moderate	136	PM_{10}, O_3, $PM_{2.5}$	9

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Aurangabad, Chikkaballapur, Haldia, Moradabad, Mysuru, Nagpur, Nashik, Varanasi, Vijayapura, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 14, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Muzaffarnagar	Moderate	134	PM_{10}	1
74	Muzaffarpur	Very Poor	377	$PM_{2.5}$	1
75	Narnaul	Satisfactory	84	PM_{10}	1
76	Navi Mumbai	Moderate	131	PM_{10}, CO	3
77	Noida	Moderate	156	$PM_{2.5}$, PM_{10}	4
78	Pali	Moderate	140	PM_{10}	1
79	Palwal	Moderate	115	PM_{10}	1
80	Panchkula	Satisfactory	70	$PM_{2.5}$	1
81	Panipat	Moderate	156	PM_{10}	1
82	Patiala	Satisfactory	85	PM_{10}	1
83	Patna	Poor	241	$PM_{2.5}$	4
84	Pithampur	Moderate	107	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Aurangabad, Chikkaballapur, Haldia, Moradabad, Mysuru, Nagpur, Nashik, Varanasi, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 14, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pune	Moderate	147	$PM_{2.5}$	1
86	Rajamahendravaram	Satisfactory	92	$PM_{2.5}$	1
87	Ramanagara	Satisfactory	86	PM_{10}	1
88	Ratlam	Moderate	193	$PM_{2.5}$	1
89	Rohtak	Satisfactory	90	$PM_{2.5}$	1
90	Rupnagar	Satisfactory	94	PM_{10}	1
91	Sagar	Satisfactory	83	PM_{10}	1
92	Satna	Moderate	107	PM_{10}	1
93	Shillong	Satisfactory	90	$PM_{2.5}$	1
94	Siliguri	Very Poor	308	$PM_{2.5}$	1
95	Singrauli	Moderate	166	O_3	1
96	Sirsa	Moderate	105	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Aurangabad, Chikkaballapur, Haldia, Moradabad, Mysuru, Nagpur, Nashik, Varanasi, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 14, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Solapur	Moderate	124	PM_{10}	1
98	Sonipat	Moderate	111	PM_{10}	1
99	Talcher	Poor	293	$PM_{2.5}$	1
100	Thane	Moderate	115	PM_{10}	1
101	Thiruvananthapuram	Satisfactory	61	CO	1
102	Tirupati	Satisfactory	82	$PM_{2.5}$	1
103	Udaipur	Satisfactory	92	PM_{10}	1
104	Ujjain	Moderate	161	O_3	1
105	Vapi	Poor	228	$PM_{2.5}$	1
106	Vatva	Moderate	179	$PM_{2.5}$	1
107	Visakhapatnam	Moderate	152	$PM_{2.5}$	1
108	Yamunanagar	Moderate	107	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Aurangabad, Chikkaballapur, Haldia, Moradabad, Mysuru, Nagpur, Nashik, Varanasi, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.