

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	22	SO ₂	1
2	Agra	Moderate	101	PM ₁₀ , PM _{2.5}	4
3	Ahmedabad	Satisfactory	84	PM ₁₀ , PM _{2.5} , CO	9
4	Aizawl	Good	14	SO ₂	1
5	Ajmer	Satisfactory	75	PM ₁₀	1
6	Alwar	Satisfactory	51	PM ₁₀	1
7	Amaravati	Good	43	03	1
8	Ambala	Moderate	105	PM ₁₀	1
9	Amritsar	Moderate	165	PM _{2.5}	1
10	Asansol	Satisfactory	59	PM ₁₀	1
11	Bagalkot	Good	25	со	1
12	Baghpat	Moderate	170	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Chikkamagaluru, Coimbatore, Eloor, Gummidipoondi, Khanna, Kolar, Mandideep, Manglore, Nagpur, Naharlagun, Nashik, Panchkula, Rupnagar, Shillong, Siliguri, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Moderate	122	PM ₁₀	1
14	Ballabgarh	Moderate	111	PM ₁₀	1
15	Bathinda	Satisfactory	63	PM ₁₀	1
16	Bengaluru	Good	42	CO, NO ₂ , O ₃	7
17	Bhiwadi	Moderate	121	PM ₁₀	1
18	Bhiwani	Moderate	108	PM ₁₀	1
19	Bhopal	Satisfactory	89	PM ₁₀	1
20	Bulandshahr	Moderate	152	O ₃	1
21	Chamarajanagar	Good	49	PM ₁₀	1
22	Chandigarh	Moderate	124	PM ₁₀	1
23	Chandrapur	Satisfactory	64	PM ₁₀	2
24	Chennai	Satisfactory	51	PM ₁₀ , CO, SO ₂	8

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Chikkamagaluru, Coimbatore, Eloor, Gummidipoondi, Khanna, Kolar, Mandideep, Manglore, Nagpur, Naharlagun, Nashik, Panchkula, Rupnagar, Shillong, Siliguri, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Good	32	PM _{2.5}	1
26	Davanagere	Good	45	SO ₂	1
27	Delhi	Moderate	149	PM _{2.5} , O ₃ , PM ₁₀	35
28	Dewas	Satisfactory	59	PM ₁₀	1
29	Dharuhera	Moderate	130	PM ₁₀	1
30	Durgapur	Moderate	107	PM ₁₀	1
31	Ernakulam	Satisfactory	57	со	1
32	Faridabad	Moderate	131	PM _{2.5} , PM ₁₀ , NO ₂	4
33	Fatehabad	Moderate	136	PM ₁₀	1
34	Gadag	Good	12	со	1
35	Gandhinagar	Satisfactory	92	PM _{2.5} , PM ₁₀	3
36	Gaya	Satisfactory	70	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Chikkamagaluru, Coimbatore, Eloor, Gummidipoondi, Khanna, Kolar, Mandideep, Manglore, Nagpur, Naharlagun, Nashik, Panchkula, Rupnagar, Shillong, Siliguri, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Moderate	180	PM ₁₀	4
38	Gorakhpur	Good	41	O ₃	1
39	Greater Noida	Poor	209	03	2
40	Gurugram	Moderate	103	PM ₁₀ , PM _{2.5}	4
41	Guwahati	Good	46	SO ₂	2
42	Gwalior	Satisfactory	77	03	1
43	Hajipur	Moderate	139	PM _{2.5}	1
44	Haldia	Satisfactory	54	PM ₁₀	1
45	Hapur	Satisfactory	94	PM ₁₀	1
46	Hassan	Good	44	PM ₁₀	1
47	Hisar	Moderate	122	PM ₁₀	1
48	Howrah	Good	46	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Chikkamagaluru, Coimbatore, Eloor, Gummidipoondi, Khanna, Kolar, Mandideep, Manglore, Nagpur, Naharlagun, Nashik, Panchkula, Rupnagar, Shillong, Siliguri, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Good	40	PM ₁₀	1
50	Hyderabad	Satisfactory	63	PM ₁₀ , PM _{2.5}	6
51	Indore	Satisfactory	65	PM ₁₀	1
52	Jabalpur	Satisfactory	86	PM ₁₀	1
53	Jaipur	Satisfactory	67	PM ₁₀ , PM _{2.5}	2
54	Jalandhar	Moderate	143	PM ₁₀	1
55	Jind	Moderate	154	PM ₁₀	1
56	Jodhpur	Moderate	119	PM ₁₀	1
57	Jorapokhar	Satisfactory	54	со	1
58	Kaithal	Moderate	135	PM ₁₀	1
59	Kalaburgi	Good	27	O ₃	1
60	Kalyan	Good	35	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Chikkamagaluru, Coimbatore, Eloor, Gummidipoondi, Khanna, Kolar, Mandideep, Manglore, Nagpur, Naharlagun, Nashik, Panchkula, Rupnagar, Shillong, Siliguri, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	52	PM ₁₀	1
62	Kanpur	Satisfactory	79	PM _{2.5}	2
63	Karnal	Moderate	174	PM ₁₀	1
64	Katni	Moderate	113	PM ₁₀	1
65	Kochi	Good	40	со	1
66	Kohima	Good	32	SO ₂	1
67	Kolkata	Satisfactory	52	O ₃ , PM _{2.5} , PM ₁₀	7
68	Kollam	Satisfactory	75	СО	1
69	Koppal	Satisfactory	70	со	1
70	Kota	Satisfactory	91	PM ₁₀	1
71	Kozhikode	Satisfactory	55	со	1
72	Kurukshetra	Moderate	129	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Chikkamagaluru, Coimbatore, Eloor, Gummidipoondi, Khanna, Kolar, Mandideep, Manglore, Nagpur, Naharlagun, Nashik, Panchkula, Rupnagar, Shillong, Siliguri, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Satisfactory	88	PM ₁₀ , PM _{2.5}	5
74	Ludhiana	Moderate	145	PM ₁₀	1
75	Maihar	Satisfactory	59	PM _{2.5}	1
76	Mandi Gobindgarh	Poor	223	PM _{2.5}	1
77	Mandikhera	Satisfactory	60	PM ₁₀	1
78	Manesar	Moderate	119	PM ₁₀	1
79	Medikeri	Good	21	O ₃	1
80	Meerut	Moderate	157	O ₃ , PM ₁₀	3
81	Moradabad	Poor	201	PM _{2.5}	1
82	Mumbai	Satisfactory	64	SO ₂ , PM ₁₀	21
83	Muzaffarnagar	Moderate	151	PM ₁₀	1
84	Muzaffarpur	Satisfactory	75	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Chikkamagaluru, Coimbatore, Eloor, Gummidipoondi, Khanna, Kolar, Mandideep, Manglore, Nagpur, Naharlagun, Nashik, Panchkula, Rupnagar, Shillong, Siliguri, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Good	35	PM ₁₀	1
86	Nandesari	Poor	231	PM _{2.5}	1
87	Narnaul	Satisfactory	51	PM _{2.5}	1
88	Navi Mumbai	Satisfactory	61	PM ₁₀	1
89	Noida	Moderate	168	PM ₁₀	4
90	Pali	Moderate	101	PM ₁₀	1
91	Palwal	Moderate	117	PM ₁₀	1
92	Panipat	Moderate	169	PM ₁₀	1
93	Patiala	Moderate	134	PM ₁₀	1
94	Patna	Moderate	121	NO ₂ , PM ₁₀ , PM _{2.5}	6
95	Pithampur	Satisfactory	73	PM _{2.5}	1
96	Prayagraj	Satisfactory	96	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Chikkamagaluru, Coimbatore, Eloor, Gummidipoondi, Khanna, Kolar, Mandideep, Manglore, Nagpur, Naharlagun, Nashik, Panchkula, Rupnagar, Shillong, Siliguri, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Puducherry	Satisfactory	96	NO ₂	1
98	Pune	Satisfactory	76	CO, PM _{2.5}	5
99	Raichur	Good	49	PM ₁₀	1
100	Rajamahendravaram	Satisfactory	58	PM ₁₀	1
101	Ramanagara	Good	30	SO ₂	1
102	Ratlam	Satisfactory	64	PM ₁₀	1
103	Rohtak	Moderate	109	PM _{2.5}	1
104	Sagar	Good	35	PM _{2.5}	1
105	Satna	Satisfactory	76	PM ₁₀	1
106	Shivamogga	Good	39	PM ₁₀	1
107	Singrauli	Satisfactory	63	PM ₁₀	1
108	Sirsa	Moderate	172	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Chikkamagaluru, Coimbatore, Eloor, Gummidipoondi, Khanna, Kolar, Mandideep, Manglore, Nagpur, Naharlagun, Nashik, Panchkula, Rupnagar, Shillong, Siliguri, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Solapur	Good	45	PM _{2.5}	1
110	Sonipat	Moderate	193	PM ₁₀	1
111	Srinagar	Satisfactory	75	PM ₁₀	1
112	Talcher	Satisfactory	97	со	1
113	Thane	Moderate	123	PM ₁₀	1
114	Thiruvananthapuram	Good	40	со	2
115	Thoothukudi	Good	29	O ₃	1
116	Tirupati	Good	34	со	1
117	Udaipur	Satisfactory	100	PM ₁₀	1
118	Udupi	Moderate	121	O ₃	1
119	Ujjain	Satisfactory	90	PM ₁₀	1
120	Vapi	Satisfactory	65	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Chikkamagaluru, Coimbatore, Eloor, Gummidipoondi, Khanna, Kolar, Mandideep, Manglore, Nagpur, Naharlagun, Nashik, Panchkula, Rupnagar, Shillong, Siliguri, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Satisfactory	74	PM ₁₀	2
122	Vatva	Satisfactory	100	PM ₁₀	1
123	Vijayapura	Good	43	PM ₁₀	1
124	Visakhapatnam	Satisfactory	69	PM ₁₀	1
125	Yadgir	Good	39	PM ₁₀	1
126	Yamunanagar	Moderate	110	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Chikkamagaluru, Coimbatore, Eloor, Gummidipoondi, Khanna, Kolar, Mandideep, Manglore, Nagpur, Naharlagun, Nashik, Panchkula, Rupnagar, Shillong, Siliguri, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.