

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	228	PM <sub>2.5</sub>	2
2	Agra	Satisfactory	52	PM <sub>10</sub>	6
3	Ahmedabad	Moderate	175	PM <sub>2.5</sub> , NO <sub>2</sub>	7
4	Aizawl	Satisfactory	80	PM <sub>10</sub>	1
5	Ajmer	Moderate	123	PM <sub>2.5</sub>	1
6	Alwar	Satisfactory	75	PM <sub>10</sub>	1
7	Amaravati	Moderate	115	PM <sub>10</sub>	1
8	Ambala	Satisfactory	73	PM <sub>10</sub>	1
9	Amritsar	Poor	205	PM <sub>2.5</sub>	1
10	Anantapur	Moderate	169	03	1
11	Ankleshwar	Moderate	166	PM <sub>2.5</sub>	1
12	Araria	Very Poor	319	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Baghpat, Begusarai, Bikaner, Buxar, Chhal, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur Dindigul, Ernakulam, Kanchipuram, Kochi, Kolar, Kunjemura, Milupara, Panchkula, Purnia, Silchar, Sirohi, Srinagar, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Moderate	108	PM <sub>2.5</sub>	1
14	Arrah	Poor	296	PM <sub>2.5</sub>	1
15	Asansol	Moderate	178	PM <sub>10</sub>	1
16	Aurangabad (Bihar)	Moderate	157	PM <sub>10</sub>	1
17	Aurangabad (Maharashtra)	Moderate	166	PM <sub>2.5</sub>	1
18	Baddi	Moderate	162	PM <sub>2.5</sub>	1
19	Bagalkot	Good	46	PM <sub>10</sub>	1
20	Bahadurgarh	Moderate	102	PM <sub>2.5</sub>	1
21	Ballabgarh	Satisfactory	70	PM <sub>2.5</sub>	1
22	Bareilly	Moderate	108	PM <sub>10</sub>	2
23	Baripada	Moderate	186	03	1
24	Bathinda	Moderate	114	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Baghpat, Begusarai, Bikaner, Buxar, Chhal, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur Dindigul, Ernakulam, Kanchipuram, Kochi, Kolar, Kunjemura, Milupara, Panchkula, Purnia, Silchar, Sirohi, Srinagar, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Satisfactory	58	NO <sub>2</sub>	1
26	Bengaluru	Satisfactory	90	PM <sub>2.5</sub> , PM <sub>10</sub>	10
27	Bettiah	Very Poor	358	PM <sub>2.5</sub>	1
28	Bhagalpur	Poor	223	PM <sub>2.5</sub>	2
29	Bharatpur	Moderate	142	PM <sub>10</sub>	1
30	Bhilai	Satisfactory	82	O <sub>3</sub>	3
31	Bhiwadi	Poor	203	PM <sub>10</sub>	1
32	Bhiwani	Moderate	109	PM <sub>10</sub>	1
33	Bhopal	Satisfactory	100	PM <sub>10</sub>	2
34	Bidar	Satisfactory	87	PM <sub>10</sub>	1
35	Bihar Sharif	Satisfactory	100	PM <sub>10</sub>	1
36	Bilaspur	Satisfactory	53	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Moderate	140	PM <sub>10</sub>	1
38	Brajrajnagar	Satisfactory	68	PM <sub>10</sub>	1
39	Bulandshahr	Moderate	133	PM <sub>10</sub>	1
40	Byrnihat	Poor	296	PM <sub>2.5</sub>	1
41	Chamarajanagar	Good	48	PM <sub>10</sub>	1
42	Chandigarh	Moderate	141	PM <sub>2.5</sub>	3
43	Chandrapur	Moderate	156	PM <sub>2.5</sub>	1
44	Charkhi Dadri	Moderate	138	PM <sub>10</sub>	1
45	Chengalpattu	Moderate	141	PM <sub>10</sub>	1
46	Chennai	Moderate	105	PM <sub>2.5</sub> , PM <sub>10</sub>	8
47	Chhapra	Poor	300	PM <sub>2.5</sub>	1
48	Chikkaballapur	Moderate	132	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkamagaluru	Good	44	PM <sub>2.5</sub>	1
50	Chittoor	Moderate	154	03	1
51	Damoh	Good	36	PM <sub>2.5</sub>	1
52	Dehradun	Moderate	125	PM <sub>10</sub>	1
53	Delhi	Moderate	190	PM <sub>2.5</sub>	39
54	Dewas	Moderate	114	PM <sub>10</sub>	1
55	Dharuhera	Poor	202	PM <sub>2.5</sub>	1
56	Durgapur	Poor	265	PM <sub>2.5</sub>	1
57	Eloor	Satisfactory	79	PM <sub>10</sub>	1
58	Faridabad	Moderate	148	PM <sub>10</sub> , PM <sub>2.5</sub>	4
59	Fatehabad	Moderate	153	PM <sub>10</sub>	1
60	Firozabad	Satisfactory	86	PM <sub>10</sub>	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Baghpat, Begusarai, Bikaner, Buxar, Chhal, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur Dindigul, Ernakulam, Kanchipuram, Kochi, Kolar, Kunjemura, Milupara, Panchkula, Purnia, Silchar, Sirohi, Srinagar, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gadag	Satisfactory	66	03	1
62	Gandhinagar	Moderate	167	PM <sub>2.5</sub>	3
63	Gangtok	Satisfactory	89	PM <sub>10</sub>	1
64	Gaya	Moderate	146	PM <sub>10</sub> , PM <sub>2.5</sub>	3
65	Ghaziabad	Moderate	151	PM <sub>10</sub>	4
66	Gorakhpur	Moderate	118	PM <sub>10</sub>	1
67	Greater Noida	Moderate	155	NO <sub>2</sub> , PM <sub>10</sub>	2
68	Gummidipoondi	Moderate	125	PM <sub>2.5</sub>	1
69	Gurugram	Moderate	178	PM <sub>10</sub> , PM <sub>2.5</sub>	3
70	Guwahati	Poor	222	PM <sub>2.5</sub>	4
71	Gwalior	Moderate	166	PM <sub>10</sub> , PM <sub>2.5</sub>	3
72	Hajipur	Poor	300	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Baghpat, Begusarai, Bikaner, Buxar, Chhal, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur Dindigul, Ernakulam, Kanchipuram, Kochi, Kolar, Kunjemura, Milupara, Panchkula, Purnia, Silchar, Sirohi, Srinagar, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Haldia	Moderate	150	PM <sub>10</sub>	1
74	Hapur	Satisfactory	56	PM <sub>10</sub>	1
75	Hassan	Satisfactory	87	PM <sub>10</sub>	1
76	Haveri	Satisfactory	63	PM <sub>10</sub>	1
77	Hisar	Moderate	164	PM <sub>10</sub>	1
78	Hosur	Moderate	184	PM <sub>2.5</sub>	1
79	Howrah	Poor	240	PM <sub>2.5</sub>	3
80	Hubballi	Moderate	144	PM <sub>10</sub>	2
81	Hyderabad	Moderate	112	PM <sub>10</sub>	13
82	Imphal	Moderate	121	PM <sub>2.5</sub> , SO <sub>2</sub>	2
83	Indore	Moderate	190	PM <sub>10</sub>	1
84	Jabalpur	Moderate	188	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Baghpat, Begusarai, Bikaner, Buxar, Chhal, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur Dindigul, Ernakulam, Kanchipuram, Kochi, Kolar, Kunjemura, Milupara, Panchkula, Purnia, Silchar, Sirohi, Srinagar, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jaipur	Moderate	196	PM <sub>2.5</sub> , PM <sub>10</sub>	3
86	Jalandhar	Moderate	129	PM <sub>10</sub>	1
87	Jhansi	Satisfactory	93	PM <sub>10</sub>	1
88	Jind	Satisfactory	84	PM <sub>2.5</sub>	1
89	Jodhpur	Poor	225	PM <sub>2.5</sub>	2
90	Jorapokhar	Moderate	147	PM <sub>10</sub>	1
91	Kadapa	Poor	216	PM <sub>2.5</sub>	1
92	Kaithal	Moderate	109	PM <sub>10</sub>	1
93	Kalaburgi	Moderate	114	PM <sub>2.5</sub>	1
94	Kalyan	Moderate	174	PM <sub>10</sub>	1
95	Kannur	Satisfactory	63	PM <sub>2.5</sub>	1
96	Kanpur	Moderate	123	PM <sub>2.5</sub>	3

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Karnal	Satisfactory	81	PM <sub>10</sub>	1
98	Kashipur	Poor	240	PM <sub>2.5</sub>	1
99	Katihar	Poor	286	PM <sub>10</sub>	1
100	Katni	Moderate	160	PM <sub>10</sub>	1
101	Keonjhar	Moderate	127	PM <sub>10</sub>	1
102	Khanna	Satisfactory	78	PM <sub>10</sub>	1
103	Khurja	Satisfactory	90	PM <sub>2.5</sub>	1
104	Kishanganj	Poor	243	PM <sub>2.5</sub>	1
105	Kohima	Moderate	109	PM <sub>10</sub>	1
106	Kolkata	Poor	201	PM <sub>2.5</sub>	7
107	Kollam	Satisfactory	99	PM <sub>10</sub>	1
108	Koppal	Satisfactory	54	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Baghpat, Begusarai, Bikaner, Buxar, Chhal, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur Dindigul, Ernakulam, Kanchipuram, Kochi, Kolar, Kunjemura, Milupara, Panchkula, Purnia, Silchar, Sirohi, Srinagar, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Korba	Satisfactory	80	PM <sub>10</sub>	2
110	Kota	Moderate	131	PM <sub>10</sub> , PM <sub>2.5</sub>	3
111	Kozhikode	Satisfactory	75	PM <sub>2.5</sub>	1
112	Kurukshetra	Moderate	103	PM <sub>2.5</sub>	1
113	Lucknow	Moderate	173	O <sub>3</sub> , PM <sub>2.5</sub>	6
114	Ludhiana	Moderate	167	PM <sub>2.5</sub>	1
115	Madikeri	Good	47	O <sub>3</sub>	1
116	Maihar	Good	33	PM <sub>10</sub>	1
117	Mandi Gobindgarh	Moderate	113	PM <sub>10</sub>	1
118	Mandideep	Poor	222	PM <sub>10</sub>	1
119	Mandikhera	Satisfactory	72	PM <sub>10</sub>	1
120	Manesar	Moderate	103	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Baghpat, Begusarai, Bikaner, Buxar, Chhal, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur Dindigul, Ernakulam, Kanchipuram, Kochi, Kolar, Kunjemura, Milupara, Panchkula, Purnia, Silchar, Sirohi, Srinagar, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mangalore	Moderate	121	PM <sub>10</sub>	1
122	Manguraha	Moderate	169	O <sub>3</sub>	1
123	Meerut	Poor	211	PM <sub>2.5</sub>	3
124	Moradabad	Moderate	129	PM <sub>2.5</sub>	6
125	Motihari	Poor	295	PM <sub>10</sub>	1
126	Mumbai	Poor	224	PM <sub>2.5</sub> , NO <sub>2</sub>	17
127	Munger	Poor	281	PM <sub>2.5</sub>	1
128	Muzaffarnagar	Poor	278	PM <sub>2.5</sub>	1
129	Muzaffarpur	Poor	296	PM <sub>2.5</sub>	3
130	Mysuru	Satisfactory	59	PM <sub>10</sub>	1
131	Nagaon	Poor	235	PM <sub>2.5</sub>	1
132	Nagpur	Moderate	122	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Baghpat, Begusarai, Bikaner, Buxar, Chhal, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur Dindigul, Ernakulam, Kanchipuram, Kochi, Kolar, Kunjemura, Milupara, Panchkula, Purnia, Silchar, Sirohi, Srinagar, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Naharlagun	Good	44	PM <sub>10</sub>	1
134	Nalbari	Poor	252	PM <sub>2.5</sub>	1
135	Nandesari	Good	38	со	1
136	Narnaul	Moderate	186	PM <sub>2.5</sub>	1
137	Nashik	Moderate	135	PM <sub>2.5</sub>	1
138	Navi Mumbai	Poor	272	PM <sub>2.5</sub>	3
139	Nayagarh	Moderate	187	PM <sub>2.5</sub>	1
140	Noida	Moderate	158	PM <sub>2.5</sub>	4
141	Ooty	Satisfactory	65	PM <sub>10</sub>	1
142	Pali	Moderate	107	PM <sub>10</sub>	1
143	Palwal	Satisfactory	72	PM <sub>10</sub>	1
144	Panipat	Moderate	109	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Patiala	Moderate	115	PM <sub>10</sub>	1
146	Patna	Very Poor	302	PM <sub>10</sub> , PM <sub>2.5</sub>	6
147	Pithampur	Moderate	153	PM <sub>10</sub>	1
148	Prayagraj	Satisfactory	79	SO <sub>2</sub>	3
149	Puducherry	Satisfactory	88	PM <sub>2.5</sub>	1
150	Pune	Moderate	155	PM <sub>2.5</sub> , PM <sub>10</sub>	5
151	Raichur	Moderate	141	PM <sub>10</sub>	1
152	Raipur	Moderate	114	PM <sub>2.5</sub> , NO <sub>2</sub>	4
153	Rairangpur	Moderate	116	PM <sub>10</sub>	1
154	Rajamahendravaram	Moderate	108	PM <sub>10</sub>	1
155	Rajgir	Moderate	164	PM <sub>2.5</sub>	1
156	Ramanagara	Moderate	116	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Baghpat, Begusarai, Bikaner, Buxar, Chhal, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur Dindigul, Ernakulam, Kanchipuram, Kochi, Kolar, Kunjemura, Milupara, Panchkula, Purnia, Silchar, Sirohi, Srinagar, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ramanathapuram	Satisfactory	76	PM <sub>10</sub>	1
158	Ratlam	Moderate	117	PM <sub>10</sub>	1
159	Rishikesh	Moderate	106	PM <sub>10</sub>	1
160	Rohtak	Satisfactory	79	PM <sub>2.5</sub>	1
161	Rourkela	Moderate	193	PM <sub>10</sub>	2
162	Rupnagar	Moderate	166	PM <sub>10</sub>	1
163	Sagar	Satisfactory	78	PM <sub>10</sub> , CO	2
164	Saharsa	Very Poor	323	PM <sub>10</sub>	1
165	Salem	Satisfactory	95	SO <sub>2</sub>	1
166	Samastipur	Poor	277	PM <sub>10</sub>	1
167	Sasaram	Moderate	117	PM <sub>2.5</sub>	1
168	Satna	Moderate	168	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Baghpat, Begusarai, Bikaner, Buxar, Chhal, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur Dindigul, Ernakulam, Kanchipuram, Kochi, Kolar, Kunjemura, Milupara, Panchkula, Purnia, Silchar, Sirohi, Srinagar, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Shillong	Satisfactory	88	PM <sub>10</sub>	1
170	Shivamogga	Satisfactory	59	03	1
171	Siliguri	Moderate	126	PM <sub>10</sub>	1
172	Singrauli	Satisfactory	84	NO <sub>2</sub>	1
173	Sirsa	Moderate	117	PM <sub>10</sub>	1
174	Sivasagar	Satisfactory	72	PM <sub>2.5</sub>	1
175	Siwan	Very Poor	312	PM <sub>2.5</sub>	1
176	Solapur	Moderate	145	PM <sub>10</sub>	1
177	Sonipat	Moderate	129	PM <sub>10</sub>	1
178	Suakati	Moderate	110	PM <sub>10</sub>	1
179	Surat	Poor	201	PM <sub>2.5</sub>	1
180	Talcher	Poor	203	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Tensa	Moderate	101	PM <sub>10</sub>	1
182	Thane	Poor	201	PM <sub>10</sub>	1
183	Thiruvananthapuram	Satisfactory	97	PM <sub>2.5</sub>	2
184	Thoothukudi	Satisfactory	51	PM <sub>10</sub>	1
185	Thrissur	Moderate	146	PM <sub>2.5</sub>	1
186	Tirupati	Moderate	104	PM <sub>2.5</sub>	2
187	Udaipur	Moderate	118	PM <sub>10</sub>	1
188	Ujjain	Moderate	174	PM <sub>10</sub>	1
189	Varanasi	Satisfactory	62	PM <sub>10</sub>	4
190	Vatva	Poor	201	PM <sub>2.5</sub>	1
191	Vijayapura	Good	46	PM <sub>10</sub>	1
192	Vijayawada	Moderate	117	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Visakhapatnam	Poor	245	PM <sub>10</sub>	1
194	Vrindavan	Moderate	125	PM <sub>10</sub>	1
195	Yadgir	Satisfactory	76	PM <sub>10</sub>	1
196	Yamunanagar	Moderate	168	PM <sub>2.5</sub>	1
197	vellore	Moderate	101	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.