

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	42	PM ₁₀	1
2	Agra	Poor	254	PM _{2.5}	1
3	Ahmedabad	Satisfactory	81	O ₃	1
4	Aizawl	Good	31	PM ₁₀	1
5	Ajmer	Moderate	113	PM ₁₀	1
6	Alwar	Poor	203	PM ₁₀	1
7	Amaravati	Satisfactory	59	O ₃	1
8	Ambala	Moderate	180	PM ₁₀	1
9	Amritsar	Moderate	121	PM ₁₀	1
10	Asansol	Satisfactory	77	PM _{2.5}	1
11	Aurangabad	Satisfactory	56	NO ₂	1
12	Bagalkot	Good	48	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Coimbatore, Gummidipoondi, Kalyan, Kolar, Maihar, Manesar, Mysuru, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thane, Thiruvananthapuram, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	237	PM ₁₀	1
14	Bahadurgarh	Poor	240	PM _{2.5}	1
15	Ballabgarh	Poor	221	PM _{2.5}	1
16	Bathinda	Moderate	118	PM ₁₀	1
17	Bengaluru	Good	38	NO ₂ , O ₃ , CO	7
18	Bhiwadi	Very Poor	342	PM _{2.5}	1
19	Bhiwani	Moderate	107	O ₃	1
20	Bhopal	Moderate	109	O ₃	1
21	Bidar	Satisfactory	98	PM ₁₀	1
22	Bulandshahr	Poor	213	PM _{2.5}	1
23	Chamarajanagar	Good	34	со	1
24	Chandigarh	Moderate	148	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Coimbatore, Gummidipoondi, Kalyan, Kolar, Maihar, Manesar, Mysuru, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thane, Thiruvananthapuram, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	88	PM ₁₀ , PM _{2.5}	2
26	Charkhi Dadri	Poor	273	PM _{2.5}	1
27	Chennai	Moderate	103	PM _{2.5} , CO, PM ₁₀	6
28	Chikkaballapur	Good	30	NO ₂	1
29	Chikkamagaluru	Good	46	03	1
30	Damoh	Good	32	PM _{2.5}	1
31	Davanagere	Satisfactory	59	PM ₁₀	1
32	Delhi	Poor	237	PM ₁₀ , PM _{2.5}	26
33	Dewas	Satisfactory	74	PM ₁₀	1
34	Dharuhera	Poor	251	PM ₁₀	1
35	Durgapur	Moderate	161	PM _{2.5}	1
36	Eloor	Satisfactory	60	СО	1

Possible Health Impacts

d Minimal Impact

Good	Minimai impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Coimbatore, Gummidipoondi, Kalyan, Kolar, Maihar, Manesar, Mysuru, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thane, Thiruvananthapuram, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Good	27	СО	1
38	Faridabad	Poor	271	PM _{2.5}	3
39	Fatehabad	Moderate	192	PM _{2.5}	1
40	Gadag	Good	31	PM _{2.5}	1
41	Gandhinagar	Satisfactory	68	PM ₁₀	1
42	Gaya	Satisfactory	56	CO, PM ₁₀	2
43	Ghaziabad	Poor	227	PM ₁₀	3
44	Greater Noida	Poor	226	PM ₁₀	2
45	Gurugram	Moderate	195	PM _{2.5} , PM ₁₀	3
46	Guwahati	Satisfactory	68	PM ₁₀ , PM _{2.5}	2
47	Gwalior	Moderate	108	PM _{2.5}	1
48	Hajipur	Moderate	175	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Coimbatore, Gummidipoondi, Kalyan, Kolar, Maihar, Manesar, Mysuru, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thane, Thiruvananthapuram, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Good	37	PM _{2.5}	1
50	Hapur	Moderate	142	PM ₁₀	1
51	Hassan	Good	37	PM ₁₀	1
52	Hisar	Poor	229	PM ₁₀	1
53	Howrah	Good	49	PM ₁₀	3
54	Hubballi	Satisfactory	72	PM ₁₀	1
55	Hyderabad	Satisfactory	76	PM ₁₀ , PM _{2.5}	4
56	Indore	Satisfactory	90	O ₃	1
57	Jabalpur	Satisfactory	95	O ₃	1
58	Jaipur	Moderate	143	PM _{2.5}	3
59	Jalandhar	Moderate	143	PM ₁₀	1
60	Jind	Poor	206	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Coimbatore, Gummidipoondi, Kalyan, Kolar, Maihar, Manesar, Mysuru, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thane, Thiruvananthapuram, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Moderate	142	PM ₁₀	1
62	Jorapokhar	Moderate	106	PM ₁₀	1
63	Kaithal	Poor	206	PM ₁₀	1
64	Kalaburgi	Satisfactory	87	PM ₁₀	1
65	Kannur	Satisfactory	57	PM ₁₀	1
66	Kanpur	Satisfactory	68	03	1
67	Karnal	Moderate	145	PM ₁₀	1
68	Katni	Moderate	102	PM ₁₀	1
69	Khanna	Moderate	123	PM ₁₀	1
70	Kochi	Good	47	со	1
71	Kohima	Good	41	PM ₁₀	1
72	Kolkata	Satisfactory	57	O ₃ , PM ₁₀	7

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Coimbatore, Gummidipoondi, Kalyan, Kolar, Maihar, Manesar, Mysuru, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thane, Thiruvananthapuram, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kollam	Good	31	СО	1
74	Koppal	Satisfactory	74	O ₃	1
75	Kota	Moderate	132	PM _{2.5}	1
76	Kozhikode	Good	38	со	1
77	Kurukshetra	Moderate	183	PM ₁₀	1
78	Lucknow	Satisfactory	99	NO ₂ , PM ₁₀ , O ₃	4
79	Ludhiana	Moderate	193	PM ₁₀	1
80	Mandi Gobindgarh	Moderate	200	PM _{2.5}	1
81	Mandideep	Satisfactory	51	PM ₁₀	1
82	Mandikhera	Moderate	114	PM _{2.5}	1
83	Manglore	Good	38	PM ₁₀	1
84	Medikeri	Good	37	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Coimbatore, Gummidipoondi, Kalyan, Kolar, Maihar, Manesar, Mysuru, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thane, Thiruvananthapuram, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Poor	252	PM ₁₀	2
86	Moradabad	Moderate	190	PM _{2.5}	1
87	Mumbai	Satisfactory	81	PM ₁₀	17
88	Muzaffarnagar	Poor	210	PM ₁₀	1
89	Muzaffarpur	Satisfactory	90	PM _{2.5} , CO	2
90	Narnaul	Poor	206	PM ₁₀	1
91	Navi Mumbai	Satisfactory	78	CO, PM ₁₀	2
92	Noida	Poor	241	PM ₁₀	3
93	Pali	Moderate	116	PM ₁₀	1
94	Palwal	Moderate	174	PM ₁₀	1
95	Panchkula	Satisfactory	80	со	1
96	Panipat	Poor	213	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Coimbatore, Gummidipoondi, Kalyan, Kolar, Maihar, Manesar, Mysuru, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thane, Thiruvananthapuram, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Moderate	131	PM ₁₀	1
98	Patna	Satisfactory	90	PM ₁₀ , SO ₂ , O ₃	5
99	Pithampur	Satisfactory	63	PM ₁₀	1
100	Puducherry	Good	49	03	1
101	Pune	Satisfactory	65	PM ₁₀ , PM _{2.5} , O ₃	7
102	Raichur	Satisfactory	71	PM ₁₀	1
103	Rajamahendravaram	Good	46	PM ₁₀	1
104	Ratlam	Satisfactory	73	PM ₁₀	1
105	Rohtak	Poor	250	PM _{2.5}	1
106	Rupnagar	Moderate	101	PM ₁₀	1
107	Sagar	Good	34	со	1
108	Satna	Satisfactory	79	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Coimbatore, Gummidipoondi, Kalyan, Kolar, Maihar, Manesar, Mysuru, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thane, Thiruvananthapuram, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shivamogga	Good	46	PM ₁₀	1
110	Siliguri	Satisfactory	87	PM _{2.5}	1
111	Singrauli	Poor	221	PM ₁₀	1
112	Sirsa	Poor	211	PM _{2.5}	1
113	Sonipat	Poor	222	PM _{2.5}	1
114	Srinagar	Satisfactory	80	PM ₁₀	1
115	Talcher	Satisfactory	94	со	1
116	Thoothukudi	Good	37	03	1
117	Thrissur	Satisfactory	62	со	1
118	Tirupati	Good	41	PM ₁₀	1
119	Udaipur	Moderate	102	PM ₁₀	1
120	Udupi	Satisfactory	75	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Coimbatore, Gummidipoondi, Kalyan, Kolar, Maihar, Manesar, Mysuru, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thane, Thiruvananthapuram, Vijayapura as data was not available.

[#] Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ujjain	Satisfactory	92	O ₃	1
122	Vapi	Satisfactory	74	PM ₁₀	1
123	Varanasi	Moderate	154	PM ₁₀	1
124	Vatva	Moderate	111	PM ₁₀	1
125	Visakhapatnam	Satisfactory	84	PM ₁₀	1
126	Yadgir	Satisfactory	58	PM ₁₀	1
127	Yamunanagar	Moderate	167	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Coimbatore, Gummidipoondi, Kalyan, Kolar, Maihar, Manesar, Mysuru, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thane, Thiruvananthapuram, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.