

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	216	PM _{2.5}	1
2	Agra	Satisfactory	78	PM ₁₀	6
3	Ahmedabad	Moderate	108	PM _{2.5} , PM ₁₀	9
4	Aizawl	Satisfactory	73	PM ₁₀	1
5	Ajmer	Satisfactory	92	PM ₁₀	1
6	Alwar	Satisfactory	73	PM ₁₀	1
7	Amaravati	Satisfactory	92	PM _{2.5}	1
8	Amritsar	Moderate	107	PM ₁₀	1
9	Ankleshwar	Poor	219	PM _{2.5}	1
10	Araria	Poor	243	PM _{2.5}	1
11	Arrah	Moderate	135	PM ₁₀	1
12	Aurangabad	Moderate	108	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Asansol, Baghpat, Bathinda, Bidar, Chhapra, Chikkamagaluru, Jorapokhar, Kalyan, Kohima, Kolar, Maihar, Panipat, Udupi, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	50	PM _{2.5}	1
14	Bahadurgarh	Moderate	129	PM _{2.5}	1
15	Ballabgarh	Poor	255	PM _{2.5}	1
16	Bengaluru	Satisfactory	86	PM _{2.5} , PM ₁₀ , CO	10
17	Bettiah	Poor	285	PM _{2.5}	1
18	Bhagalpur	Moderate	181	PM ₁₀ , PM _{2.5}	2
19	Bhilai	Satisfactory	60	PM ₁₀	1
20	Bhiwadi	Poor	229	PM _{2.5}	1
21	Bhiwani	Moderate	178	03	1
22	Bhopal	Moderate	102	03	1
23	Bihar Sharif	Moderate	118	NO ₂	1
24	Bilaspur	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Asansol, Baghpat, Bathinda, Bidar, Chhapra, Chikkamagaluru, Jorapokhar, Kalyan, Kohima, Kolar, Maihar, Panipat, Udupi, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Brajrajnagar	Satisfactory	68	PM ₁₀	1
26	Bulandshahr	Moderate	200	PM ₁₀	1
27	Buxar	Poor	213	PM _{2.5}	1
28	Chamarajanagar	Good	34	PM ₁₀	1
29	Chandigarh	Moderate	129	O ₃ , PM _{2.5} , PM ₁₀	3
30	Chandrapur	Moderate	157	O ₃ , PM _{2.5}	2
31	Charkhi Dadri	Moderate	119	PM ₁₀	1
32	Chennai	Satisfactory	68	PM ₁₀ , CO, O ₃	5
33	Chikkaballapur	Satisfactory	87	PM _{2.5}	1
34	Coimbatore	Satisfactory	72	PM _{2.5}	1
35	Damoh	Good	40	PM _{2.5}	1
36	Darbhanga	Moderate	199	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	atisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ambala, Asansol, Baghpat, Bathinda, Bidar, Chhapra, Chikkamagaluru, Jorapokhar, Kalyan, Kohima, Kolar, Maihar, Panipat, Udupi, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Davanagere	Moderate	103	PM ₁₀	1
38	Delhi	Moderate	180	PM ₁₀ , PM _{2.5}	35
39	Dewas	Satisfactory	78	PM ₁₀	1
40	Dharuhera	Moderate	160	PM ₁₀	1
41	Durgapur	Poor	295	PM ₁₀	1
42	Eloor	Satisfactory	75	PM ₁₀	1
43	Ernakulam	Satisfactory	77	PM _{2.5}	1
44	Faridabad	Moderate	192	PM _{2.5} , PM ₁₀	4
45	Fatehabad	Moderate	116	PM _{2.5}	1
46	Firozabad	Satisfactory	83	PM ₁₀	1
47	Gadag	Satisfactory	56	PM _{2.5}	1
48	Gandhinagar	Moderate	109	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Asansol, Baghpat, Bathinda, Bidar, Chhapra, Chikkamagaluru, Jorapokhar, Kalyan, Kohima, Kolar, Maihar, Panipat, Udupi, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Moderate	136	NO ₂ , PM _{2.5} , PM ₁₀	3
50	Ghaziabad	Poor	206	PM ₁₀ , PM _{2.5}	3
51	Gorakhpur	Satisfactory	87	PM ₁₀	1
52	Greater Noida	Moderate	160	PM ₁₀	2
53	Gummidipoondi	Good	38	PM ₁₀	1
54	Gurugram	Moderate	167	PM _{2.5} , PM ₁₀	4
55	Guwahati	Poor	254	PM _{2.5}	2
56	Gwalior	Moderate	141	PM _{2.5}	1
57	Hajipur	Poor	242	PM _{2.5}	1
58	Haldia	Moderate	145	PM _{2.5}	1
59	Hapur	Moderate	160	03	1
60	Hassan	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Asansol, Baghpat, Bathinda, Bidar, Chhapra, Chikkamagaluru, Jorapokhar, Kalyan, Kohima, Kolar, Maihar, Panipat, Udupi, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Poor	206	PM _{2.5}	1
62	Howrah	Poor	235	PM _{2.5}	3
63	Hubballi	Moderate	123	PM ₁₀	1
64	Hyderabad	Moderate	121	O ₃ , PM _{2.5} , PM ₁₀	6
65	Indore	Moderate	102	PM ₁₀	1
66	Jabalpur	Moderate	168	PM ₁₀	1
67	Jaipur	Satisfactory	83	PM ₁₀	3
68	Jalandhar	Moderate	124	PM ₁₀	1
69	Jhansi	Moderate	138	PM ₁₀	1
70	Jind	Moderate	114	PM _{2.5}	1
71	Jodhpur	Moderate	154	PM _{2.5}	1
72	Kaithal	Moderate	105	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Asansol, Baghpat, Bathinda, Bidar, Chhapra, Chikkamagaluru, Jorapokhar, Kalyan, Kohima, Kolar, Maihar, Panipat, Udupi, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalaburgi	Satisfactory	98	PM ₁₀	1
74	Kannur	Satisfactory	53	со	1
75	Kanpur	Moderate	154	PM _{2.5} , PM ₁₀	3
76	Karnal	Satisfactory	99	PM ₁₀	1
77	Katihar	Poor	242	PM ₁₀	1
78	Katni	Moderate	114	PM ₁₀	1
79	Khanna	Moderate	108	PM ₁₀	1
80	Kishanganj	Poor	205	PM ₁₀	1
81	Kochi	Satisfactory	97	PM _{2.5}	1
82	Kolkata	Poor	219	PM _{2.5}	7
83	Kollam	Satisfactory	93	PM ₁₀	1
84	Koppal	Moderate	118	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Asansol, Baghpat, Bathinda, Bidar, Chhapra, Chikkamagaluru, Jorapokhar, Kalyan, Kohima, Kolar, Maihar, Panipat, Udupi, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kota	Moderate	141	PM _{2.5}	1
86	Kozhikode	Satisfactory	55	PM ₁₀	1
87	Kurukshetra	Moderate	158	PM _{2.5}	1
88	Lucknow	Moderate	128	PM ₁₀ , PM _{2.5}	6
89	Ludhiana	Satisfactory	99	PM ₁₀	1
90	Madikeri	Satisfactory	74	PM ₁₀	1
91	Mandi Gobindgarh	Moderate	190	PM ₁₀	1
92	Mandideep	Satisfactory	100	PM _{2.5}	1
93	Mandikhera	Moderate	106	PM ₁₀	1
94	Manesar	Moderate	128	PM _{2.5}	1
95	Manglore	Satisfactory	72	NO ₂	1
96	Manguraha	Moderate	118	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Asansol, Baghpat, Bathinda, Bidar, Chhapra, Chikkamagaluru, Jorapokhar, Kalyan, Kohima, Kolar, Maihar, Panipat, Udupi, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Moderate	181	PM _{2.5}	2
98	Moradabad	Moderate	110	PM _{2.5} , PM ₁₀	4
99	Motihari	Poor	210	PM _{2.5}	1
100	Mumbai	Moderate	143	PM _{2.5} , PM ₁₀	17
101	Munger	Poor	241	PM _{2.5}	1
102	Muzaffarnagar	Poor	204	PM _{2.5}	1
103	Muzaffarpur	Poor	282	PM ₁₀ , PM _{2.5}	2
104	Mysuru	Satisfactory	66	03	1
105	Nagpur	Moderate	101	PM ₁₀	1
106	Naharlagun	Satisfactory	98	PM ₁₀	1
107	Nandesari	Satisfactory	62	со	1
108	Narnaul	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Asansol, Baghpat, Bathinda, Bidar, Chhapra, Chikkamagaluru, Jorapokhar, Kalyan, Kohima, Kolar, Maihar, Panipat, Udupi, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nashik	Satisfactory	56	PM ₁₀	1
110	Navi Mumbai	Moderate	183	PM ₁₀	3
111	Noida	Moderate	160	PM ₁₀ , PM _{2.5}	4
112	Pali	Moderate	106	PM _{2.5}	1
113	Palwal	Moderate	108	PM ₁₀	1
114	Panchkula	Moderate	129	PM _{2.5}	1
115	Patiala	Moderate	101	PM ₁₀	1
116	Patna	Poor	214	PM _{2.5} , PM ₁₀	6
117	Pithampur	Moderate	127	PM _{2.5}	1
118	Prayagraj	Moderate	104	PM ₁₀	3
119	Puducherry	Satisfactory	67	PM ₁₀	1
120	Pune	Satisfactory	99	PM _{2.5} , NO ₂ , PM ₁₀	6

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ambala, Asansol, Baghpat, Bathinda, Bidar, Chhapra, Chikkamagaluru, Jorapokhar, Kalyan, Kohima, Kolar, Maihar, Panipat, Udupi, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Moderate	179	PM _{2.5}	1
122	Raichur	Satisfactory	100	PM ₁₀	1
123	Rajamahendravaram	Moderate	130	PM _{2.5}	1
124	Rajgir	Moderate	124	PM ₁₀	1
125	Ramanagara	Satisfactory	80	PM ₁₀	1
126	Ratlam	Satisfactory	70	PM ₁₀	1
127	Rohtak	Moderate	145	PM _{2.5}	1
128	Rupnagar	Moderate	127	PM _{2.5}	1
129	Sagar	Satisfactory	78	со	1
130	Saharsa	Poor	283	PM _{2.5}	1
131	Sasaram	Moderate	134	PM ₁₀	1
132	Satna	Satisfactory	59	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Moderate Breathing discomfort to the people with lungs, asthma and heart disease	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Asansol, Baghpat, Bathinda, Bidar, Chhapra, Chikkamagaluru, Jorapokhar, Kalyan, Kohima, Kolar, Maihar, Panipat, Udupi, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shillong	Satisfactory	60	PM _{2.5}	1
134	Shivamogga	Satisfactory	97	NO ₂	1
135	Siliguri	Poor	227	PM _{2.5}	1
136	Singrauli	Poor	300	PM ₁₀	1
137	Sirsa	Satisfactory	94	03	1
138	Siwan	Poor	202	PM _{2.5}	1
139	Solapur	Satisfactory	72	PM _{2.5}	1
140	Sonipat	Moderate	123	PM ₁₀	1
141	Srinagar	Satisfactory	78	PM ₁₀	1
142	Talcher	Moderate	133	PM _{2.5}	1
143	Thane	Moderate	186	PM _{2.5}	1
144	Thiruvananthapuram	Satisfactory	55	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate Breathing discomfort to the people with lungs, asthma and heart disease	
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Asansol, Baghpat, Bathinda, Bidar, Chhapra, Chikkamagaluru, Jorapokhar, Kalyan, Kohima, Kolar, Maihar, Panipat, Udupi, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thoothukudi	Good	43	PM ₁₀	1
146	Thrissur	Satisfactory	81	PM _{2.5}	1
147	Tirupati	Satisfactory	66	PM _{2.5}	1
148	Udaipur	Moderate	129	PM ₁₀	1
149	Ujjain	Moderate	123	PM _{2.5}	1
150	Vapi	Moderate	176	PM ₁₀	1
151	Varanasi	Satisfactory	100	PM ₁₀	4
152	Vatva	Moderate	117	PM ₁₀	1
153	Vijayapura	Good	46	PM ₁₀	1
154	Visakhapatnam	Moderate	172	PM _{2.5}	1
155	Vrindavan	Satisfactory	66	PM ₁₀	1
156	Yadgir	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ambala, Asansol, Baghpat, Bathinda, Bidar, Chhapra, Chikkamagaluru, Jorapokhar, Kalyan, Kohima, Kolar, Maihar, Panipat, Udupi, Yamunanagar as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.