



Air Quality Index on Jun 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	33	PM ₁₀	2
2	Agra	Satisfactory	70	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Satisfactory	77	NO ₂ , PM ₁₀ , CO	4
4	Aizawl	Good	34	O ₃	1
5	Ajmer	Satisfactory	92	PM _{2.5}	1
6	Alwar	Moderate	102	PM ₁₀	1
7	Amaravati	Good	22	O ₃	1
8	Ambala	Moderate	196	O ₃	1
9	Amritsar	Poor	216	O ₃	1
10	Ankleshwar	Satisfactory	69	PM ₁₀	1
11	Araria	Moderate	102	PM _{2.5}	1
12	Arrah	Moderate	115	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bidar, Chikkaballapur, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Raichur, Saharsa, Siwan, Sonipat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	68	NO ₂	1
14	Aurangabad (Bihar)	Satisfactory	97	PM ₁₀	1
15	Baddi	Moderate	123	PM ₁₀	1
16	Bagalkot	Good	45	PM ₁₀	1
17	Baghpat	Satisfactory	83	PM _{2.5}	1
18	Bahadurgarh	Moderate	114	PM ₁₀	1
19	Ballabgarh	Satisfactory	82	PM _{2.5}	1
20	Bareilly	Satisfactory	91	PM ₁₀	1
21	Bathinda	Satisfactory	70	PM ₁₀	1
22	Bengaluru	Satisfactory	61	PM ₁₀ , PM _{2.5}	9
23	Bettiah	Satisfactory	57	PM _{2.5}	1
24	Bhagalpur	Satisfactory	98	NO ₂ , CO	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bidar, Chikkaballapur, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Raichur, Saharsa, Siwan, Sonapat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhilai	Good	25	NO ₂	1
26	Bhiwadi	Moderate	121	PM ₁₀	1
27	Bhiwani	Moderate	184	PM _{2.5}	1
28	Bhopal	Satisfactory	70	O ₃	1
29	Bihar Sharif	Moderate	131	PM ₁₀	1
30	Bilaspur	Satisfactory	60	PM ₁₀	1
31	Brajrajnagar	Good	47	CO	1
32	Bulandshahr	Moderate	140	PM ₁₀	1
33	Buxar	Poor	213	PM _{2.5}	1
34	Chamarajanagar	Good	40	PM ₁₀	1
35	Chandigarh	Moderate	126	O ₃ , PM ₁₀	3
36	Chandrapur	Satisfactory	75	PM _{2.5} , CO	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bidar, Chikkaballapur, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Raichur, Saharsa, Siwan, Sonapat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Charkhi Dadri	Moderate	124	PM _{2.5}	1
38	Chennai	Satisfactory	76	CO, PM ₁₀	7
39	Chhapra	Moderate	130	PM ₁₀	1
40	Chikkamagaluru	Good	34	PM ₁₀	1
41	Coimbatore	Good	32	PM ₁₀	1
42	Damoh	Good	46	PM _{2.5}	1
43	Darbhanga	Satisfactory	93	PM ₁₀	1
44	Davanagere	Good	32	PM ₁₀	1
45	Dehradun	Satisfactory	57	PM ₁₀	1
46	Delhi	Moderate	137	PM _{2.5} , PM ₁₀ , O ₃	33
47	Dewas	Good	50	PM ₁₀	1
48	Dharuhera	Moderate	150	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bidar, Chikkaballapur, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Raichur, Saharsa, Siwan, Sonapat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Eloor	Satisfactory	54	PM ₁₀	1
50	Ernakulam	Good	47	CO	1
51	Faridabad	Moderate	153	PM ₁₀ , PM _{2.5}	3
52	Fatehabad	Moderate	132	PM ₁₀	1
53	Firozabad	Moderate	119	O ₃ , PM ₁₀	2
54	Gandhinagar	Good	50	PM ₁₀	1
55	Gangtok	Good	15	O ₃	1
56	Gaya	Satisfactory	69	NO ₂ , CO, PM ₁₀	3
57	Ghaziabad	Moderate	140	PM _{2.5} , PM ₁₀	4
58	Gorakhpur	Good	46	SO ₂	1
59	Greater Noida	Moderate	131	PM ₁₀	1
60	Gurugram	Moderate	148	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bidar, Chikkaballapur, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Raichur, Saharsa, Siwan, Sonipat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Guwahati	Good	40	PM ₁₀ , O ₃	2
62	Gwalior	Satisfactory	96	PM ₁₀	2
63	Hajipur	Moderate	117	PM _{2.5}	1
64	Haldia	Good	36	PM ₁₀	1
65	Hisar	Moderate	160	PM ₁₀	1
66	Howrah	Good	39	PM ₁₀ , CO	3
67	Hubballi	Good	49	CO	1
68	Hyderabad	Satisfactory	54	CO, PM _{2.5} , PM ₁₀	10
69	Imphal	Satisfactory	95	SO ₂	1
70	Indore	Satisfactory	64	PM ₁₀	1
71	Jabalpur	Satisfactory	86	PM ₁₀	1
72	Jaipur	Satisfactory	94	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bidar, Chikkaballapur, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Raichur, Saharsa, Siwan, Sonipat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Moderate	147	PM ₁₀	1
74	Jind	Moderate	109	PM _{2.5}	1
75	Jodhpur	Moderate	114	PM _{2.5}	1
76	Kaithal	Moderate	112	PM ₁₀	1
77	Kalyan	Good	48	PM _{2.5}	1
78	Kannur	Satisfactory	63	PM ₁₀	1
79	Kanpur	Satisfactory	96	PM _{2.5} , PM ₁₀	4
80	Karnal	Satisfactory	96	PM ₁₀	1
81	Katihar	Moderate	120	CO	1
82	Katni	Moderate	102	PM ₁₀	1
83	Khanna	Satisfactory	95	PM ₁₀	1
84	Khurja	Satisfactory	91	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bidar, Chikkaballapur, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Raichur, Saharsa, Siwan, Sonipat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kishanganj	Good	50	PM ₁₀	1
86	Kochi	Good	46	PM ₁₀	1
87	Kohima	Satisfactory	71	PM ₁₀	1
88	Kolkata	Good	40	PM ₁₀ , O ₃	7
89	Kollam	Satisfactory	74	PM ₁₀	1
90	Kota	Satisfactory	99	PM _{2.5}	1
91	Kozhikode	Satisfactory	75	PM ₁₀	1
92	Kurukshetra	Moderate	110	PM ₁₀	1
93	Lucknow	Satisfactory	98	PM _{2.5} , PM ₁₀	6
94	Ludhiana	Moderate	159	PM ₁₀	1
95	Madikeri	Good	21	SO ₂	1
96	Mandi Gobindgarh	Satisfactory	68	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bidar, Chikkaballapur, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Raichur, Saharsa, Siwan, Sonipat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandideep	Satisfactory	63	O ₃	1
98	Mandikheda	Satisfactory	78	CO	1
99	Manesar	Moderate	141	PM _{2.5}	1
100	Manglore	Satisfactory	89	NO ₂	1
101	Meerut	Moderate	112	PM ₁₀	3
102	Moradabad	Moderate	104	PM _{2.5} , PM ₁₀ , CO	6
103	Motihari	Satisfactory	75	PM ₁₀	1
104	Mumbai	Satisfactory	51	CO, SO ₂ , PM ₁₀	12
105	Munger	Moderate	132	PM ₁₀	1
106	Muzaffarnagar	Moderate	162	PM _{2.5}	1
107	Muzaffarpur	Satisfactory	84	PM ₁₀ , CO	3
108	Mysuru	Good	42	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bidar, Chikkaballapur, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Raichur, Saharsa, Siwan, Sonapat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nagpur	Satisfactory	63	PM ₁₀	1
110	Narnaul	Satisfactory	59	PM _{2.5}	1
111	Nashik	Good	28	PM ₁₀	1
112	Navi Mumbai	Good	36	CO	2
113	Noida	Moderate	140	PM ₁₀	2
114	Pali	Moderate	129	PM _{2.5}	1
115	Palwal	Moderate	117	PM ₁₀	1
116	Panchkula	Satisfactory	71	PM _{2.5}	1
117	Panipat	Moderate	125	PM ₁₀	1
118	Patiala	Satisfactory	90	PM ₁₀	1
119	Patna	Moderate	122	PM ₁₀ , PM _{2.5}	5
120	Pithampur	Satisfactory	66	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bidar, Chikkaballapur, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Raichur, Saharsa, Siwan, Sonapat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Prayagraj	Satisfactory	73	PM ₁₀	3
122	Puducherry	Satisfactory	59	PM ₁₀	1
123	Pune	Satisfactory	93	NO ₂ , CO	5
124	Purnia	Moderate	144	PM _{2.5}	1
125	Rajamahendravaram	Good	26	PM ₁₀	1
126	Rajgir	Satisfactory	73	PM ₁₀	1
127	Ramanagara	Good	43	PM ₁₀	1
128	Ratlam	Good	43	PM ₁₀	1
129	Rohtak	Poor	219	PM _{2.5}	1
130	Rupnagar	Satisfactory	100	PM ₁₀	1
131	Sagar	Good	39	CO	1
132	Samastipur	Moderate	193	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bidar, Chikkaballapur, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Raichur, Saharsa, Siwan, Sonapat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sasaram	Satisfactory	85	PM ₁₀	1
134	Satna	Good	46	O ₃	1
135	Shillong	Good	14	CO	1
136	Shivamogga	Satisfactory	53	PM ₁₀	1
137	Siliguri	Good	31	PM ₁₀	1
138	Singrauli	Satisfactory	95	NO ₂	1
139	Sirsa	Moderate	111	PM ₁₀	1
140	Solapur	Satisfactory	59	PM ₁₀	1
141	Srinagar	Moderate	105	PM ₁₀	1
142	Talcher	Good	39	O ₃	1
143	Thane	Satisfactory	59	PM ₁₀	1
144	Thiruvananthapuram	Satisfactory	66	PM _{2.5} , CO	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bidar, Chikkaballapur, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Raichur, Saharsa, Siwan, Sonipat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jun 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thoothukudi	Good	31	PM ₁₀	1
146	Thrissur	Good	42	O ₃	1
147	Tirupati	Good	49	PM ₁₀	1
148	Udaipur	Satisfactory	58	PM ₁₀	1
149	Ujjain	Satisfactory	67	PM ₁₀	1
150	Varanasi	Satisfactory	68	O ₃ , NO ₂ , PM ₁₀	3
151	Vatva	Satisfactory	61	PM ₁₀	1
152	Vijayapura	Good	49	PM ₁₀	1
153	Visakhapatnam	Satisfactory	85	PM ₁₀	1
154	Vrindavan	Satisfactory	76	PM ₁₀	1
155	Yadgir	Good	29	CO	1
156	Yamunanagar	Moderate	149	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bidar, Chikkaballapur, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manguraha, Naharlagun, Nandesari, Raichur, Saharsa, Siwan, Sonapat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.