

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	268	PM _{2.5}	1
2	Agra	Satisfactory	85	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	60	PM _{2.5} , PM ₁₀	8
4	Aizawl	Good	28	PM ₁₀	1
5	Ajmer	Good	49	03	1
6	Alwar	Good	50	PM ₁₀	1
7	Amaravati	Satisfactory	56	PM _{2.5}	1
8	Ambala	Satisfactory	61	NO ₂	1
9	Amritsar	Good	40	PM ₁₀	1
10	Ankleshwar	Satisfactory	91	PM _{2.5}	1
11	Araria	Moderate	165	PM _{2.5}	1
12	Arrah	Moderate	132	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Brajrajnagar, Damoh, Davanagere, Hassan, Kolar, Kozhikode, Manguraha, Motihari, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	166	PM _{2.5}	1
14	Bagalkot	Satisfactory	85	PM _{2.5}	1
15	Bahadurgarh	Satisfactory	79	PM _{2.5}	1
16	Ballabgarh	Satisfactory	89	PM ₁₀	1
17	Bathinda	Satisfactory	94	PM ₁₀	1
18	Bengaluru	Satisfactory	75	PM ₁₀ , CO, PM _{2.5}	8
19	Bettiah	Moderate	164	PM ₁₀	1
20	Bhagalpur	Poor	294	PM _{2.5}	2
21	Bhilai	Good	41	PM ₁₀	1
22	Bhiwadi	Satisfactory	82	PM ₁₀	1
23	Bhiwani	Satisfactory	75	PM _{2.5}	1
24	Bhopal	Satisfactory	95	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Brajrajnagar, Damoh, Davanagere, Hassan, Kolar, Kozhikode, Manguraha, Motihari, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bidar	Satisfactory	69	PM ₁₀	1
26	Bihar Sharif	Moderate	138	PM _{2.5}	1
27	Bilaspur	Satisfactory	57	PM ₁₀	1
28	Bulandshahr	Satisfactory	74	PM _{2.5}	1
29	Buxar	Moderate	187	PM _{2.5}	1
30	Chamarajanagar	Good	35	PM ₁₀	1
31	Chandigarh	Satisfactory	56	PM _{2.5} , NO ₂	2
32	Chandrapur	Satisfactory	84	PM _{2.5}	2
33	Charkhi Dadri	Moderate	119	СО	1
34	Chennai	Good	48	CO, PM ₁₀ , PM _{2.5}	7
35	Chhapra	Poor	259	PM _{2.5}	1
36	Chikkaballapur	Satisfactory	85	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Brajrajnagar, Damoh, Davanagere, Hassan, Kolar, Kozhikode, Manguraha, Motihari, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	36	PM ₁₀	1
38	Coimbatore	Good	49	PM _{2.5}	1
39	Darbhanga	Poor	290	PM _{2.5}	1
40	Delhi	Moderate	151	PM _{2.5}	33
41	Dewas	Satisfactory	62	PM ₁₀	1
42	Dharuhera	Satisfactory	80	PM ₁₀	1
43	Durgapur	Poor	202	PM ₁₀	1
44	Eloor	Satisfactory	70	PM ₁₀	1
45	Ernakulam	Satisfactory	74	PM _{2.5}	1
46	Faridabad	Moderate	140	PM _{2.5}	4
47	Fatehabad	Satisfactory	87	PM ₁₀	1
48	Firozabad	Moderate	105	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Brajrajnagar, Damoh, Davanagere, Hassan, Kolar, Kozhikode, Manguraha, Motihari, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gadag	Good	41	PM _{2.5}	1
50	Gandhinagar	Satisfactory	84	PM _{2.5} , SO ₂ , PM ₁₀	3
51	Gaya	Moderate	183	PM _{2.5} , PM ₁₀	2
52	Ghaziabad	Moderate	116	PM _{2.5} , PM ₁₀	4
53	Gorakhpur	Satisfactory	77	PM _{2.5}	1
54	Greater Noida	Moderate	104	PM _{2.5}	2
55	Gummidipoondi	Good	35	PM ₁₀	1
56	Gurugram	Moderate	130	PM _{2.5} , PM ₁₀	3
57	Guwahati	Poor	260	PM _{2.5}	2
58	Gwalior	Moderate	121	PM _{2.5}	1
59	Hajipur	Moderate	118	PM ₁₀	1
60	Haldia	Moderate	165	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat,
 Brajrajnagar, Damoh, Davanagere, Hassan, Kolar, Kozhikode, Manguraha,
 Motihari, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Satisfactory	100	PM _{2.5}	1
62	Hisar	Moderate	122	PM _{2.5}	1
63	Howrah	Poor	245	PM _{2.5}	3
64	Hubballi	Satisfactory	62	PM ₁₀	1
65	Hyderabad	Satisfactory	73	PM ₁₀ , NO ₂ , PM _{2.5}	6
66	Indore	Satisfactory	92	PM _{2.5}	1
67	Jabalpur	Satisfactory	78	PM _{2.5}	1
68	Jaipur	Satisfactory	72	PM ₁₀ , O ₃	2
69	Jalandhar	Satisfactory	57	PM ₁₀	1
70	Jind	Satisfactory	93	PM _{2.5}	1
71	Jodhpur	Moderate	148	PM ₁₀	1
72	Jorapokhar	Good	48	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Brajrajnagar, Damoh, Davanagere, Hassan, Kolar, Kozhikode, Manguraha, Motihari, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Satisfactory	60	PM ₁₀	1
74	Kalaburgi	Satisfactory	82	PM ₁₀	1
75	Kalyan	Satisfactory	93	PM ₁₀	1
76	Kannur	Satisfactory	60	PM _{2.5}	1
77	Kanpur	Satisfactory	74	NO ₂ , PM _{2.5} , PM ₁₀	3
78	Karnal	Good	45	PM _{2.5}	1
79	Katihar	Very Poor	323	PM _{2.5}	1
80	Katni	Satisfactory	56	PM _{2.5}	1
81	Khanna	Good	48	PM ₁₀	1
82	Kishanganj	Very Poor	323	PM _{2.5}	1
83	Kochi	Satisfactory	80	PM _{2.5}	1
84	Kohima	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Brajrajnagar, Damoh, Davanagere, Hassan, Kolar, Kozhikode, Manguraha, Motihari, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Poor	209	PM _{2.5}	6
86	Kollam	Satisfactory	90	PM ₁₀	1
87	Koppal	Satisfactory	97	O ₃	1
88	Kota	Satisfactory	68	PM _{2.5}	1
89	Kurukshetra	Good	48	PM _{2.5}	1
90	Lucknow	Moderate	112	PM _{2.5} , PM ₁₀	6
91	Ludhiana	Satisfactory	79	PM ₁₀	1
92	Madikeri	Good	46	PM _{2.5}	1
93	Maihar	Good	41	со	1
94	Mandi Gobindgarh	Moderate	168	PM ₁₀	1
95	Mandideep	Satisfactory	88	PM ₁₀	1
96	Mandikhera	Satisfactory	61	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	actory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Brajrajnagar, Damoh, Davanagere, Hassan, Kolar, Kozhikode, Manguraha, Motihari, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Moderate	112	PM ₁₀	1
98	Manglore	Good	33	со	1
99	Meerut	Satisfactory	63	PM _{2.5} , PM ₁₀	3
100	Moradabad	Good	23	PM _{2.5}	1
101	Mumbai	Satisfactory	74	CO, PM ₁₀ , PM _{2.5}	15
102	Munger	Very Poor	375	PM _{2.5}	1
103	Muzaffarnagar	Satisfactory	57	O ₃	1
104	Muzaffarpur	Poor	293	PM _{2.5}	3
105	Mysuru	Satisfactory	65	PM ₁₀	1
106	Nagpur	Satisfactory	60	PM ₁₀	1
107	Naharlagun	Moderate	138	O ₃	1
108	Nandesari	Satisfactory	95	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Brajrajnagar, Damoh, Davanagere, Hassan, Kolar, Kozhikode, Manguraha, Motihari, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Narnaul	Good	49	NO ₂	1
110	Nashik	Good	45	O ₃	1
111	Navi Mumbai	Satisfactory	87	CO, PM _{2.5}	2
112	Noida	Moderate	135	PM _{2.5}	3
113	Pali	Satisfactory	75	PM _{2.5}	1
114	Palwal	Satisfactory	53	PM ₁₀	1
115	Panchkula	Satisfactory	63	PM _{2.5}	1
116	Panipat	Satisfactory	77	PM ₁₀	1
117	Patiala	Good	41	PM _{2.5}	1
118	Patna	Moderate	159	PM _{2.5} , PM ₁₀	5
119	Pithampur	Satisfactory	100	PM ₁₀	1
120	Prayagraj	Good	45	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Brajrajnagar, Damoh, Davanagere, Hassan, Kolar, Kozhikode, Manguraha, Motihari, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Good	33	со	1
122	Pune	Satisfactory	90	SO ₂ , PM _{2.5}	2
123	Purnia	Poor	298	PM _{2.5}	1
124	Raichur	Satisfactory	85	PM ₁₀	1
125	Rajamahendravaram	Moderate	151	PM _{2.5}	1
126	Rajgir	Poor	229	PM _{2.5}	1
127	Ramanagara	Satisfactory	51	PM ₁₀	1
128	Ratlam	Satisfactory	59	PM ₁₀	1
129	Rohtak	Satisfactory	75	PM _{2.5}	1
130	Rupnagar	Good	45	PM ₁₀	1
131	Sagar	Good	23	PM _{2.5}	1
132	Saharsa	Poor	267	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Brajrajnagar, Damoh, Davanagere, Hassan, Kolar, Kozhikode, Manguraha, Motihari, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sasaram	Poor	213	PM _{2.5}	1
134	Satna	Good	42	PM ₁₀	1
135	Shillong	Good	34	PM _{2.5}	1
136	Shivamogga	Satisfactory	52	PM ₁₀	1
137	Siliguri	Moderate	148	PM ₁₀	1
138	Singrauli	Moderate	117	PM _{2.5}	1
139	Sirsa	Satisfactory	82	PM ₁₀	1
140	Siwan	Poor	263	PM _{2.5}	1
141	Solapur	Satisfactory	77	PM ₁₀	1
142	Sonipat	Satisfactory	97	PM ₁₀	1
143	Srinagar	Moderate	132	PM ₁₀	1
144	Talcher	Moderate	123	NO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Brajrajnagar, Damoh, Davanagere, Hassan, Kolar, Kozhikode, Manguraha, Motihari, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thane	Poor	217	03	1
146	Thiruvananthapuram	Good	49	PM ₁₀ , PM _{2.5}	2
147	Thoothukudi	Good	25	PM ₁₀	1
148	Thrissur	Satisfactory	85	PM ₁₀	1
149	Tirupati	Satisfactory	59	PM ₁₀	1
150	Udaipur	Satisfactory	65	PM ₁₀	1
151	Ujjain	Satisfactory	83	PM ₁₀	1
152	Vapi	Moderate	164	PM _{2.5}	1
153	Varanasi	Good	39	O ₃ , PM _{2.5}	3
154	Vatva	Good	42	NO ₂	1
155	Vijayapura	Satisfactory	51	PM ₁₀	1
156	Visakhapatnam	Moderate	149	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Brajrajnagar, Damoh, Davanagere, Hassan, Kolar, Kozhikode, Manguraha, Motihari, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Vrindavan	Satisfactory	72	PM _{2.5}	1
158	Yadgir	Satisfactory	68	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Brajrajnagar, Damoh, Davanagere, Hassan, Kolar, Kozhikode, Manguraha, Motihari, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.