

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	68	PM _{2.5}	1
2	Agra	Good	40	O ₃ , NO ₂	6
3	Ahmedabad	Good	40	CO, O ₃	8
4	Ajmer	Satisfactory	52	PM ₁₀	1
5	Akola	Good	37	PM _{2.5}	1
6	Alwar	Good	45	NO ₂	1
7	Amaravati	Good	38	PM ₁₀	1
8	Ambala	Moderate	102	со	1
9	Amravati	Good	40	PM ₁₀	2
10	Amritsar	Satisfactory	80	PM ₁₀	1
11	Anantapur	Good	41	03	1
12	Ankleshwar	Satisfactory	63	со	1

Notes:

Kalyan, Kanchipuram, Keonjhar, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Palkalaiperur, Purnia, Raichur, Rairangpur, Rajamahendravaram, Ramanathapuram, Rohtak, Salem, Sasaram, Sri Ganganagar, Srinagar, Suakati,

Surat, Thrissur, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Aurangabad (Bihar), Ballabgarh, Begusarai, Bhiwani, Bidar, Boisar, Buxar, Chengalpattu, Chhal, Chhapra, Coimbatore, Cuddalore, Darbhanga, Dindigul,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Araria	Moderate	101	PM _{2.5}	1
14	Ariyalur	Good	28	PM ₁₀	1
15	Arrah	Satisfactory	51	PM ₁₀	1
16	Asansol	Satisfactory	59	PM ₁₀	1
17	Aurangabad (Maharashtra)	Good	44	PM ₁₀	2
18	Baddi	Satisfactory	70	PM ₁₀	1
19	Badlapur	Good	43	PM ₁₀	1
20	Bagalkot	Good	42	PM ₁₀	1
21	Baghpat	Satisfactory	67	03	1
22	Bahadurgarh	Good	46	со	1
23	Banswara	Good	42	со	1
24	Baran	Good	41	03	1

Notes:

Dungarpur, Ernakulam, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi,

Kalyan, Kanchipuram, Keonjhar, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Palkalaiperur, Purnia, Raichur, Rairangpur, Rajamahendravaram, Ramanathapuram, Rohtak, Salem, Sasaram, Sri Ganganagar, Srinagar, Suakati, Surat Thrissur Tirupur Tumidih Udupi Virar vellore as data was not

Surat, Thrissur, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Aurangabad (Bihar), Ballabgarh, Begusarai, Bhiwani, Bidar, Boisar, Buxar, Chengalpattu, Chhal, Chhapra, Coimbatore, Cuddalore, Darbhanga, Dindigul,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Good	33	O ₃ , SO ₂	2
26	Baripada	Satisfactory	62	PM ₁₀	1
27	Barmer	Good	41	O ₃	1
28	Bathinda	Satisfactory	91	PM ₁₀	1
29	Belapur	Good	39	PM ₁₀	1
30	Belgaum	Good	46	со	1
31	Bengaluru	Good	36	CO, O ₃	10
32	Bettiah	Satisfactory	72	PM ₁₀	1
33	Bhagalpur	Moderate	156	со	2
34	Bharatpur	Poor	215	O ₃	1
35	Bhilai	Good	33	PM ₁₀	3
36	Bhilwara	Good	45	PM ₁₀	1

Notes:

— Dungarpur, Ernakulam, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi,

Kalyan, Kanchipuram, Keonjhar, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Palkalaiperur, Purnia, Raichur, Rairangpur, Rajamahendravaram, Ramanathapuram, Rohtak, Salem, Sasaram, Sri Ganganagar, Srinagar, Suakati, Surat, Thrissur, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Aurangabad (Bihar), Ballabgarh, Begusarai, Bhiwani, Bidar, Boisar, Buxar, Chengalpattu, Chhal, Chhapra, Coimbatore, Cuddalore, Darbhanga, Dindigul,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwadi	Satisfactory	68	PM ₁₀	1
38	Bhiwandi	Satisfactory	66	PM ₁₀	1
39	Bhopal	Good	38	PM ₁₀	2
40	Bihar Sharif	Good	45	PM ₁₀	1
41	Bikaner	Moderate	146	O ₃	1
42	Bilaspur	Satisfactory	59	PM ₁₀	1
43	Bileipada	Moderate	106	PM ₁₀	1
44	Brajrajnagar	Good	37	PM ₁₀	1
45	Bulandshahr	Good	35	PM ₁₀	1
46	Bundi	Good	39	со	1
47	Byrnihat	Poor	230	PM _{2.5}	1
48	Chamarajanagar	Good	40	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Aurangabad (Bihar), Ballabgarh, Begusarai, Bhiwani, Bidar, Boisar, Buxar, Chengalpattu, Chhal, Chhapra, Coimbatore, Cuddalore, Darbhanga, Dindigul,

Kalyan, Kanchipuram, Keonjhar, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Palkalaiperur, Purnia, Raichur, Rairangpur, Rajamahendravaram, Ramanathapuram, Rohtak, Salem, Sasaram, Sri Ganganagar, Srinagar, Suakati,

Surat, Thrissur, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandigarh	Good	50	PM _{2.5}	3
50	Chandrapur	Satisfactory	53	PM ₁₀	1
51	Charkhi Dadri	Good	32	PM ₁₀	1
52	Chennai	Good	45	CO, O ₃	8
53	Chikkaballapur	Good	28	PM _{2.5}	1
54	Chikkamagaluru	Good	38	O ₃	1
55	Chittoor	Good	34	O ₃	1
56	Chittorgarh	Satisfactory	55	PM _{2.5}	1
57	Churu	Good	32	03	1
58	Damoh	Good	23	со	1
59	Dausa	Good	37	со	1
60	Davanagere	Good	33	03	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Aurangabad (Bihar), Ballabgarh, Begusarai, Bhiwani, Bidar, Boisar, Buxar, Chengalpattu, Chhal, Chhapra, Coimbatore, Cuddalore, Darbhanga, Dindigul,

— Dungarpur, Ernakulam, Imphal, Jaiore, Jorapokhar, Kadapa, Kalaburgi,

Kalyan, Kanchipuram, Keonjhar, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Palkalaiperur, Purnia, Raichur, Rairangpur, Rajamahendravaram, Ramanathapuram, Rohtak, Salem, Sasaram, Sri Ganganagar, Srinagar, Suakati, Surat, Thrissur, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dehradun	Moderate	111	со	1
62	Delhi	Satisfactory	63	PM ₁₀ , CO	33
63	Dewas	Good	34	PM ₁₀	1
64	Dhanbad	Moderate	197	со	1
65	Dharuhera	Good	48	PM ₁₀	1
66	Dharwad	Good	34	со	1
67	Dholpur	Good	42	03	1
68	Dhule	Satisfactory	61	PM ₁₀	1
69	Durgapur	Satisfactory	57	PM ₁₀	1
70	Eloor	Good	46	PM ₁₀	1
71	Faridabad	Satisfactory	64	PM ₁₀ , CO	4
72	Fatehabad	Moderate	174	03	1

Notes:

— Dungarpur, Ernakulam, Imphal, Jaiore, Jorapokhar, Kadapa, Kalaburgi,

Kalyan, Kanchipuram, Keonjhar, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Palkalaiperur, Purnia, Raichur, Rairangpur, Rajamahendravaram, Ramanathapuram, Rohtak, Salem, Sasaram, Sri Ganganagar, Srinagar, Suakati, Surat, Thrissur, Tirupur, Tumidih, Liduni, Virar, vellore as data was not

Surat, Thrissur, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Aurangabad (Bihar), Ballabgarh, Begusarai, Bhiwani, Bidar, Boisar, Buxar, Chengalpattu, Chhal, Chhapra, Coimbatore, Cuddalore, Darbhanga, Dindigul,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Firozabad	Good	36	PM ₁₀	2
74	Gadag	Good	49	PM ₁₀	1
75	Gandhinagar	Good	30	со	3
76	Gangtok	Satisfactory	67	SO ₂	1
77	Gaya	Satisfactory	66	со	3
78	Ghaziabad	Good	46	O ₃ , PM ₁₀	3
79	Gorakhpur	Good	45	SO ₂	1
80	Greater Noida	Satisfactory	71	PM ₁₀ , O ₃	2
81	Gummidipoondi	Good	43	PM ₁₀	1
82	Gurugram	Satisfactory	99	PM ₁₀ , PM _{2.5}	3
83	Guwahati	Moderate	104	со	1
84	Gwalior	Satisfactory	56	со	3

Notes:

– Dungarpur, Ernakulam, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi,

Kalyan, Kanchipuram, Keonjhar, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Palkalaiperur, Purnia, Raichur, Rairangpur, Rajamahendravaram, Ramanathapuram, Rohtak, Salem, Sasaram, Sri Ganganagar, Srinagar, Suakati, Surat, Thrissur, Tirupur, Tumidih, Udupi, Virar, vellore as data was not

- available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Aurangabad (Bihar), Ballabgarh, Begusarai, Bhiwani, Bidar, Boisar, Buxar, Chengalpattu, Chhal, Chhapra, Coimbatore, Cuddalore, Darbhanga, Dindigul,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hajipur	Satisfactory	54	PM ₁₀	1
86	Haldia	Good	42	PM ₁₀	1
87	Hanumangarh	Satisfactory	73	PM ₁₀	1
88	Hapur	Good	32	03	1
89	Hassan	Good	46	SO ₂	1
90	Haveri	Good	40	со	1
91	Hisar	Moderate	117	03	1
92	Hosur	Good	26	PM ₁₀	1
93	Howrah	Satisfactory	54	PM ₁₀	3
94	Hubballi	Satisfactory	51	со	2
95	Hyderabad	Satisfactory	59	PM ₁₀	10
96	Indore	Good	50	со	1

Notes:

Dungarpur, Ernakulam, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi,

Kalyan, Kanchipuram, Keonjhar, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Palkalaiperur, Purnia, Raichur, Rairangpur, Rajamahendravaram, Ramanathapuram, Rohtak, Salem, Sasaram, Sri Ganganagar, Srinagar, Suakati, Surat, Thrissur, Tirupur, Tumidih, Udupi, Virar, yellore as data was not

Surat, Thrissur, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Aurangabad (Bihar), Ballabgarh, Begusarai, Bhiwani, Bidar, Boisar, Buxar, Chengalpattu, Chhal, Chhapra, Coimbatore, Cuddalore, Darbhanga, Dindigul,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jabalpur	Satisfactory	63	O ₃ , PM ₁₀	3
98	Jaipur	Good	45	O ₃ , CO	3
99	Jaisalmer	Satisfactory	66	PM ₁₀	1
100	Jalandhar	Satisfactory	51	PM ₁₀	1
101	Jalgaon	Satisfactory	67	PM ₁₀	1
102	Jalna	Good	43	O ₃	1
103	Jhalawar	Good	37	PM ₁₀	1
104	Jhansi	Satisfactory	68	PM ₁₀	1
105	Jhunjhunu	Satisfactory	58	PM ₁₀	1
106	Jind	Satisfactory	86	со	1
107	Jodhpur	Good	36	PM ₁₀	4
108	Kaithal	Good	39	PM _{2.5}	1

Notes:

Kalyan, Kanchipuram, Keonjhar, Kochi, Kolar, Koppal, Kozhikode, Malegaon,

Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Palkalaiperur, Purnia, Raichur, Rairangpur, Rajamahendravaram, Ramanathapuram, Rohtak, Salem, Sasaram, Sri Ganganagar, Srinagar, Suakati, Surat, Thrissur, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Aurangabad (Bihar), Ballabgarh, Begusarai, Bhiwani, Bidar, Boisar, Buxar, Chengalpattu, Chhal, Chhapra, Coimbatore, Cuddalore, Darbhanga, Dindigul,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kannur	Satisfactory	70	PM ₁₀	1
110	Kanpur	Good	43	со	3
111	Karauli	Satisfactory	59	03	1
112	Karnal	Good	31	03	1
113	Kashipur	Satisfactory	53	PM ₁₀	1
114	Katihar	Moderate	173	PM _{2.5}	1
115	Katni	Satisfactory	62	PM ₁₀	1
116	Khanna	Good	33	СО	1
117	Khurja	Satisfactory	76	PM _{2.5}	1
118	Kishanganj	Moderate	108	PM ₁₀	1
119	Kohima	Satisfactory	53	SO ₂	1
120	Kolhapur	Good	32	PM ₁₀	2

Notes:

– Dungarpur, Ernakulam, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi,

Kalyan, Kanchipuram, Keonjhar, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Palkalaiperur, Purnia, Raichur, Rairangpur, Rajamahendravaram, Ramanathapuram, Rohtak, Salem, Sasaram, Sri Ganganagar, Srinagar, Suakati, Surat, Thrissur, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Aurangabad (Bihar), Ballabgarh, Begusarai, Bhiwani, Bidar, Boisar, Buxar, Chengalpattu, Chhal, Chhapra, Coimbatore, Cuddalore, Darbhanga, Dindigul,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kolkata	Good	42	PM ₁₀	7
122	Kollam	Satisfactory	60	PM ₁₀	1
123	Korba	Good	20	NO ₂	1
124	Kota	Good	38	PM ₁₀	3
125	Kunjemura	Satisfactory	96	PM ₁₀	1
126	Kurukshetra	Good	41	PM ₁₀	1
127	Latur	Satisfactory	61	PM ₁₀	1
128	Lucknow	Good	50	PM _{2.5} , CO	6
129	Ludhiana	Good	44	PM ₁₀	1
130	Madikeri	Good	37	PM _{2.5}	1
131	Mahad	Satisfactory	69	PM ₁₀	1
132	Maihar	Good	31	со	1

Notes:

Kalyan, Kanchipuram, Keonjhar, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Palkalaiperur, Purnia, Raichur, Rairangpur, Rajamahendravaram, Ramanathapuram, Rohtak, Salem, Sasaram, Sri Ganganagar, Srinagar, Suakati,

Surat, Thrissur, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Aurangabad (Bihar), Ballabgarh, Begusarai, Bhiwani, Bidar, Boisar, Buxar, Chengalpattu, Chhal, Chhapra, Coimbatore, Cuddalore, Darbhanga, Dindigul,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandi Gobindgarh	Good	45	PM _{2.5}	1
134	Mandideep	Good	43	03	1
135	Mandikhera	Good	30	PM ₁₀	1
136	Manesar	Satisfactory	56	PM _{2.5}	1
137	Mangalore	Good	41	PM ₁₀	1
138	Meerut	Good	48	PM ₁₀ , CO	3
139	Moradabad	Good	46	CO, PM ₁₀	5
140	Motihari	Good	45	PM ₁₀	1
141	Mumbai	Satisfactory	58	CO, SO ₂	20
142	Munger	Satisfactory	96	PM _{2.5}	1
143	Muzaffarpur	Satisfactory	76	NO ₂	2
144	Mysuru	Good	42	03	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Aurangabad (Bihar), Ballabgarh, Begusarai, Bhiwani, Bidar, Boisar, Buxar, Chengalpattu, Chhal, Chhapra, Coimbatore, Cuddalore, Darbhanga, Dindigul,

Kalyan, Kanchipuram, Keonjhar, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Palkalaiperur, Purnia, Raichur, Rairangpur, Rajamahendravaram, Ramanathapuram, Rohtak, Salem, Sasaram, Sri Ganganagar, Srinagar, Suakati,

Surat, Thrissur, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nagaon	Satisfactory	66	PM ₁₀	1
146	Nagaur	Good	39	O ₃	1
147	Nagpur	Satisfactory	52	PM ₁₀	4
148	Naharlagun	Good	28	PM _{2.5}	1
149	Nalbari	Moderate	140	PM ₁₀	1
150	Nanded	Satisfactory	51	PM ₁₀	1
151	Narnaul	Moderate	133	СО	1
152	Nashik	Good	36	PM _{2.5} , CO	4
153	Navi Mumbai	Good	38	PM ₁₀	4
154	Nayagarh	Good	45	PM _{2.5}	1
155	Noida	Good	42	PM ₁₀	4
156	Ooty	Good	28	PM ₁₀	1

Notes:

— Dungarpur, Ernakulam, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi,

Kalyan, Kanchipuram, Keonjhar, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Palkalaiperur, Purnia, Raichur, Rairangpur, Rajamahendravaram, Ramanathapuram, Rohtak, Salem, Sasaram, Sri Ganganagar, Srinagar, Suakati, Surat, Thrissur, Tirupur, Tumidih, Udupi, Virar, yellore as data was not

Surat, Thrissur, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Aurangabad (Bihar), Ballabgarh, Begusarai, Bhiwani, Bidar, Boisar, Buxar, Chengalpattu, Chhal, Chhapra, Coimbatore, Cuddalore, Darbhanga, Dindigul,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pali	Satisfactory	97	PM _{2.5}	1
158	Palwal	Satisfactory	53	PM _{2.5}	1
159	Panchkula	Good	49	O ₃	1
160	Panipat	Satisfactory	69	PM ₁₀	1
161	Parbhani	Good	43	PM ₁₀	1
162	Patiala	Good	36	O ₃	1
163	Patna	Satisfactory	64	PM ₁₀ , CO	6
164	Pimpri Chinchwad	Good	42	PM _{2.5}	3
165	Pithampur	Good	42	СО	1
166	Pratapgarh	Good	40	O ₃	1
167	Prayagraj	Satisfactory	83	PM ₁₀	3
168	Puducherry	Good	43	со	1

Notes:

Dungarpur, Ernakulam, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi,

Kalyan, Kanchipuram, Keonjhar, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Palkalaiperur, Purnia, Raichur, Rairangpur, Rajamahendravaram, Ramanathapuram, Rohtak, Salem, Sasaram, Sri Ganganagar, Srinagar, Suakati, Surat, Thrissur, Tirupur, Tumidih, Udupi, Virar, yellore as data was not

Surat, Thrissur, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Aurangabad (Bihar), Ballabgarh, Begusarai, Bhiwani, Bidar, Boisar, Buxar, Chengalpattu, Chhal, Chhapra, Coimbatore, Cuddalore, Darbhanga, Dindigul,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Pune	Satisfactory	82	NO ₂ , PM ₁₀	7
170	Raipur	Good	47	PM ₁₀ , NO ₂	4
171	Rajgir	Satisfactory	79	03	1
172	Rajsamand	Good	50	со	1
173	Ramanagara	Good	30	PM ₁₀	1
174	Ratlam	Good	27	PM _{2.5}	1
175	Rishikesh	Good	30	со	1
176	Rourkela	Satisfactory	55	PM ₁₀	3
177	Rupnagar	Satisfactory	75	PM ₁₀	1
178	Sagar	Satisfactory	52	со	2
179	Saharsa	Satisfactory	86	PM ₁₀	1
180	Samastipur	Good	48	PM _{2.5}	1

Notes:

Dungarpur, Ernakulam, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi,

Kalyan, Kanchipuram, Keonjhar, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Palkalaiperur, Purnia, Raichur, Rairangpur, Rajamahendravaram, Ramanathapuram, Rohtak, Salem, Sasaram, Sri Ganganagar, Srinagar, Suakati,

Surat, Thrissur, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Aurangabad (Bihar), Ballabgarh, Begusarai, Bhiwani, Bidar, Boisar, Buxar, Chengalpattu, Chhal, Chhapra, Coimbatore, Cuddalore, Darbhanga, Dindigul,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sangli	Good	30	PM ₁₀	1
182	Satna	Moderate	105	PM ₁₀	1
183	Sawai Madhopur	Good	49	03	1
184	Shillong	Satisfactory	56	PM ₁₀	1
185	Shivamogga	Satisfactory	53	PM ₁₀	1
186	Sikar	Good	31	03	1
187	Silchar	Good	48	со	1
188	Siliguri	Satisfactory	55	PM ₁₀	1
189	Singrauli	Satisfactory	65	SO ₂	1
190	Sirohi	Good	32	03	1
191	Sirsa	Satisfactory	81	03	1
192	Sivasagar	Good	25	PM ₁₀	1

Notes:

—Dungarpur, Ernakulam, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi,

Kalyan, Kanchipuram, Keonjhar, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Palkalaiperur, Purnia, Raichur, Rairangpur, Rajamahendravaram, Ramanathapuram, Rohtak, Salem, Sasaram, Sri Ganganagar, Srinagar, Suakati,

Surat, Thrissur, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Aurangabad (Bihar), Ballabgarh, Begusarai, Bhiwani, Bidar, Boisar, Buxar, Chengalpattu, Chhal, Chhapra, Coimbatore, Cuddalore, Darbhanga, Dindigul,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Siwan	Good	47	со	1
194	Solapur	Satisfactory	66	PM ₁₀	3
195	Sonipat	Satisfactory	70	PM _{2.5}	1
196	Talcher	Satisfactory	61	со	1
197	Tensa	Satisfactory	52	PM ₁₀	1
198	Thane	Good	45	PM ₁₀	1
199	Thiruvananthapuram	Good	48	O ₃	2
200	Thoothukudi	Good	32	PM ₁₀	1
201	Tirupati	Good	41	со	1
202	Tonk	Good	41	PM ₁₀	1
203	Tumakuru	Good	45	со	1
204	Udaipur	Good	42	NO ₂	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Aurangabad (Bihar), Ballabgarh, Begusarai, Bhiwani, Bidar, Boisar, Buxar, Chengalpattu, Chhal, Chhapra, Coimbatore, Cuddalore, Darbhanga, Dindigul,

Dungarpur, Ernakulam, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi,

Kalyan, Kanchipuram, Keonjhar, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Palkalaiperur, Purnia, Raichur, Rairangpur, Rajamahendravaram, Ramanathapuram, Rohtak, Salem, Sasaram, Sri Ganganagar, Srinagar, Suakati, Surat, Thrissur, Tirupur, Tumidih, Udupi, Virar, vellore as data was not

available.
Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Ujjain	Satisfactory	73	со	1
206	Ulhasnagar	Good	48	PM ₁₀	1
207	Vapi	Moderate	103	со	1
208	Varanasi	Good	27	03	4
209	Vatva	Satisfactory	57	PM ₁₀	1
210	Vijayapura	Good	46	PM ₁₀	1
211	Vijayawada	Good	45	O ₃	1
212	Visakhapatnam	Satisfactory	85	PM ₁₀	1
213	Vrindavan	Good	31	SO ₂	1
214	Yadgir	Good	29	со	1
215	Yamunanagar	Good	48	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Aurangabad (Bihar), Ballabgarh, Begusarai, Bhiwani, Bidar, Boisar, Buxar, Chengalpattu, Chhal, Chhapra, Coimbatore, Cuddalore, Darbhanga, Dindigul,

Dungarpur, Ernakulam, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi

Kalyan, Kanchipuram, Keonjhar, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Palkalaiperur, Purnia, Raichur, Rairangpur, Rajamahendravaram, Ramanathapuram, Rohtak, Salem, Sasaram, Sri Ganganagar, Srinagar, Suakati, Surat Thrissur Tirupur Tumidih Udupi Virar vellore as data was not

Surat, Thrissur, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	