

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	121	PM <sub>2.5</sub>	2
2	Agra	Satisfactory	73	PM <sub>10</sub>	6
3	Ahmedabad	Moderate	113	PM <sub>10</sub> , PM <sub>2.5</sub>	8
4	Aizawl	Satisfactory	59	PM <sub>10</sub>	1
5	Alwar	Satisfactory	81	PM <sub>10</sub>	1
6	Ambala	Satisfactory	59	PM <sub>10</sub>	1
7	Amritsar	Moderate	124	PM <sub>2.5</sub>	1
8	Anantapur	Satisfactory	51	PM <sub>10</sub>	1
9	Ankleshwar	Satisfactory	79	PM <sub>10</sub>	1
10	Araria	Poor	230	PM <sub>10</sub>	1
11	Ariyalur	Satisfactory	58	NO <sub>2</sub>	1
12	Asansol	Moderate	118	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Arrah, Notes: Ballabgarh, Begusarai, Bettiah, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Damoh, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Imphal, Kashipur, Kozhikode, Narnaul, Raichur, Rajamahendravaram, Rajgir, Ramanathapuram, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sonipat, Thane, Thrissur, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	136	PM <sub>10</sub>	1
14	Aurangabad (Maharashtra)	Moderate	106	PM <sub>10</sub>	1
15	Baddi	Moderate	128	PM <sub>10</sub>	1
16	Bagalkot	Good	42	PM <sub>10</sub>	1
17	Baghpat	Moderate	116	PM <sub>10</sub>	1
18	Bahadurgarh	Satisfactory	93	PM <sub>10</sub>	1
19	Banswara	Moderate	156	PM <sub>10</sub>	1
20	Bareilly	Moderate	118	PM <sub>10</sub>	2
21	Baripada	Moderate	193	O <sub>3</sub>	1
22	Barmer	Satisfactory	97	O <sub>3</sub>	1
23	Bathinda	Satisfactory	59	со	1
24	Belgaum	Satisfactory	67	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Arrah, Notes: Ballabgarh, Begusarai, Bettiah, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Damoh, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Imphal, Kashipur, Kozhikode, Narnaul, Raichur, Rajamahendravaram, Rajgir, Ramanathapuram, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sonipat, Thane, Thrissur, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	78	PM <sub>10</sub>	10
26	Bhagalpur	Poor	234	PM <sub>10</sub>	2
27	Bharatpur	Moderate	179	PM <sub>10</sub>	1
28	Bhilai	Satisfactory	73	PM <sub>10</sub>	3
29	Bhiwadi	Poor	220	PM <sub>10</sub>	1
30	Bhiwani	Satisfactory	89	PM <sub>10</sub>	1
31	Bhopal	Moderate	103	СО	3
32	Bikaner	Moderate	101	PM <sub>10</sub>	1
33	Bilaspur	Satisfactory	88	СО	1
34	Bileipada	Poor	202	PM <sub>10</sub>	1
35	Brajrajnagar	Satisfactory	89	СО	1
36	Bulandshahr	Satisfactory	95	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Arrah, Notes: Ballabgarh, Begusarai, Bettiah, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Damoh, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Imphal, Kashipur, Kozhikode, Narnaul, Raichur, Rajamahendravaram, Rajgir, Ramanathapuram, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sonipat, Thane, Thrissur, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Byrnihat	Moderate	190	PM <sub>2.5</sub>	1
38	Chamarajanagar	Good	41	PM <sub>10</sub>	1
39	Chandigarh	Satisfactory	99	PM <sub>10</sub>	3
40	Chandrapur	Moderate	144	PM <sub>2.5</sub>	1
41	Charkhi Dadri	Moderate	159	PM <sub>2.5</sub>	1
42	Chennai	Satisfactory	53	со	7
43	Chhal	Satisfactory	76	PM <sub>10</sub>	1
44	Chhapra	Poor	262	PM <sub>10</sub>	1
45	Chikkaballapur	Satisfactory	53	PM <sub>10</sub>	1
46	Chikkamagaluru	Satisfactory	55	PM <sub>10</sub>	1
47	Chittorgarh	Poor	272	PM <sub>2.5</sub>	1
48	Churu	Satisfactory	98	O <sub>3</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Arrah, Notes: Ballabgarh, Begusarai, Bettiah, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Damoh, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Imphal, Kashipur, Kozhikode, Narnaul, Raichur, Rajamahendravaram, Rajgir, Ramanathapuram, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sonipat, Thane, Thrissur, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Coimbatore	Moderate	181	PM <sub>10</sub>	1
50	Cuddalore	Satisfactory	54	NO <sub>2</sub>	2
51	Dausa	Moderate	128	PM <sub>10</sub>	1
52	Davanagere	Satisfactory	59	PM <sub>10</sub>	1
53	Dehradun	Satisfactory	76	PM <sub>10</sub>	1
54	Delhi	Moderate	142	PM <sub>10</sub>	37
55	Dewas	Moderate	120	PM <sub>10</sub>	1
56	Dhanbad	Moderate	162	PM <sub>2.5</sub>	1
57	Dharuhera	Moderate	154	PM <sub>10</sub>	1
58	Dharwad	Satisfactory	89	PM <sub>10</sub>	1
59	Dholpur	Satisfactory	95	PM <sub>2.5</sub>	1
60	Durgapur	Moderate	155	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Arrah, Notes: Ballabgarh, Begusarai, Bettiah, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Damoh, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Imphal, Kashipur, Kozhikode, Narnaul, Raichur, Rajamahendravaram, Rajgir, Ramanathapuram, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sonipat, Thane, Thrissur, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Faridabad	Moderate	108	PM <sub>10</sub> , PM <sub>2.5</sub>	4
62	Firozabad	Satisfactory	58	PM <sub>10</sub> , PM <sub>2.5</sub>	2
63	Gandhinagar	Moderate	139	PM <sub>2.5</sub> , PM <sub>10</sub>	3
64	Gangtok	Satisfactory	57	O <sub>3</sub>	1
65	Gaya	Moderate	112	O <sub>3</sub> , PM <sub>10</sub>	3
66	Ghaziabad	Moderate	142	PM <sub>10</sub>	4
67	Gorakhpur	Satisfactory	81	PM <sub>10</sub>	1
68	Greater Noida	Moderate	189	PM <sub>10</sub>	2
69	Gummidipoondi	Satisfactory	77	PM <sub>10</sub>	1
70	Gurugram	Moderate	126	PM <sub>2.5</sub> , PM <sub>10</sub>	4
71	Guwahati	Satisfactory	64	PM <sub>10</sub> , PM <sub>2.5</sub>	4
72	Gwalior	Moderate	154	O <sub>3</sub> , PM <sub>10</sub>	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Arrah, Notes: Ballabgarh, Begusarai, Bettiah, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Damoh, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Imphal, Kashipur, Kozhikode, Narnaul, Raichur, Rajamahendravaram, Rajgir, Ramanathapuram, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sonipat, Thane, Thrissur, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hajipur	Poor	201	PM <sub>10</sub>	1
74	Haldia	Satisfactory	89	PM <sub>10</sub>	1
75	Hanumangarh	Satisfactory	71	PM <sub>10</sub>	1
76	Hapur	Satisfactory	69	03	1
77	Hassan	Satisfactory	82	PM <sub>10</sub>	1
78	Haveri	Satisfactory	62	PM <sub>10</sub>	1
79	Hosur	Moderate	114	со	1
80	Howrah	Moderate	143	PM <sub>10</sub>	3
81	Hubballi	Satisfactory	88	PM <sub>10</sub>	2
82	Hyderabad	Satisfactory	95	CO, PM <sub>10</sub>	13
83	Indore	Moderate	102	PM <sub>10</sub>	2
84	Jabalpur	Moderate	146	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Arrah, Notes: Ballabgarh, Begusarai, Bettiah, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Damoh, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Imphal, Kashipur, Kozhikode, Narnaul, Raichur, Rajamahendravaram, Rajgir, Ramanathapuram, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sonipat, Thane, Thrissur, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jaipur	Moderate	119	PM <sub>10</sub> , PM <sub>2.5</sub>	5
86	Jalandhar	Moderate	102	PM <sub>10</sub>	1
87	Jhalawar	Moderate	127	PM <sub>10</sub>	1
88	Jhansi	Satisfactory	76	PM <sub>10</sub>	1
89	Jhunjhunu	Poor	238	03	1
90	Jind	Satisfactory	60	со	1
91	Jodhpur	Moderate	154	PM <sub>10</sub>	2
92	Jorapokhar	Moderate	132	PM <sub>10</sub>	1
93	Kadapa	Satisfactory	95	PM <sub>2.5</sub>	1
94	Kaithal	Satisfactory	83	PM <sub>10</sub>	1
95	Kalaburgi	Satisfactory	78	PM <sub>10</sub>	2
96	Kalyan	Moderate	122	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Arrah, Notes: Ballabgarh, Begusarai, Bettiah, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Damoh, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Imphal, Kashipur, Kozhikode, Narnaul, Raichur, Rajamahendravaram, Rajgir, Ramanathapuram, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sonipat, Thane, Thrissur, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kanchipuram	Good	37	PM <sub>10</sub>	1
98	Kannur	Satisfactory	88	PM <sub>10</sub>	1
99	Kanpur	Moderate	109	PM <sub>2.5</sub>	3
100	Karauli	Good	47	03	1
101	Karnal	Satisfactory	59	PM <sub>10</sub>	1
102	Katihar	Poor	211	PM <sub>10</sub>	1
103	Katni	Moderate	122	PM <sub>10</sub>	1
104	Keonjhar	Moderate	106	PM <sub>10</sub>	1
105	Khanna	Satisfactory	90	PM <sub>10</sub>	1
106	Khurja	Satisfactory	67	SO <sub>2</sub>	1
107	Kishanganj	Moderate	147	PM <sub>10</sub>	1
108	Kochi	Satisfactory	56	SO <sub>2</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Arrah, Notes: Ballabgarh, Begusarai, Bettiah, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Damoh, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Imphal, Kashipur, Kozhikode, Narnaul, Raichur, Rajamahendravaram, Rajgir, Ramanathapuram, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sonipat, Thane, Thrissur, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kohima	Moderate	107	PM <sub>10</sub>	1
110	Kolar	Satisfactory	75	PM <sub>10</sub>	1
111	Kolkata	Moderate	111	03	7
112	Kollam	Satisfactory	70	PM <sub>10</sub>	1
113	Koppal	Satisfactory	58	O <sub>3</sub>	1
114	Korba	Satisfactory	79	PM <sub>2.5</sub> , PM <sub>10</sub>	2
115	Kota	Moderate	138	PM <sub>2.5</sub>	3
116	Kunjemura	Moderate	120	PM <sub>10</sub>	1
117	Kurukshetra	Satisfactory	90	PM <sub>10</sub>	1
118	Lucknow	Moderate	116	PM <sub>2.5</sub>	6
119	Ludhiana	Good	44	O <sub>3</sub>	1
120	Madikeri	Good	37	03	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Arrah, Ballabgarh, Begusarai, Bettiah, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Damoh, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Imphal, Kashipur, Kozhikode, Narnaul, Raichur, Rajamahendravaram, Rajgir, Ramanathapuram, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sonipat, Thane, Thrissur, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Maihar	Good	39	PM <sub>10</sub>	1
122	Mandi Gobindgarh	Moderate	126	PM <sub>2.5</sub>	1
123	Mandideep	Satisfactory	97	PM <sub>10</sub>	1
124	Mandikhera	Moderate	172	PM <sub>10</sub>	1
125	Manesar	Moderate	147	PM <sub>10</sub>	1
126	Mangalore	Satisfactory	78	PM <sub>10</sub>	1
127	Manguraha	Moderate	158	O <sub>3</sub>	1
128	Meerut	Moderate	120	PM <sub>10</sub>	3
129	Milupara	Good	40	PM <sub>10</sub>	1
130	Moradabad	Moderate	101	PM <sub>10</sub>	6
131	Motihari	Moderate	106	NO <sub>2</sub>	1
132	Mumbai	Satisfactory	99	PM <sub>2.5</sub> , CO	20

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Arrah, Notes: Ballabgarh, Begusarai, Bettiah, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Damoh, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Imphal, Kashipur, Kozhikode, Narnaul, Raichur, Rajamahendravaram, Rajgir, Ramanathapuram, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sonipat, Thane, Thrissur, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Munger	Poor	278	PM <sub>10</sub>	1
134	Muzaffarnagar	Moderate	126	PM <sub>10</sub>	1
135	Muzaffarpur	Moderate	200	PM <sub>2.5</sub> , PM <sub>10</sub>	3
136	Mysuru	Satisfactory	66	03	1
137	Nagaon	Moderate	114	PM <sub>10</sub>	1
138	Nagpur	Moderate	115	PM <sub>10</sub>	1
139	Naharlagun	Good	38	PM <sub>2.5</sub>	1
140	Nalbari	Satisfactory	81	PM <sub>10</sub>	1
141	Nandesari	Good	39	СО	1
142	Nashik	Satisfactory	73	PM <sub>10</sub>	1
143	Navi Mumbai	Moderate	156	PM <sub>2.5</sub> , PM <sub>10</sub>	3
144	Nayagarh	Moderate	153	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Arrah, Notes: Ballabgarh, Begusarai, Bettiah, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Damoh, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Imphal, Kashipur, Kozhikode, Narnaul, Raichur, Rajamahendravaram, Rajgir, Ramanathapuram, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sonipat, Thane, Thrissur, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Noida	Moderate	153	NO <sub>2</sub> , PM <sub>10</sub>	4
146	Ooty	Satisfactory	67	PM <sub>10</sub>	1
147	Pali	Moderate	110	PM <sub>10</sub>	1
148	Palkalaiperur	Satisfactory	52	SO <sub>2</sub>	1
149	Palwal	Satisfactory	85	PM <sub>10</sub>	1
150	Panchkula	Satisfactory	81	PM <sub>2.5</sub>	1
151	Panipat	Satisfactory	80	PM <sub>10</sub>	1
152	Patiala	Satisfactory	81	PM <sub>10</sub>	1
153	Patna	Poor	224	PM <sub>2.5</sub>	6
154	Pithampur	Moderate	125	PM <sub>10</sub>	1
155	Pratapgarh	Moderate	123	PM <sub>10</sub>	1
156	Prayagraj	Moderate	107	O <sub>3</sub> , PM <sub>10</sub>	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Arrah, Notes: Ballabgarh, Begusarai, Bettiah, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Damoh, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Imphal, Kashipur, Kozhikode, Narnaul, Raichur, Rajamahendravaram, Rajgir, Ramanathapuram, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sonipat, Thane, Thrissur, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Puducherry	Good	25	PM <sub>10</sub>	1
158	Pune	Satisfactory	94	PM <sub>2.5</sub> , PM <sub>10</sub>	3
159	Purnia	Moderate	106	PM <sub>10</sub>	1
160	Raipur	Satisfactory	96	PM <sub>10</sub> , NO <sub>2</sub>	4
161	Rairangpur	Moderate	157	PM <sub>2.5</sub>	1
162	Rajsamand	Moderate	133	PM <sub>10</sub>	1
163	Ramanagara	Satisfactory	64	PM <sub>10</sub>	1
164	Ratlam	Moderate	128	PM <sub>10</sub>	1
165	Rishikesh	Good	45	PM <sub>10</sub>	1
166	Rohtak	Good	43	PM <sub>2.5</sub>	1
167	Rourkela	Moderate	156	PM <sub>10</sub>	3
168	Rupnagar	Satisfactory	95	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Arrah, Notes: Ballabgarh, Begusarai, Bettiah, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Damoh, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Imphal, Kashipur, Kozhikode, Narnaul, Raichur, Rajamahendravaram, Rajgir, Ramanathapuram, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sonipat, Thane, Thrissur, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sagar	Satisfactory	90	03	1
170	Saharsa	Moderate	184	PM <sub>10</sub>	1
171	Salem	Good	34	со	1
172	Samastipur	Poor	235	PM <sub>10</sub>	1
173	Satna	Poor	224	PM <sub>10</sub>	1
174	Shillong	Satisfactory	80	PM <sub>10</sub>	1
175	Shivamogga	Satisfactory	71	O <sub>3</sub>	1
176	Sikar	Moderate	176	PM <sub>10</sub>	1
177	Silchar	Good	25	со	1
178	Siliguri	Satisfactory	84	PM <sub>10</sub>	1
179	Singrauli	Poor	206	PM <sub>2.5</sub>	1
180	Sivasagar	Good	32	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Arrah, Notes: Ballabgarh, Begusarai, Bettiah, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Damoh, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Imphal, Kashipur, Kozhikode, Narnaul, Raichur, Rajamahendravaram, Rajgir, Ramanathapuram, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sonipat, Thane, Thrissur, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Siwan	Poor	209	PM <sub>10</sub>	1
182	Solapur	Moderate	104	PM <sub>10</sub>	1
183	Sri Ganganagar	Moderate	136	PM <sub>10</sub>	1
184	Srinagar	Good	28	PM <sub>10</sub>	1
185	Suakati	Moderate	128	PM <sub>10</sub>	1
186	Surat	Satisfactory	85	PM <sub>2.5</sub>	1
187	Talcher	Moderate	104	PM <sub>10</sub>	1
188	Tensa	Moderate	107	PM <sub>10</sub>	1
189	Thiruvananthapuram	Good	46	PM <sub>10</sub>	2
190	Thoothukudi	Satisfactory	91	O <sub>3</sub>	1
191	Tirupati	Satisfactory	68	PM <sub>10</sub>	2
192	Tirupur	Satisfactory	53	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Arrah, Notes: Ballabgarh, Begusarai, Bettiah, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Damoh, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Imphal, Kashipur, Kozhikode, Narnaul, Raichur, Rajamahendravaram, Rajgir, Ramanathapuram, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sonipat, Thane, Thrissur, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tonk	Moderate	133	PM <sub>10</sub>	1
194	Tumakuru	Moderate	140	СО	1
195	Tumidih	Moderate	119	PM <sub>10</sub>	1
196	Udaipur	Moderate	107	PM <sub>10</sub>	1
197	Udupi	Satisfactory	73	03	1
198	Ujjain	Moderate	133	PM <sub>10</sub>	1
199	Vapi	Moderate	108	PM <sub>2.5</sub>	1
200	Varanasi	Satisfactory	82	PM <sub>10</sub> , PM <sub>2.5</sub>	4
201	Vatva	Moderate	144	PM <sub>10</sub>	1
202	Vijayapura	Good	42	PM <sub>10</sub>	1
203	Visakhapatnam	Satisfactory	74	PM <sub>10</sub>	1
204	Vrindavan	Moderate	135	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Arrah, Notes: Ballabgarh, Begusarai, Bettiah, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Damoh, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Imphal, Kashipur, Kozhikode, Narnaul, Raichur, Rajamahendravaram, Rajgir, Ramanathapuram, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sonipat, Thane, Thrissur, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Yadgir	Satisfactory	68	PM <sub>10</sub>	1
206	Yamunanagar	Moderate	108	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Amaravati, Arrah, Notes: Ballabgarh, Begusarai, Bettiah, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Damoh, Darbhanga, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Hisar, Imphal, Kashipur, Kozhikode, Narnaul, Raichur, Rajamahendravaram, Rajgir, Ramanathapuram, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sonipat, Thane, Thrissur, Vijayawada, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.