

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	124	PM _{2.5}	1
2	Ahmedabad	Moderate	171	PM _{2.5}	1
3	Ajmer	Moderate	141	PM _{2.5}	1
4	Alwar	Satisfactory	88	PM ₁₀	1
5	Amaravati	Satisfactory	55	PM ₁₀	1
6	Ambala	Poor	241	PM _{2.5}	1
7	Amritsar	Poor	205	PM _{2.5}	1
8	Ankleshwar	Poor	271	PM _{2.5}	1
9	Asanol	Poor	207	PM _{2.5}	1
10	Aurangabad	Satisfactory	93	PM ₁₀	1
11	Baghpat	Very Poor	333	PM _{2.5}	1
12	Bahadurgarh	Poor	240	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe Affects healthy people and seriously impacts those with existing disease		

- * AQI is not calculated for today's bulletin for Damoh, Faridabad, Haldia, Hisar, Kalyan, Kanpur, Mandi Gobindgarh, Mandideep, Moradabad, Muzaffarnagar, Nagpur, Nashik, Ratlam, Shillong, Singrauli, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Very Poor	376	PM ₁₀	1
14	Bathinda	Moderate	199	PM ₁₀	1
15	Bengaluru	Satisfactory	54	CO, O ₃ , PM ₁₀	8
16	Bhiwadi	Very Poor	308	PM _{2.5}	1
17	Bhiwani	Very Poor	307	PM _{2.5}	1
18	Bhopal	Poor	277	PM _{2.5}	1
19	Brajrajnagar	Moderate	141	PM _{2.5}	1
20	Bulandshahr	Poor	236	PM _{2.5}	1
21	Chandigarh	Moderate	182	PM _{2.5}	1
22	Chandrapur	Moderate	120	PM _{2.5} , PM ₁₀	2
23	Chennai	Satisfactory	54	NO ₂ , PM _{2.5} , O ₃	3
24	Chikkaballapur	Satisfactory	62	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Damoh, Faridabad, Haldia, Hisar, Kalyan, Kanpur, Mandi Gobindgarh, Mandideep, Moradabad, Muzaffarnagar, Nagpur, Nashik, Ratlam, Shillong, Singrauli, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Coimbatore	Satisfactory	58	O ₃	1
26	Delhi	Very Poor	343	PM _{2.5}	31
27	Dewas	Poor	233	PM _{2.5}	1
28	Dharuhera	Very Poor	304	PM _{2.5}	1
29	Eloor	Good	37	SO ₂	1
30	Fatehabad	Moderate	168	PM ₁₀	1
31	GandhiNagar	Satisfactory	86	PM ₁₀	1
32	Gaya	Poor	243	PM _{2.5}	1
33	Ghaziabad	Very Poor	391	PM _{2.5}	4
34	Greater_Noida	Very Poor	370	PM _{2.5}	1
35	Gurugram	Very Poor	335	PM _{2.5}	2
36	Guwahati	Poor	218	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes

* AQI is not calculated for today's bulletin for Damoh, Faridabad, Haldia, Hisar, Kalyan, Kanpur, Mandi Gobindgarh, Mandideep, Moradabad, Muzaffarnagar, Nagpur, Nashik, Ratlam, Shillong, Singrauli, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Poor	225	PM ₁₀	1
38	Howrah	Moderate	168	PM _{2.5}	3
39	Hubballi	Satisfactory	53	PM ₁₀	1
40	Hyderabad	Moderate	114	PM _{2.5} , PM ₁₀	6
41	Indore	Poor	252	PM _{2.5}	1
42	Jabalpur	Poor	287	PM _{2.5}	1
43	Jaipur	Moderate	122	PM ₁₀	2
44	Jalandhar	Moderate	137	PM _{2.5}	1
45	Jind	Poor	283	PM _{2.5}	1
46	Jodhpur	Poor	232	PM _{2.5}	1
47	Jorapokhar	Moderate	200	PM _{2.5}	1
48	Kaithal	Poor	217	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Damoh, Faridabad, Haldia, Hisar, Kalyan, Kanpur, Mandi Gobindgarh, Mandideep, Moradabad, Muzaffarnagar, Nagpur, Nashik, Ratlam, Shillong, Singrauli, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalaburagi	Satisfactory	82	PM ₁₀	1
50	Karnal	Poor	267	PM _{2.5}	1
51	Katni	Poor	289	PM _{2.5}	1
52	Khanna	Moderate	177	PM _{2.5}	1
53	Kolkata	Moderate	114	PM _{2.5} , PM ₁₀	7
54	Kota	Moderate	191	PM _{2.5}	1
55	Kurukshetra	Very Poor	302	PM _{2.5}	1
56	Lucknow	Poor	292	PM _{2.5}	4
57	Ludhiana	Moderate	180	PM _{2.5}	1
58	Maihar	Satisfactory	67	PM ₁₀	1
59	Mandikhera	Poor	251	PM _{2.5}	1
60	Manesar	Poor	262	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Damoh, Faridabad, Haldia, Hisar, Kalyan, Kanpur, Mandi Gobindgarh, Mandideep, Moradabad, Muzaffarnagar, Nagpur, Nashik, Ratlam, Shillong, Singrauli, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Meerut	Poor	283	PM _{2.5}	3
62	Mumbai	Poor	206	PM _{2.5}	9
63	Muzaffarpur	Very Poor	350	PM _{2.5}	1
64	Mysuru	Good	49	O ₃	1
65	Narnaul	Poor	285	PM _{2.5}	1
66	Navi Mumbai	Moderate	180	PM _{2.5} , CO	3
67	Noida	Very Poor	372	PM _{2.5}	3
68	Pali	Moderate	112	PM _{2.5}	1
69	Palwal	Very Poor	328	PM _{2.5}	1
70	Panchkula	Moderate	127	PM _{2.5}	1
71	Panipat	Very Poor	311	PM ₁₀	1
72	Patiala	Moderate	179	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe Affects healthy people and seriously impacts those with existing disease		

- * AQI is not calculated for today's bulletin for Damoh, Faridabad, Haldia, Hisar, Kalyan, Kanpur, Mandi Gobindgarh, Mandideep, Moradabad, Muzaffarnagar, Nagpur, Nashik, Ratlam, Shillong, Singrauli, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Patna	Very Poor	340	PM _{2.5}	1
74	Pithampur	Poor	256	PM _{2.5}	1
75	Pune	Moderate	134	PM _{2.5}	1
76	Rajamahendravaram	Satisfactory	65	O ₃	1
77	Ramanagara	Good	45	PM ₁₀	1
78	Rohtak	Poor	291	PM _{2.5}	1
79	Rupnagar	Moderate	149	PM _{2.5}	1
80	Satna	Moderate	134	PM ₁₀	1
81	Siliguri	Moderate	145	PM ₁₀	1
82	Sirsa	Moderate	171	PM _{2.5}	1
83	Solapur	Satisfactory	98	PM ₁₀	1
84	Sonipat	Moderate	107	СО	1

Possible Health Impacts

Good	od Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes

* AQI is not calculated for today's bulletin for Damoh, Faridabad, Haldia, Hisar, Kalyan, Kanpur, Mandi Gobindgarh, Mandideep, Moradabad, Muzaffarnagar, Nagpur, Nashik, Ratlam, Shillong, Singrauli, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Talcher	Poor	216	PM ₁₀	1
86	Thane	Satisfactory	99	PM ₁₀	1
87	Thiruvananthapuram	Satisfactory	60	со	1
88	Tirupati	Good	30	PM ₁₀	1
89	Udaipur	Moderate	155	PM _{2.5}	1
90	Ujjain	Poor	243	PM _{2.5}	1
91	Vapi	Poor	265	PM _{2.5}	1
92	Varanasi	Very Poor	320	PM _{2.5}	1
93	Vatva	Poor	201	PM _{2.5}	1
94	Visakhapatnam	Satisfactory	55	O ₃	1
95	Yadgir	Satisfactory	75	O ₃	1
96	Yamunanagar	Poor	260	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe Affects healthy people and seriously impacts those with existing of		

Notes

* AQI is not calculated for today's bulletin for Damoh, Faridabad, Haldia, Hisar, Kalyan, Kanpur, Mandi Gobindgarh, Mandideep, Moradabad, Muzaffarnagar, Nagpur, Nashik, Ratlam, Shillong, Singrauli, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.