

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	30	PM ₁₀	2
2	Agra	Good	46	PM ₁₀ , O ₃	4
3	Ahmedabad	Satisfactory	82	PM ₁₀	1
4	Aizawl	Good	19	SO ₂	1
5	Ajmer	Satisfactory	80	PM ₁₀	1
6	Alwar	Moderate	104	PM ₁₀	1
7	Amaravati	Good	41	СО	1
8	Ambala	Moderate	164	PM _{2.5}	1
9	Amritsar	Satisfactory	92	PM ₁₀	1
10	Ankleshwar	Satisfactory	58	PM ₁₀	1
11	Araria	Satisfactory	53	PM ₁₀	1
12	Asansol	Satisfactory	68	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Khurja, Kolar, Koppal, Maihar, Manguraha, Munger, Naharlagun, Nandesari, Narnaul, Nashik, Panipat, Sasaram, Siwan, Talcher, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Satisfactory	80	PM ₁₀	1
14	Aurangabad (Maharashtra)	Good	40	PM _{2.5}	1
15	Baddi	Satisfactory	90	PM ₁₀	1
16	Bagalkot	Good	42	PM ₁₀	1
17	Baghpat	Good	44	O ₃	1
18	Bahadurgarh	Satisfactory	73	PM ₁₀	1
19	Ballabgarh	Satisfactory	76	PM ₁₀	1
20	Bareilly	Good	44	PM ₁₀	1
21	Begusarai	Satisfactory	63	PM ₁₀	1
22	Bengaluru	Satisfactory	69	PM ₁₀ , CO	9
23	Bettiah	Satisfactory	59	PM ₁₀	1
24	Bhagalpur	Satisfactory	73	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Khurja, Kolar, Koppal, Maihar, Manguraha, Munger, Naharlagun, Nandesari, Narnaul, Nashik, Panipat, Sasaram, Siwan, Talcher, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Satisfactory	84	PM ₁₀	1
26	Bhiwani	Satisfactory	69	PM ₁₀	1
27	Bhopal	Satisfactory	51	со	1
28	Bilaspur	Satisfactory	60	PM ₁₀	1
29	Bulandshahr	Satisfactory	70	PM ₁₀	1
30	Buxar	Moderate	109	со	1
31	Chamarajanagar	Good	34	PM ₁₀	1
32	Chandigarh	Good	50	O ₃ , PM ₁₀	3
33	Chandrapur	Satisfactory	76	PM _{2.5} , CO	2
34	Charkhi Dadri	Satisfactory	66	PM ₁₀	1
35	Chennai	Satisfactory	76	O ₃ , CO, PM _{2.5}	7
36	Chhapra	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Khurja, Kolar, Koppal, Maihar, Manguraha, Munger, Naharlagun, Nandesari, Narnaul, Nashik, Panipat, Sasaram, Siwan, Talcher, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Good	41	PM ₁₀	1
38	Chikkamagaluru	Good	33	PM ₁₀	1
39	Coimbatore	Satisfactory	97	03	1
40	Damoh	Good	20	со	1
41	Dehradun	Good	29	03	1
42	Delhi	Satisfactory	98	PM ₁₀ , PM _{2.5}	35
43	Dewas	Good	41	PM ₁₀	1
44	Dharuhera	Satisfactory	60	PM ₁₀	1
45	Eloor	Satisfactory	52	со	1
46	Ernakulam	Good	32	со	1
47	Faridabad	Moderate	126	PM ₁₀ , PM _{2.5}	2
48	Fatehabad	Satisfactory	67	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Khurja, Kolar, Koppal, Maihar, Manguraha, Munger, Naharlagun, Nandesari, Narnaul, Nashik, Panipat, Sasaram, Siwan, Talcher, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Moderate	116	O ₃ , PM _{2.5}	2
50	Gadag	Satisfactory	53	PM ₁₀	1
51	Gandhinagar	Good	28	PM _{2.5}	1
52	Gangtok	Good	13	O ₃	1
53	Gaya	Satisfactory	92	PM _{2.5} , PM ₁₀	3
54	Ghaziabad	Moderate	102	PM ₁₀	4
55	Gorakhpur	Good	44	SO ₂	1
56	Greater Noida	Satisfactory	98	PM ₁₀	1
57	Gummidipoondi	Good	46	PM _{2.5}	1
58	Gurugram	Moderate	146	PM ₁₀ , PM _{2.5}	2
59	Guwahati	Good	50	PM ₁₀ , O ₃	2
60	Gwalior	Satisfactory	59	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Khurja, Kolar, Koppal, Maihar, Manguraha, Munger, Naharlagun, Nandesari, Narnaul, Nashik, Panipat, Sasaram, Siwan, Talcher, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Satisfactory	96	PM _{2.5}	1
62	Haldia	Good	46	PM ₁₀	1
63	Hapur	Satisfactory	68	PM ₁₀	1
64	Hassan	Good	46	SO ₂	1
65	Haveri	Good	35	со	1
66	Howrah	Satisfactory	67	CO, PM ₁₀	3
67	Hubballi	Satisfactory	58	PM ₁₀	1
68	Hyderabad	Satisfactory	53	CO, PM ₁₀ , O ₃	13
69	Imphal	Satisfactory	58	O ₃ , SO ₂	2
70	Indore	Good	45	PM ₁₀	1
71	Jabalpur	Satisfactory	57	PM ₁₀	1
72	Jaipur	Satisfactory	65	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Khurja, Kolar, Koppal, Maihar, Manguraha, Munger, Naharlagun, Nandesari, Narnaul, Nashik, Panipat, Sasaram, Siwan, Talcher, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Satisfactory	69	PM ₁₀	1
74	Jhansi	Satisfactory	52	PM ₁₀	1
75	Jind	Satisfactory	97	PM _{2.5}	1
76	Jodhpur	Satisfactory	69	PM ₁₀	1
77	Kaithal	Satisfactory	68	PM _{2.5}	1
78	Kalaburgi	Good	40	PM ₁₀	1
79	Kalyan	Satisfactory	77	PM _{2.5}	1
80	Kannur	Satisfactory	56	PM ₁₀	1
81	Kanpur	Satisfactory	59	PM ₁₀ , PM _{2.5}	4
82	Karnal	Good	48	PM _{2.5}	1
83	Katihar	Moderate	111	PM ₁₀	1
84	Katni	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Khurja, Kolar, Koppal, Maihar, Manguraha, Munger, Naharlagun, Nandesari, Narnaul, Nashik, Panipat, Sasaram, Siwan, Talcher, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khanna	Satisfactory	57	PM ₁₀	1
86	Kishanganj	Satisfactory	57	03	1
87	Kochi	Moderate	115	PM _{2.5}	1
88	Kohima	Satisfactory	52	PM ₁₀	1
89	Kolkata	Satisfactory	51	PM ₁₀ , O ₃ , CO	7
90	Kollam	Satisfactory	53	PM ₁₀	1
91	Kota	Satisfactory	60	PM ₁₀	1
92	Kozhikode	Satisfactory	69	PM ₁₀	1
93	Kurukshetra	Satisfactory	54	03	1
94	Lucknow	Satisfactory	69	PM ₁₀	6
95	Ludhiana	Satisfactory	93	PM ₁₀	1
96	Madikeri	Good	26	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Khurja, Kolar, Koppal, Maihar, Manguraha, Munger, Naharlagun, Nandesari, Narnaul, Nashik, Panipat, Sasaram, Siwan, Talcher, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandi Gobindgarh	Good	47	PM _{2.5}	1
98	Mandideep	Satisfactory	54	03	1
99	Mandikhera	Moderate	101	со	1
100	Manesar	Satisfactory	84	PM ₁₀	1
101	Manglore	Satisfactory	83	NO ₂	1
102	Meerut	Good	44	CO, PM ₁₀	3
103	Moradabad	Satisfactory	64	PM ₁₀ , CO	5
104	Motihari	Satisfactory	55	03	1
105	Mumbai	Satisfactory	58	SO ₂ , PM ₁₀	12
106	Muzaffarnagar	Satisfactory	88	PM _{2.5}	1
107	Muzaffarpur	Satisfactory	84	PM ₁₀ , CO	2
108	Mysuru	Good	48	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Khurja, Kolar, Koppal, Maihar, Manguraha, Munger, Naharlagun, Nandesari, Narnaul, Nashik, Panipat, Sasaram, Siwan, Talcher, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nagpur	Good	47	PM ₁₀	1
110	Navi Mumbai	Satisfactory	69	CO, PM ₁₀	3
111	Noida	Satisfactory	90	CO, PM ₁₀	4
112	Pali	Satisfactory	67	PM ₁₀	1
113	Palwal	Satisfactory	76	PM ₁₀	1
114	Panchkula	Good	50	PM _{2.5}	1
115	Patiala	Satisfactory	53	PM _{2.5}	1
116	Patna	Satisfactory	100	PM _{2.5} , PM ₁₀ , NO ₂	4
117	Pithampur	Satisfactory	55	PM ₁₀	1
118	Prayagraj	Satisfactory	85	PM ₁₀ , SO ₂	3
119	Puducherry	Good	48	PM ₁₀	1
120	Pune	Satisfactory	63	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Khurja, Kolar, Koppal, Maihar, Manguraha, Munger, Naharlagun, Nandesari, Narnaul, Nashik, Panipat, Sasaram, Siwan, Talcher, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Moderate	104	PM ₁₀	1
122	Raichur	Satisfactory	54	PM ₁₀	1
123	Rajamahendravaram	Satisfactory	67	PM ₁₀	1
124	Rajgir	Good	42	PM ₁₀	1
125	Ramanagara	Good	44	PM ₁₀	1
126	Ratlam	Good	26	PM ₁₀	1
127	Rohtak	Satisfactory	65	PM _{2.5}	1
128	Rupnagar	Good	32	PM ₁₀	1
129	Sagar	Good	49	со	1
130	Saharsa	Moderate	196	PM _{2.5}	1
131	Samastipur	Moderate	138	PM ₁₀	1
132	Satna	Good	42	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Khurja, Kolar, Koppal, Maihar, Manguraha, Munger, Naharlagun, Nandesari, Narnaul, Nashik, Panipat, Sasaram, Siwan, Talcher, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shillong	Good	28	O ₃ , PM ₁₀	2
134	Shivamogga	Satisfactory	88	NO ₂	1
135	Siliguri	Good	40	PM ₁₀	1
136	Singrauli	Satisfactory	99	NO ₂	1
137	Sirsa	Moderate	105	03	1
138	Solapur	Satisfactory	75	PM ₁₀	1
139	Sonipat	Satisfactory	57	PM _{2.5}	1
140	Srinagar	Good	49	PM ₁₀	1
141	Thane	Satisfactory	61	PM ₁₀	1
142	Thiruvananthapuram	Good	40	со	1
143	Thoothukudi	Good	31	PM ₁₀	1
144	Thrissur	Good	34	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Khurja, Kolar, Koppal, Maihar, Manguraha, Munger, Naharlagun, Nandesari, Narnaul, Nashik, Panipat, Sasaram, Siwan, Talcher, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Tirupati	Satisfactory	57	PM ₁₀	1
146	Udaipur	Good	36	PM ₁₀	1
147	Ujjain	Moderate	117	СО	1
148	Varanasi	Good	48	NO ₂ , PM ₁₀	2
149	Vatva	Satisfactory	54	PM _{2.5}	1
150	Vijayapura	Good	40	PM ₁₀	1
151	Visakhapatnam	Moderate	110	PM ₁₀	1
152	Vrindavan	Good	42	SO ₂	1
153	Yadgir	Good	38	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Bathinda, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Darbhanga, Davanagere, Durgapur, Hisar, Jorapokhar, Khurja, Kolar, Koppal, Maihar, Manguraha, Munger, Naharlagun, Nandesari, Narnaul, Nashik, Panipat, Sasaram, Siwan, Talcher, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.