



Air Quality Index on Feb 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	224	PM ₁₀ , PM _{2.5}	2
2	Agra	Satisfactory	62	PM ₁₀	6
3	Ahmedabad	Moderate	148	PM _{2.5} , NO ₂	7
4	Aizawl	Satisfactory	96	PM ₁₀	1
5	Ajmer	Moderate	124	PM _{2.5}	1
6	Alwar	Satisfactory	91	PM ₁₀	1
7	Amaravati	Satisfactory	91	PM ₁₀	1
8	Ambala	Satisfactory	69	PM ₁₀	1
9	Anantapur	Moderate	170	O ₃	1
10	Ankleshwar	Moderate	158	PM _{2.5}	1
11	Araria	Very Poor	330	PM _{2.5}	1
12	Ariyalur	Moderate	117	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Begusarai, Belgaum, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Gangtok, Hisar, Kannur, Kolar, Kozhikode, Kunjemura, Mandideep, Milupara, Motihari, Nandesari, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	228	PM _{2.5}	1
14	Asansol	Moderate	185	PM ₁₀	1
15	Aurangabad (Bihar)	Moderate	162	PM ₁₀	1
16	Aurangabad (Maharashtra)	Moderate	103	PM ₁₀	1
17	Baddi	Moderate	143	PM ₁₀	1
18	Bagalkot	Good	49	PM ₁₀	1
19	Baghpat	Moderate	169	PM _{2.5}	1
20	Bahadurgarh	Moderate	107	PM _{2.5}	1
21	Ballabgarh	Satisfactory	60	CO	1
22	Bareilly	Satisfactory	55	PM ₁₀	2
23	Baripada	Moderate	117	PM ₁₀	1
24	Bathinda	Moderate	102	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Begusarai, Belgaum, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Gangtok, Hisar, Kannur, Kolar, Kozhikode, Kunjemura, Mandideep, Milupara, Motihari, Nandesari, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Tonk, Tumakuru, Tumidih, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	97	PM ₁₀ , PM _{2.5}	10
26	Bettiah	Very Poor	374	PM _{2.5}	1
27	Bhagalpur	Poor	285	PM _{2.5}	2
28	Bharatpur	Poor	261	O ₃	1
29	Bhilai	Satisfactory	75	O ₃	3
30	Bhiwadi	Moderate	183	PM ₁₀	1
31	Bhiwani	Moderate	105	PM ₁₀	1
32	Bhopal	Moderate	121	PM ₁₀	2
33	Bidar	Moderate	130	PM ₁₀	1
34	Bihar Sharif	Moderate	140	PM ₁₀	1
35	Bilaspur	Satisfactory	52	PM ₁₀	1
36	Bileipada	Moderate	149	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Begusarai, Belgaum, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Gangtok, Hisar, Kannur, Kolar, Kozhikode, Kunjemura, Mandideep, Milupara, Motihari, Nandesari, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Brajrajnagar	Moderate	107	PM ₁₀	1
38	Bulandshahr	Moderate	136	PM ₁₀	1
39	Byrnihat	Very Poor	365	PM _{2.5}	1
40	Chamarajanagar	Good	37	PM ₁₀	1
41	Chandigarh	Moderate	126	PM ₁₀	3
42	Chandrapur	Moderate	134	PM ₁₀	1
43	Charkhi Dadri	Moderate	132	PM ₁₀	1
44	Chennai	Moderate	136	PM _{2.5}	8
45	Chhapra	Very Poor	315	PM _{2.5}	1
46	Chikkaballapur	Moderate	131	PM ₁₀	1
47	Chikkamagaluru	Satisfactory	58	PM ₁₀	1
48	Chittoor	Satisfactory	90	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Begusarai, Belgaum, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Gangtok, Hisar, Kannur, Kolar, Kozhikode, Kunjemura, Mandideep, Milupara, Motihari, Nandesari, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Coimbatore	Moderate	102	PM _{2.5}	1
50	Damoh	Good	30	PM ₁₀	1
51	Dehradun	Moderate	112	PM ₁₀	1
52	Delhi	Moderate	175	PM _{2.5}	37
53	Dewas	Satisfactory	72	PM _{2.5}	1
54	Dharuhera	Moderate	183	PM ₁₀	1
55	Dindigul	Poor	288	NO ₂	1
56	Durgapur	Poor	281	PM ₁₀	1
57	Eloor	Satisfactory	72	PM ₁₀	1
58	Faridabad	Moderate	165	PM _{2.5}	4
59	Fatehabad	Moderate	154	PM ₁₀	1
60	Firozabad	Satisfactory	96	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Begusarai, Belgaum, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Gangtok, Hisar, Kannur, Kolar, Kozhikode, Kunjemura, Mandideep, Milupara, Motihari, Nandesari, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gadag	Satisfactory	69	O ₃	1
62	Gandhinagar	Moderate	160	PM _{2.5} , PM ₁₀	3
63	Gaya	Moderate	123	PM _{2.5}	2
64	Ghaziabad	Moderate	145	PM ₁₀	4
65	Gorakhpur	Moderate	125	PM ₁₀	1
66	Greater Noida	Moderate	154	NO ₂ , PM ₁₀	2
67	Gummidipoondi	Moderate	155	PM _{2.5}	1
68	Gurugram	Moderate	195	PM _{2.5}	4
69	Guwahati	Moderate	156	PM _{2.5}	3
70	Gwalior	Moderate	184	PM ₁₀	3
71	Hajipur	Very Poor	307	PM ₁₀	1
72	Haldia	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Begusarai, Belgaum, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Gangtok, Hisar, Kannur, Kolar, Kozhikode, Kunjemura, Mandideep, Milupara, Motihari, Nandesari, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hapur	Satisfactory	58	PM ₁₀	1
74	Hassan	Satisfactory	74	PM ₁₀	1
75	Haveri	Satisfactory	88	PM ₁₀	1
76	Hosur	Moderate	173	PM _{2.5}	1
77	Howrah	Moderate	140	PM _{2.5} , PM ₁₀	3
78	Hubballi	Moderate	113	PM ₁₀	1
79	Hyderabad	Moderate	116	PM _{2.5} , PM ₁₀	11
80	Imphal	Moderate	144	PM _{2.5} , SO ₂	2
81	Indore	Moderate	133	PM ₁₀	1
82	Jabalpur	Moderate	154	PM ₁₀	1
83	Jaipur	Moderate	134	PM ₁₀	3
84	Jalandhar	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Begusarai, Belgaum, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Gangtok, Hisar, Kannur, Kolar, Kozhikode, Kunjemura, Mandideep, Milupara, Motihari, Nandesari, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jhansi	Moderate	106	PM ₁₀	1
86	Jind	Satisfactory	86	PM _{2.5}	1
87	Jodhpur	Moderate	136	PM ₁₀	2
88	Jorapokhar	Moderate	141	PM ₁₀	1
89	Kadapa	Poor	223	PM _{2.5}	1
90	Kaithal	Moderate	112	PM ₁₀	1
91	Kalaburgi	Moderate	105	PM _{2.5}	1
92	Kalyan	Moderate	152	PM ₁₀	1
93	Kanchipuram	Moderate	108	PM ₁₀	1
94	Kanpur	Moderate	110	PM ₁₀	3
95	Karnal	Satisfactory	82	PM _{2.5}	1
96	Katihar	Very Poor	329	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Begusarai, Belgaum, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Gangtok, Hisar, Kannur, Kolar, Kozhikode, Kunjemura, Mandideep, Milupara, Motihari, Nandesari, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Katni	Moderate	180	PM ₁₀	1
98	Keonjhar	Moderate	125	PM _{2.5}	1
99	Khanna	Satisfactory	66	PM ₁₀	1
100	Khurja	Satisfactory	90	PM _{2.5}	1
101	Kishanganj	Very Poor	326	PM _{2.5}	1
102	Kochi	Poor	213	PM _{2.5}	1
103	Kohima	Moderate	147	PM _{2.5}	1
104	Kolkata	Moderate	109	O ₃	7
105	Kollam	Moderate	103	PM ₁₀	1
106	Koppal	Satisfactory	93	PM ₁₀	1
107	Korba	Satisfactory	76	PM ₁₀	2
108	Kota	Moderate	167	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Begusarai, Belgaum, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Gangtok, Hisar, Kannur, Kolar, Kozhikode, Kunjemura, Mandideep, Milupara, Motihari, Nandesari, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kurukshetra	Satisfactory	88	PM _{2.5}	1
110	Lucknow	Moderate	146	PM _{2.5}	6
111	Ludhiana	Satisfactory	65	PM ₁₀	1
112	Madikeri	Good	41	O ₃	1
113	Maihar	Good	47	PM ₁₀	1
114	Mandi Gobindgarh	Moderate	140	PM _{2.5}	1
115	Mandikhera	Satisfactory	91	PM ₁₀	1
116	Manesar	Moderate	119	PM _{2.5}	1
117	Mangalore	Moderate	141	PM ₁₀	1
118	Manguraha	Poor	214	PM _{2.5}	1
119	Meerut	Moderate	158	PM ₁₀	3
120	Moradabad	Satisfactory	76	PM ₁₀	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Begusarai, Belgaum, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Gangtok, Hisar, Kannur, Kolar, Kozhikode, Kunjemura, Mandideep, Milupara, Motihari, Nandesari, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mumbai	Moderate	165	PM _{2.5} , PM ₁₀	19
122	Munger	Poor	275	PM _{2.5}	1
123	Muzaffarnagar	Moderate	151	PM ₁₀	1
124	Muzaffarpur	Very Poor	330	PM _{2.5}	3
125	Mysuru	Satisfactory	61	PM ₁₀	1
126	Nagaon	Poor	237	PM _{2.5}	1
127	Nagpur	Satisfactory	94	PM ₁₀	1
128	Naharlagun	Good	43	PM ₁₀	1
129	Nalbari	Moderate	152	PM _{2.5}	1
130	Narnaul	Moderate	104	PM ₁₀	1
131	Nashik	Satisfactory	79	PM ₁₀	1
132	Navi Mumbai	Poor	285	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Begusarai, Belgaum, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Gangtok, Hisar, Kannur, Kolar, Kozhikode, Kunjemura, Mandideep, Milupara, Motihari, Nandesari, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nayagarh	Poor	214	PM ₁₀	1
134	Noida	Moderate	138	PM ₁₀	4
135	Pali	Moderate	101	PM ₁₀	1
136	Palwal	Satisfactory	71	PM ₁₀	1
137	Panchkula	Moderate	106	CO	1
138	Panipat	Moderate	112	PM ₁₀	1
139	Patiala	Satisfactory	98	PM ₁₀	1
140	Patna	Poor	288	PM ₁₀ , PM _{2.5}	6
141	Pithampur	Moderate	140	PM ₁₀	1
142	Prayagraj	Satisfactory	96	PM ₁₀	3
143	Puducherry	Moderate	137	PM _{2.5}	1
144	Pune	Moderate	134	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Begusarai, Belgaum, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Gangtok, Hisar, Kannur, Kolar, Kozhikode, Kunjemura, Mandideep, Milupara, Motihari, Nandesari, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Tonk, Tumakuru, Tumidih, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Raipur	Satisfactory	84	NO ₂ , PM ₁₀	4
146	Rairangpur	Moderate	162	PM _{2.5}	1
147	Rajamahendravaram	Satisfactory	89	PM ₁₀	1
148	Rajgir	Moderate	181	PM ₁₀	1
149	Ramanagara	Satisfactory	96	PM ₁₀	1
150	Ramanathapuram	Satisfactory	99	PM ₁₀	1
151	Ratlam	Moderate	131	PM ₁₀	1
152	Rishikesh	Moderate	109	PM ₁₀	1
153	Rohtak	Satisfactory	86	PM _{2.5}	1
154	Rourkela	Poor	234	PM ₁₀	2
155	Rupnagar	Moderate	170	PM ₁₀	1
156	Sagar	Satisfactory	88	PM ₁₀ , CO	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Begusarai, Belgaum, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Gangtok, Hisar, Kannur, Kolar, Kozhikode, Kunjemura, Mandideep, Milupara, Motihari, Nandesari, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Saharsa	Very Poor	398	PM ₁₀	1
158	Samastipur	Very Poor	327	PM ₁₀	1
159	Sasaram	Moderate	130	PM _{2.5}	1
160	Satna	Moderate	147	PM ₁₀	1
161	Shillong	Moderate	149	PM _{2.5}	1
162	Shivamogga	Satisfactory	75	O ₃	1
163	Singrauli	Satisfactory	75	PM _{2.5}	1
164	Sirsa	Moderate	108	PM ₁₀	1
165	Sivasagar	Satisfactory	70	PM _{2.5}	1
166	Siwan	Very Poor	330	PM _{2.5}	1
167	Solapur	Moderate	142	PM ₁₀	1
168	Sonipat	Moderate	164	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Begusarai, Belgaum, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Gangtok, Hisar, Kannur, Kolar, Kozhikode, Kunjemura, Mandideep, Milupara, Motihari, Nandesari, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Srinagar	Good	25	PM ₁₀	1
170	Suakati	Moderate	123	PM ₁₀	1
171	Surat	Moderate	135	PM _{2.5}	1
172	Talcher	Poor	208	PM ₁₀	1
173	Tensa	Satisfactory	91	PM ₁₀	1
174	Thane	Moderate	172	PM ₁₀	1
175	Thiruvananthapuram	Satisfactory	80	PM _{2.5}	2
176	Thoothukudi	Satisfactory	72	PM ₁₀	1
177	Thrissur	Moderate	146	PM ₁₀	1
178	Tirupati	Satisfactory	96	PM _{2.5}	2
179	Tirupur	Satisfactory	96	PM ₁₀	1
180	Udaipur	Moderate	124	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Begusarai, Belgaum, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Gangtok, Hisar, Kannur, Kolar, Kozhikode, Kunjemura, Mandideep, Milupara, Motihari, Nandesari, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Udupi	Moderate	103	CO	1
182	Ujjain	Moderate	139	PM ₁₀	1
183	Vapi	Poor	289	PM _{2.5}	1
184	Varanasi	Good	49	PM ₁₀ , SO ₂	4
185	Vatva	Poor	209	PM ₁₀	1
186	Vijayapura	Good	46	PM ₁₀	1
187	Vijayawada	Poor	201	PM _{2.5}	1
188	Visakhapatnam	Moderate	152	PM _{2.5}	1
189	Vrindavan	Poor	224	PM ₁₀	1
190	Yadgir	Satisfactory	68	PM ₁₀	1
191	Yamunanagar	Moderate	121	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Begusarai, Belgaum, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Gangtok, Hisar, Kannur, Kolar, Kozhikode, Kunjemura, Mandideep, Milupara, Motihari, Nandesari, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.