

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	78	PM ₁₀	5
2	Ahmedabad	Satisfactory	70	PM ₁₀	7
3	Ajmer	Moderate	106	PM ₁₀	1
4	Akola	Satisfactory	71	PM ₁₀	1
5	Alwar	Satisfactory	61	PM ₁₀	1
6	Amaravati	Satisfactory	55	O ₃	1
7	Ambala	Satisfactory	96	СО	1
8	Amravati	Good	50	PM ₁₀	2
9	Anantapur	Satisfactory	71	PM ₁₀	1
10	Ankleshwar	Satisfactory	75	NO ₂	1
11	Araria	Satisfactory	83	PM ₁₀	1
12	Arrah	Moderate	102	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bhilwara, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Coimbat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	90	PM _{2.5}	1
14	Aurangabad (Bihar)	Good	50	со	1
15	Aurangabad (Maharashtra)	Good	36	PM ₁₀	2
16	Baddi	Satisfactory	96	PM ₁₀	1
17	Badlapur	Good	38	PM ₁₀	1
18	Bagalkot	Good	42	PM ₁₀	1
19	Baghpat	Satisfactory	99	PM ₁₀	1
20	Bahadurgarh	Moderate	103	PM ₁₀	1
21	Ballabgarh	Satisfactory	72	PM ₁₀	1
22	Banswara	Satisfactory	92	PM ₁₀	1
23	Baran	Moderate	118	PM _{2.5}	1
24	Bareilly	Satisfactory	54	PM ₁₀	2

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bhilwara, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Coimbat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Moderate	110	PM ₁₀	1
26	Bathinda	Satisfactory	89	PM ₁₀	1
27	Belapur	Good	43	PM ₁₀	1
28	Belgaum	Good	47	со	1
29	Bengaluru	Satisfactory	64	PM ₁₀	9
30	Bettiah	Satisfactory	72	PM _{2.5}	1
31	Bhagalpur	Satisfactory	98	PM ₁₀	2
32	Bharatpur	Satisfactory	85	PM ₁₀	1
33	Bhilai	Satisfactory	52	PM ₁₀ , CO	3
34	Bhiwadi	Moderate	109	PM ₁₀	1
35	Bhiwandi	Good	47	PM ₁₀	1
36	Bhiwani	Good	46	со	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bhilwara, Boisar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Ceimbatere, Darbhanga Davanagere, Dehradun, Dhanbad, Dharuhera, Dharwad, Dindigul, Durgapur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhopal	Satisfactory	66	PM ₁₀	3
38	Bidar	Good	25	со	1
39	Bihar Sharif	Satisfactory	89	со	1
40	Bikaner	Moderate	155	PM ₁₀	1
41	Bilaspur	Good	44	PM ₁₀	1
42	Bileipada	Moderate	123	PM ₁₀	1
43	Bulandshahr	Satisfactory	87	PM ₁₀	1
44	Bundi	Moderate	141	PM ₁₀	1
45	Byrnihat	Moderate	174	PM _{2.5}	1
46	Chamarajanagar	Good	49	PM ₁₀	1
47	Chandigarh	Satisfactory	82	PM ₁₀	2
48	Chandrapur	Satisfactory	62	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawi, Amritsar, Ariyalur, Baripada, Begusarai, Bhilwara, Boisar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bhilwara, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbh

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Charkhi Dadri	Satisfactory	80	PM ₁₀	1
50	Chennai	Satisfactory	71	со	6
51	Chhal	Good	42	03	1
52	Chhapra	Moderate	179	PM ₁₀	1
53	Chikkaballapur	Satisfactory	58	PM ₁₀	1
54	Chittoor	Satisfactory	52	PM _{2.5}	1
55	Chittorgarh	Moderate	107	PM ₁₀	1
56	Churu	Satisfactory	55	PM ₁₀	1
57	Cuddalore	Good	24	PM _{2.5}	1
58	Damoh	Satisfactory	55	PM ₁₀	1
59	Dausa	Moderate	102	PM ₁₀	1
60	Delhi	Moderate	109	PM ₁₀	28

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl Amritsar Ariyalur Baripada Begusarai Bhilwara Boisar

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bhilwara, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Da

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dewas	Good	45	PM ₁₀	1
62	Dholpur	Satisfactory	72	PM ₁₀	1
63	Dhule	Satisfactory	67	PM ₁₀	1
64	Eloor	Satisfactory	68	PM ₁₀	1
65	Faridabad	Satisfactory	77	PM ₁₀ , PM _{2.5}	3
66	Fatehabad	Moderate	120	03	1
67	Firozabad	Satisfactory	80	PM ₁₀	1
68	Gandhinagar	Satisfactory	70	SO ₂	1
69	Gangtok	Satisfactory	60	SO ₂	1
70	Gaya	Satisfactory	65	СО	3
71	Ghaziabad	Moderate	116	PM _{2.5} , PM ₁₀	4
72	Gorakhpur	Satisfactory	96	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bhilwara, Boisar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Ceimbatore, Darbi

- * In case of a city with multiple monitoring locations, average value is used
- to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Greater Noida	Moderate	142	PM ₁₀	2
74	Gummidipoondi	Satisfactory	83	PM ₁₀	1
75	Gurugram	Moderate	102	PM ₁₀ , PM _{2.5}	4
76	Guwahati	Satisfactory	78	CO, SO ₂	3
77	Gwalior	Satisfactory	60	PM ₁₀ , PM _{2.5}	4
78	Hajipur	Moderate	114	PM ₁₀	1
79	Haldia	Satisfactory	66	PM ₁₀	1
80	Hanumangarh	Moderate	129	PM ₁₀	1
81	Hapur	Satisfactory	86	PM _{2.5}	1
82	Haveri	Good	39	PM ₁₀	1
83	Hisar	Moderate	108	СО	1
84	Howrah	Satisfactory	78	PM ₁₀	3

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bhilwara, Boisar,

Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Coimbat

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hubballi	Satisfactory	68	PM ₁₀ , CO	2
86	Hyderabad	Satisfactory	80	03	8
87	Indore	Satisfactory	82	PM ₁₀	1
88	Jabalpur	Satisfactory	67	PM ₁₀	3
89	Jaipur	Moderate	128	PM ₁₀	5
90	Jaisalmer	Moderate	139	PM ₁₀	1
91	Jalandhar	Satisfactory	65	PM ₁₀	1
92	Jalgaon	Good	45	PM ₁₀	1
93	Jalna	Good	37	NO ₂	1
94	Jhalawar	Satisfactory	78	PM ₁₀	1
95	Jhansi	Satisfactory	88	PM ₁₀	1
96	Jhunjhunu	Moderate	126	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bhilwara, Boisar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatere, Darbhai Davanagere, Dehradun, Dhanbad, Dharuhera, Dharwad, Dindigul, Durgar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jind	Moderate	138	СО	1
98	Jodhpur	Moderate	151	PM ₁₀	5
99	Kaithal	Satisfactory	98	PM _{2.5}	1
100	Kalaburgi	Good	47	SO ₂	1
101	Kalyan	Satisfactory	54	со	1
102	Kanchipuram	Satisfactory	54	PM ₁₀	1
103	Kannur	Satisfactory	69	PM ₁₀	1
104	Kanpur	Satisfactory	64	СО	4
105	Karauli	Good	48	PM ₁₀	1
106	Karnal	Satisfactory	67	PM ₁₀	1
107	Kashipur	Satisfactory	87	PM ₁₀	1
108	Katihar	Moderate	113	PM ₁₀	1

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bhilwara, Boisar,

Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Coimbat

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Davanagere, Dehradun, Dhanbad, Dharuhera, Dharwad, Dindigul, Durgapur, Notes:

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Katni	Satisfactory	87	PM ₁₀	1
110	Keonjhar	Satisfactory	84	PM _{2.5}	1
111	Khanna	Satisfactory	99	PM ₁₀	1
112	Khurja	Moderate	117	PM _{2.5}	1
113	Kishanganj	Satisfactory	84	PM ₁₀	1
114	Kochi	Satisfactory	87	PM ₁₀	1
115	Kohima	Good	50	SO ₂	1
116	Kolhapur	Good	44	PM ₁₀	1
117	Kolkata	Satisfactory	71	PM ₁₀	7
118	Kollam	Satisfactory	96	PM ₁₀	1
119	Koppal	Good	30	SO ₂	1
120	Korba	Good	43	PM ₁₀	2

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bhilwara, Boisar,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Coimbat Davanagere, Dehradun, Dhanbad, Dharuhera, Dharwad, Dino

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kota	Satisfactory	99	PM ₁₀ , PM _{2.5}	3
122	Kunjemura	Satisfactory	75	PM ₁₀	1
123	Kurukshetra	Satisfactory	96	03	1
124	Lucknow	Satisfactory	92	O ₃ , PM ₁₀	6
125	Ludhiana	Satisfactory	76	PM ₁₀	1
126	Madikeri	Good	38	PM ₁₀	1
127	Mahad	Good	39	SO ₂	1
128	Maihar	Good	32	PM ₁₀	1
129	Mandi Gobindgarh	Moderate	103	PM _{2.5}	1
130	Mandideep	Satisfactory	54	PM ₁₀	1
131	Mandikhera	Satisfactory	94	PM ₁₀	1
132	Manesar	Satisfactory	83	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bhilwara, Boisar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bhilwara, Boisar, ——Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Ceimbatere, Da

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mangalore	Good	46	со	1
134	Manguraha	Good	45	PM ₁₀	1
135	Meerut	Satisfactory	100	PM ₁₀ , PM _{2.5}	3
136	Moradabad	Moderate	104	PM ₁₀	5
137	Mumbai	Satisfactory	56	CO, PM ₁₀	18
138	Munger	Moderate	152	PM ₁₀	1
139	Muzaffarnagar	Satisfactory	99	PM ₁₀	1
140	Muzaffarpur	Moderate	108	PM ₁₀ , CO	3
141	Mysuru	Satisfactory	53	PM ₁₀	1
142	Nagaur	Moderate	142	PM ₁₀	1
143	Nagpur	Satisfactory	52	PM ₁₀	4
144	Nalbari	Moderate	127	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bhilwara, Boisar,

Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Coimbat

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Davanagere, Dehradun, Dhanbad, Dharuhera, Dharwad, Dindigul, Durgapur, Ernakulam, Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kadapa, Kolar, Kozhikode, Latur, Malegaon, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Raichur, Rairangpur,

Salem, Satna, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Tensa, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nanded	Good	45	O ₃	1
146	Narnaul	Satisfactory	89	PM ₁₀	1
147	Nashik	Good	36	PM _{2.5}	3
148	Navi Mumbai	Satisfactory	57	O ₃ , PM ₁₀	6
149	Nayagarh	Satisfactory	63	NO ₂	1
150	Noida	Moderate	111	PM ₁₀ , CO	4
151	Pali	Moderate	108	PM ₁₀	1
152	Palwal	Satisfactory	51	PM _{2.5}	1
153	Panchkula	Satisfactory	83	PM _{2.5}	1
154	Panipat	Good	47	PM _{2.5}	1
155	Patiala	Satisfactory	68	O ₃	1
156	Patna	Satisfactory	86	PM ₁₀ , NO ₂	6

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bhilwara, Boisar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga Davanagere, Dehradun, Dhanbad, Dharuhera, Dharwad, Dindigul, Durgapur, Ernakulam, Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kadapa, Kolar, Kozhikode, Latur, Malegaon, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Raichur, Rairangpur, Salem, Satna, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Tensa, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pimpri Chinchwad	Good	38	PM ₁₀	2
158	Pithampur	Satisfactory	69	PM ₁₀	1
159	Pratapgarh	Moderate	110	PM ₁₀	1
160	Prayagraj	Satisfactory	82	PM ₁₀	3
161	Puducherry	Satisfactory	61	PM ₁₀	1
162	Pune	Satisfactory	81	NO ₂ , PM _{2.5}	7
163	Purnia	Satisfactory	71	PM ₁₀	1
164	Raipur	Good	36	PM ₁₀	3
165	Rajamahendravaram	Good	48	O ₃	1
166	Rajgir	Moderate	101	PM ₁₀	1
167	Rajsamand	Moderate	122	PM ₁₀	1
168	Ramanagara	Satisfactory	67	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bhilwara, Boisar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga Davanagere, Dehradun, Dhanbad, Dharuhera, Dharwad, Dindigul, Durgapur, Ernakulam. Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kadapa, Kolar,

Ernakulam, Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kadapa, Kolar, Kozhikode, Latur, Malegaon, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Raichur, Rairangpur, Salem, Satna, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Tensa, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations,

website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Ramanathapuram	Good	30	PM ₁₀	1
170	Ratlam	Satisfactory	64	PM ₁₀	1
171	Rishikesh	Good	41	PM ₁₀	1
172	Rohtak	Moderate	118	PM _{2.5}	1
173	Rourkela	Satisfactory	71	PM _{2.5}	1
174	Rupnagar	Moderate	114	PM ₁₀	1
175	Sagar	Satisfactory	62	PM ₁₀	1
176	Saharsa	Satisfactory	100	PM ₁₀	1
177	Samastipur	Satisfactory	71	PM _{2.5}	1
178	Sangli	Good	32	PM ₁₀	1
179	Sasaram	Moderate	111	СО	1
180	Sawai Madhopur	Satisfactory	71	PM ₁₀	1

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bhilwara, Boisar,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga Davanagere, Dehradun, Dhanbad, Dharuhera, Dharwad, Dindigul, Durgapur, Notes: Ernakulam, Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kadapa, Kolar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Shillong	Good	46	PM ₁₀ , PM _{2.5}	2
182	Shivamogga	Satisfactory	62	PM ₁₀	1
183	Sikar	Satisfactory	97	PM ₁₀	1
184	Silchar	Good	41	со	1
185	Siliguri	Satisfactory	55	PM ₁₀	1
186	Singrauli	Satisfactory	98	NO ₂	1
187	Sirohi	Satisfactory	81	PM ₁₀	1
188	Sivasagar	Good	21	PM ₁₀	1
189	Solapur	Satisfactory	61	PM _{2.5} , PM ₁₀	3
190	Sri Ganganagar	Moderate	151	PM ₁₀	1
191	Surat	Moderate	108	со	1
192	Talcher	Good	44	со	1

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bhilwara, Boisar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Thane	Good	47	co	3
194	Thiruvananthapuram	Good	42	со	2
195	Thoothukudi	Satisfactory	75	PM ₁₀	1
196	Thrissur	Satisfactory	58	PM ₁₀	1
197	Tirupati	Satisfactory	76	PM _{2.5} , PM ₁₀	2
198	Tirupur	Satisfactory	64	PM ₁₀	1
199	Tonk	Moderate	151	PM ₁₀	1
200	Tumakuru	Good	39	со	1
201	Udaipur	Moderate	102	PM ₁₀	1
202	Ujjain	Satisfactory	88	PM ₁₀	1
203	Ulhasnagar	Satisfactory	54	PM ₁₀	1
204	Vapi	Satisfactory	64	со	1

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bhilwara, Boisar,

Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Coimbat

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Varanasi	Good	41	PM ₁₀	4
206	Vatva	Satisfactory	82	PM ₁₀	1
207	Vijayapura	Good	46	PM ₁₀	1
208	Vijayawada	Good	43	PM ₁₀	1
209	Vrindavan	Good	37	PM ₁₀	1
210	Yadgir	Good	39	PM ₁₀	1
211	Yamunanagar	Satisfactory	90	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Begusarai, Bhilwara, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Da

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Davanagere, Dehradun, Dhanbad, Dharuhera, Dharwad, Dindigul, Durgapur, Ernakulam, Gadag, Hassan, Hosur, Imphal, Jorapokhar, Kadapa, Kolar, Kozhikode, Latur, Malegaon, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Raichur, Rairangpur, Salem, Satna, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Tensa, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.