

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	150	PM _{2.5}	1
2	Agra	Very Poor	357	PM _{2.5}	1
3	Ahmedabad	Moderate	198	PM _{2.5}	1
4	Aizawl	Satisfactory	75	PM _{2.5}	1
5	Ajmer	Moderate	101	PM ₁₀	1
6	Alwar	Moderate	128	PM ₁₀	1
7	Amaravati	Satisfactory	89	PM _{2.5}	1
8	Ambala	Satisfactory	91	PM ₁₀	1
9	Amritsar	Satisfactory	68	PM _{2.5}	1
10	Ankleshwar	Moderate	162	PM ₁₀	1
11	Asansol	Very Poor	322	PM _{2.5}	1
12	Aurangabad	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kollam, Manesar, Nagpur, Nandesari, Palwal, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	258	PM _{2.5}	1
14	Bahadurgarh	Poor	232	PM _{2.5}	1
15	Ballabgarh	Very Poor	304	PM _{2.5}	1
16	Bathinda	Satisfactory	82	PM ₁₀	1
17	Bengaluru	Satisfactory	57	PM ₁₀ , O ₃	10
18	Bhiwani	Moderate	127	PM ₁₀	1
19	Bhopal	Moderate	183	PM ₁₀	1
20	Brajrajnagar	Moderate	137	PM _{2.5}	1
21	Bulandshahr	Very Poor	359	PM _{2.5}	1
22	Chandigarh	Satisfactory	86	PM ₁₀	1
23	Chandrapur	Moderate	142	PM ₁₀	2
24	Charkhi Dadri	Moderate	146	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kollam, Manesar, Nagpur, Nandesari, Palwal, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	69	PM ₁₀ , PM _{2.5}	7
26	Chikkaballapur	Good	35	со	1
27	Chikkamagaluru	Good	45	03	1
28	Damoh	Moderate	143	PM _{2.5}	1
29	Delhi	Poor	284	PM _{2.5}	36
30	Dewas	Moderate	178	03	1
31	Dharuhera	Very Poor	338	PM _{2.5}	1
32	Eloor	Good	37	со	1
33	Ernakulam	Satisfactory	75	PM _{2.5}	1
34	Faridabad	Poor	300	PM ₁₀ , PM _{2.5}	4
35	Fatehabad	Moderate	129	PM ₁₀	1
36	Gandhinagar	Moderate	121	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kollam, Manesar, Nagpur, Nandesari, Palwal, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Moderate	141	PM _{2.5}	2
38	Ghaziabad	Very Poor	330	PM _{2.5}	3
39	Greater Noida	Very Poor	322	PM _{2.5}	2
40	Gurugram	Poor	217	PM _{2.5}	3
41	Guwahati	Poor	216	PM _{2.5}	1
42	Gwalior	Poor	242	PM _{2.5}	1
43	Hajipur	Moderate	139	PM ₁₀	1
44	Hapur	Moderate	102	PM _{2.5}	1
45	Hisar	Moderate	158	PM _{2.5}	1
46	Howrah	Poor	295	PM _{2.5}	3
47	Hubballi	Satisfactory	67	PM ₁₀	1
48	Hyderabad	Moderate	135	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kollam, Manesar, Nagpur, Nandesari, Palwal, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Poor	201	PM _{2.5}	1
50	Jabalpur	Moderate	168	PM ₁₀	1
51	Jaipur	Moderate	111	PM ₁₀ , PM _{2.5}	3
52	Jalandhar	Satisfactory	68	PM ₁₀	1
53	Jind	Moderate	140	PM _{2.5}	1
54	Jodhpur	Moderate	184	PM _{2.5}	1
55	Jorapokhar	Moderate	129	PM ₁₀	1
56	Kaithal	Satisfactory	88	PM ₁₀	1
57	Kalaburgi	Satisfactory	66	PM ₁₀	1
58	Kalyan	Poor	237	PM _{2.5}	1
59	Kannur	Satisfactory	60	PM ₁₀	1
60	Kanpur	Severe	438	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kollam, Manesar, Nagpur, Nandesari, Palwal, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Satisfactory	91	PM ₁₀	1
62	Katni	Poor	262	PM ₁₀	1
63	Khanna	Satisfactory	82	PM ₁₀	1
64	Kochi	Satisfactory	62	PM ₁₀	1
65	Kohima	Satisfactory	94	PM _{2.5}	1
66	Kolkata	Very Poor	310	PM _{2.5}	6
67	Kota	Moderate	109	PM _{2.5}	1
68	Kozhikode	Satisfactory	53	со	1
69	Kurukshetra	Moderate	148	PM _{2.5}	1
70	Lucknow	Very Poor	318	PM _{2.5} , PM ₁₀	4
71	Ludhiana	Satisfactory	52	PM ₁₀	1
72	Maihar	Satisfactory	81	со	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kollam, Manesar, Nagpur, Nandesari, Palwal, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Moderate	108	PM ₁₀	1
74	Mandideep	Poor	233	PM ₁₀	1
75	Mandikhera	Moderate	156	PM _{2.5}	1
76	Medikeri	Good	36	03	1
77	Meerut	Poor	237	PM _{2.5}	2
78	Moradabad	Very Poor	349	PM _{2.5}	1
79	Mumbai	Moderate	143	PM _{2.5} , PM ₁₀	17
80	Muzaffarnagar	Poor	255	PM _{2.5}	1
81	Muzaffarpur	Moderate	199	PM _{2.5} , PM ₁₀	2
82	Mysuru	Good	45	03	1
83	Narnaul	Poor	247	PM _{2.5}	1
84	Nashik	Moderate	110	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kollam, Manesar, Nagpur, Nandesari, Palwal, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Navi Mumbai	Moderate	152	PM _{2.5} , PM ₁₀	3
86	Noida	Very Poor	310	PM _{2.5}	4
87	Pali	Moderate	111	PM ₁₀	1
88	Panchkula	Moderate	138	PM _{2.5}	1
89	Panipat	Moderate	158	PM ₁₀	1
90	Patiala	Moderate	103	со	1
91	Patna	Poor	279	PM _{2.5} , PM ₁₀	6
92	Pithampur	Moderate	123	PM _{2.5}	1
93	Pune	Satisfactory	85	PM _{2.5}	3
94	Rajamahendravaram	Moderate	156	03	1
95	Ratlam	Moderate	148	PM ₁₀	1
96	Rohtak	Moderate	200	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kollam, Manesar, Nagpur, Nandesari, Palwal, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sagar	Moderate	158	PM _{2.5}	1
98	Satna	Moderate	108	PM ₁₀	1
99	Shivamogga	Satisfactory	57	PM ₁₀	1
100	Siliguri	Moderate	170	PM _{2.5}	1
101	Singrauli	Poor	235	PM _{2.5}	1
102	Sirsa	Satisfactory	80	NO ₂	1
103	Solapur	Satisfactory	88	PM ₁₀	1
104	Sonipat	Moderate	153	PM ₁₀	1
105	Talcher	Moderate	119	PM ₁₀	1
106	Thane	Moderate	185	PM ₁₀	1
107	Thiruvananthapuram	Satisfactory	54	PM ₁₀	2
108	Thoothukudi	Satisfactory	54	03	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kollam, Manesar, Nagpur, Nandesari, Palwal, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thrissur	Satisfactory	62	O ₃	1
110	Tirupati	Good	50	PM ₁₀	1
111	Udaipur	Moderate	127	PM ₁₀	1
112	Ujjain	Poor	225	PM _{2.5}	1
113	Vapi	Poor	266	PM _{2.5}	1
114	Varanasi	Very Poor	320	PM _{2.5}	1
115	Vatva	Poor	239	PM _{2.5}	1
116	Vijayapura	Satisfactory	68	СО	1
117	Visakhapatnam	Poor	219	PM ₁₀	1
118	Yadgir	Satisfactory	74	O ₃	1
119	Yamunanagar	Poor	229	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Chamarajanagar, Coimbatore, Kollam, Manesar, Nagpur, Nandesari, Palwal, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.