

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Very Poor	305	PM _{2.5}	1
2	Agra	Poor	203	PM _{2.5} , PM ₁₀	4
3	Ahmedabad	Satisfactory	99	PM _{2.5} , PM ₁₀ , CO	9
4	Aizawl	Satisfactory	88	PM ₁₀	1
5	Ajmer	Moderate	143	PM _{2.5}	1
6	Alwar	Moderate	123	PM _{2.5}	1
7	Amaravati	Satisfactory	96	PM _{2.5}	1
8	Ambala	Poor	249	PM _{2.5}	1
9	Amritsar	Satisfactory	65	PM ₁₀	1
10	Ankleshwar	Moderate	113	PM _{2.5}	1
11	Araria	Poor	289	PM _{2.5}	1
12	Arrah	Very Poor	326	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Ernakulam, Hubballi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Muzaffarnagar, Naharlagun, Siliguri, Solapur, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	272	PM _{2.5}	1
14	Aurangabad	Satisfactory	99	PM ₁₀	1
15	Bagalkot	Good	50	PM _{2.5}	1
16	Baghpat	Poor	296	PM _{2.5}	1
17	Bahadurgarh	Very Poor	338	PM _{2.5}	1
18	Ballabgarh	Moderate	165	PM _{2.5}	1
19	Bathinda	Moderate	139	PM ₁₀	1
20	Bengaluru	Moderate	102	PM ₁₀ , CO	9
21	Bhagalpur	Very Poor	366	PM ₁₀ , PM _{2.5}	2
22	Bhiwadi	Poor	273	PM _{2.5}	1
23	Bhiwani	Very Poor	304	PM _{2.5}	1
24	Bhopal	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Ernakulam, Hubballi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Muzaffarnagar, Naharlagun, Siliguri, Solapur, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bidar	Satisfactory	98	PM ₁₀	1
26	Bihar Sharif	Very Poor	319	PM _{2.5}	1
27	Bilaspur	Good	44	PM ₁₀	1
28	Brajrajnagar	Satisfactory	79	PM ₁₀	1
29	Bulandshahr	Poor	267	PM _{2.5}	1
30	Buxar	Severe	431	PM ₁₀	1
31	Chamarajanagar	Good	33	PM ₁₀	1
32	Chandigarh	Poor	253	PM _{2.5}	2
33	Chandrapur	Moderate	113	PM _{2.5} , PM ₁₀	2
34	Charkhi Dadri	Very Poor	330	PM _{2.5}	1
35	Chennai	Satisfactory	90	PM _{2.5} , PM ₁₀	8
36	Chhapra	Severe	417	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Ernakulam, Hubballi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Muzaffarnagar, Naharlagun, Siliguri, Solapur, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Moderate	110	PM _{2.5}	1
38	Chikkamagaluru	Good	41	PM ₁₀	1
39	Coimbatore	Satisfactory	78	PM _{2.5}	1
40	Damoh	Satisfactory	90	PM _{2.5}	1
41	Darbhanga	Very Poor	334	PM _{2.5}	1
42	Davanagere	Satisfactory	96	PM ₁₀	1
43	Delhi	Very Poor	365	PM _{2.5}	35
44	Dewas	Moderate	144	PM _{2.5}	1
45	Dharuhera	Poor	293	PM _{2.5}	1
46	Durgapur	Very Poor	319	PM ₁₀	1
47	Eloor	Satisfactory	70	PM ₁₀	1
48	Faridabad	Very Poor	360	PM ₁₀ , PM _{2.5}	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Ernakulam, Hubballi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Muzaffarnagar, Naharlagun, Siliguri, Solapur, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Moderate	111	PM _{2.5}	1
50	Firozabad	Poor	232	PM _{2.5}	1
51	Gadag	Satisfactory	79	PM _{2.5}	1
52	Gandhinagar	Satisfactory	77	PM ₁₀ , PM _{2.5}	3
53	Gaya	Moderate	188	PM ₁₀ , PM _{2.5}	3
54	Ghaziabad	Very Poor	340	PM _{2.5}	4
55	Gorakhpur	Moderate	113	PM ₁₀	1
56	Greater Noida	Very Poor	302	PM _{2.5}	2
57	Gummidipoondi	Good	48	PM ₁₀	1
58	Gurugram	Very Poor	302	PM _{2.5}	4
59	Guwahati	Satisfactory	69	PM _{2.5}	2
60	Gwalior	Poor	249	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Ernakulam, Hubballi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Muzaffarnagar, Naharlagun, Siliguri, Solapur, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Moderate	177	PM _{2.5}	1
62	Haldia	Moderate	133	PM ₁₀	1
63	Hapur	Poor	255	PM _{2.5}	1
64	Hassan	Satisfactory	94	PM ₁₀	1
65	Hisar	Very Poor	319	PM _{2.5}	1
66	Howrah	Very Poor	321	PM _{2.5}	3
67	Hyderabad	Moderate	127	PM _{2.5} , PM ₁₀	6
68	Indore	Moderate	109	PM ₁₀	1
69	Jabalpur	Moderate	191	PM ₁₀	1
70	Jaipur	Moderate	138	PM ₁₀ , PM _{2.5}	2
71	Jalandhar	Satisfactory	91	PM ₁₀	1
72	Jodhpur	Moderate	182	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Ernakulam, Hubballi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Muzaffarnagar, Naharlagun, Siliguri, Solapur, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Moderate	132	PM _{2.5}	1
74	Kalaburgi	Moderate	111	PM ₁₀	1
75	Kalyan	Moderate	193	PM _{2.5}	1
76	Kannur	Satisfactory	95	PM _{2.5}	1
77	Kanpur	Moderate	184	PM _{2.5} , PM ₁₀	3
78	Karnal	Moderate	181	PM _{2.5}	1
79	Katihar	Very Poor	320	PM _{2.5}	1
80	Katni	Poor	219	PM _{2.5}	1
81	Khanna	Satisfactory	79	PM ₁₀	1
82	Kishanganj	Very Poor	353	PM _{2.5}	1
83	Kochi	Moderate	165	PM _{2.5}	1
84	Kolkata	Very Poor	306	PM _{2.5}	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Ernakulam, Hubballi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Muzaffarnagar, Naharlagun, Siliguri, Solapur, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kollam	Moderate	105	PM ₁₀	1
86	Koppal	Satisfactory	71	O ₃	1
87	Kota	Poor	214	PM _{2.5}	1
88	Kozhikode	Good	50	PM ₁₀	1
89	Kurukshetra	Poor	203	PM _{2.5}	1
90	Lucknow	Poor	300	PM _{2.5}	5
91	Ludhiana	Satisfactory	69	PM _{2.5}	1
92	Madikeri	Satisfactory	60	PM ₁₀	1
93	Maihar	Good	49	со	1
94	Mandi Gobindgarh	Moderate	119	PM _{2.5}	1
95	Mandideep	Satisfactory	60	PM ₁₀	1
96	Mandikhera	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Ernakulam, Hubballi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Muzaffarnagar, Naharlagun, Siliguri, Solapur, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Very Poor	330	PM _{2.5}	1
98	Manglore	Satisfactory	58	PM _{2.5}	1
99	Meerut	Very Poor	306	PM _{2.5}	3
100	Moradabad	Moderate	200	PM _{2.5}	4
101	Motihari	Poor	283	PM _{2.5}	1
102	Mumbai	Moderate	110	PM ₁₀ , PM _{2.5}	17
103	Munger	Severe	441	PM _{2.5}	1
104	Muzaffarpur	Very Poor	370	PM _{2.5}	2
105	Mysuru	Satisfactory	74	O ₃	1
106	Nagpur	Satisfactory	82	СО	1
107	Nandesari	Satisfactory	78	СО	1
108	Narnaul	Poor	227	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Ernakulam, Hubballi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Muzaffarnagar, Naharlagun, Siliguri, Solapur, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nashik	Satisfactory	60	PM ₁₀	1
110	Navi Mumbai	Moderate	165	PM ₁₀ , PM _{2.5}	2
111	Noida	Very Poor	338	PM _{2.5} , PM ₁₀	4
112	Pali	Moderate	118	PM _{2.5}	1
113	Palwal	Moderate	130	PM ₁₀	1
114	Panchkula	Poor	261	PM _{2.5}	1
115	Panipat	Poor	232	PM ₁₀	1
116	Patiala	Moderate	102	PM ₁₀	1
117	Patna	Very Poor	372	PM _{2.5} , PM ₁₀	6
118	Pithampur	Moderate	133	PM _{2.5}	1
119	Prayagraj	Poor	264	PM _{2.5}	3
120	Puducherry	Satisfactory	99	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Ernakulam, Hubballi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Muzaffarnagar, Naharlagun, Siliguri, Solapur, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pune	Satisfactory	93	PM _{2.5} , SO ₂	3
122	Purnia	Very Poor	334	PM _{2.5}	1
123	Raichur	Moderate	132	PM ₁₀	1
124	Rajamahendravaram	Moderate	140	PM _{2.5}	1
125	Rajgir	Very Poor	373	PM _{2.5}	1
126	Ramanagara	Satisfactory	80	PM ₁₀	1
127	Ratlam	Satisfactory	87	PM ₁₀	1
128	Rohtak	Very Poor	364	PM _{2.5}	1
129	Rupnagar	Moderate	141	PM _{2.5}	1
130	Sagar	Satisfactory	78	PM _{2.5}	1
131	Saharsa	Very Poor	342	PM ₁₀	1
132	Sasaram	Very Poor	395	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Ernakulam, Hubballi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Muzaffarnagar, Naharlagun, Siliguri, Solapur, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Satna	Satisfactory	61	PM ₁₀	1
134	Shillong	Good	45	PM _{2.5}	1
135	Shivamogga	Satisfactory	51	PM ₁₀	1
136	Singrauli	Poor	295	PM _{2.5}	1
137	Sirsa	Moderate	116	PM ₁₀	1
138	Siwan	Severe	452	PM _{2.5}	1
139	Sonipat	Moderate	114	PM ₁₀	1
140	Srinagar	Very Poor	326	PM ₁₀	1
141	Talcher	Moderate	175	PM _{2.5}	1
142	Thane	Moderate	106	03	1
143	Thiruvananthapuram	Satisfactory	66	PM _{2.5}	1
144	Thoothukudi	Satisfactory	75	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Ernakulam, Hubballi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Muzaffarnagar, Naharlagun, Siliguri, Solapur, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Tirupati	Moderate	121	PM _{2.5}	1
146	Udaipur	Moderate	107	PM ₁₀	1
147	Ujjain	Moderate	155	PM ₁₀	1
148	Vapi	Moderate	157	PM _{2.5}	1
149	Varanasi	Moderate	151	PM _{2.5}	4
150	Vatva	Moderate	151	PM ₁₀	1
151	Vijayapura	Satisfactory	51	PM ₁₀	1
152	Visakhapatnam	Moderate	174	PM _{2.5}	1
153	Yadgir	Satisfactory	86	PM ₁₀	1
154	Yamunanagar	Poor	286	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Ernakulam, Hubballi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Muzaffarnagar, Naharlagun, Siliguri, Solapur, Thrissur, Udupi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.