

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	86	PM _{2.5}	1
2	Agra	Poor	248	PM _{2.5} , PM ₁₀	5
3	Ahmedabad	Moderate	140	PM _{2.5} , PM ₁₀	8
4	Aizawl	Good	17	со	1
5	Ajmer	Moderate	167	PM _{2.5}	1
6	Alwar	Moderate	112	PM ₁₀	1
7	Amaravati	Good	49	PM _{2.5}	1
8	Ambala	Poor	288	PM _{2.5}	1
9	Amritsar	Poor	294	PM _{2.5}	1
10	Ankleshwar	Very Poor	308	PM _{2.5}	1
11	Asansol	Moderate	158	03	1
12	Aurangabad	Satisfactory	52	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Gadag, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Panchkula, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	41	PM _{2.5}	1
14	Baghpat	Poor	299	PM _{2.5}	1
15	Bahadurgarh	Very Poor	341	PM _{2.5}	1
16	Ballabgarh	Poor	260	PM _{2.5}	1
17	Bengaluru	Satisfactory	61	CO, PM _{2.5} , NO ₂	8
18	Bhilai	Satisfactory	64	PM ₁₀	1
19	Bhiwadi	Very Poor	378	PM _{2.5}	1
20	Bhiwani	Poor	292	PM _{2.5}	1
21	Bhopal	Poor	277	PM _{2.5}	1
22	Bidar	Satisfactory	51	со	1
23	Bilaspur	Moderate	115	PM ₁₀	1
24	Brajrajnagar	Moderate	118	03	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Gadag, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Panchkula, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bulandshahr	Poor	272	PM _{2.5}	1
26	Chamarajanagar	Good	44	PM ₁₀	1
27	Chandigarh	Moderate	166	O ₃ , PM ₁₀	2
28	Chandrapur	Satisfactory	64	PM ₁₀	2
29	Chennai	Good	40	CO, PM ₁₀ , SO ₂	8
30	Chikkaballapur	Good	28	NO ₂	1
31	Chikkamagaluru	Good	29	со	1
32	Coimbatore	Satisfactory	92	NO ₂	1
33	Damoh	Poor	225	PM _{2.5}	1
34	Darbhanga	Very Poor	302	PM _{2.5}	1
35	Davanagere	Good	26	со	1
36	Delhi	Very Poor	347	PM _{2.5} , PM ₁₀	37

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Gadag, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Panchkula, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Dewas	Satisfactory	99	PM ₁₀	1
38	Dharuhera	Poor	282	PM _{2.5}	1
39	Durgapur	Very Poor	327	PM _{2.5}	1
40	Eloor	Good	48	со	1
41	Ernakulam	Satisfactory	79	со	1
42	Faridabad	Very Poor	349	PM ₁₀ , PM _{2.5}	4
43	Fatehabad	Very Poor	303	PM _{2.5}	1
44	Firozabad	Poor	258	PM _{2.5}	1
45	Gandhinagar	Moderate	112	PM _{2.5} , PM ₁₀	3
46	Gaya	Moderate	130	PM _{2.5}	2
47	Ghaziabad	Very Poor	360	PM _{2.5} , PM ₁₀	4
48	Gorakhpur	Very Poor	308	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Gadag, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Panchkula, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Greater Noida	Very Poor	308	PM _{2.5} , PM ₁₀	2
50	Gurugram	Very Poor	323	PM _{2.5}	4
51	Guwahati	Moderate	126	PM _{2.5}	2
52	Gwalior	Poor	265	PM _{2.5}	1
53	Hajipur	Poor	213	PM _{2.5}	1
54	Haldia	Moderate	139	PM _{2.5}	1
55	Hapur	Poor	247	PM _{2.5}	1
56	Hassan	Good	24	NO ₂	1
57	Hisar	Very Poor	365	PM _{2.5}	1
58	Howrah	Moderate	188	PM _{2.5}	3
59	Hubballi	Good	36	СО	1
60	Hyderabad	Satisfactory	74	PM ₁₀ , PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Gadag, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Panchkula, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Indore	Poor	217	PM _{2.5}	1
62	Jabalpur	Poor	299	PM _{2.5}	1
63	Jaipur	Poor	210	PM _{2.5}	3
64	Jalandhar	Poor	258	PM _{2.5}	1
65	Jind	Very Poor	310	PM _{2.5}	1
66	Jodhpur	Poor	271	PM _{2.5}	1
67	Kaithal	Poor	260	PM _{2.5}	1
68	Kalaburgi	Good	39	PM ₁₀	1
69	Kalyan	Moderate	143	PM _{2.5}	1
70	Kannur	Satisfactory	57	PM ₁₀	1
71	Kanpur	Poor	264	PM _{2.5}	4
72	Karnal	Poor	294	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Gadag, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Panchkula, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Katni	Very Poor	311	PM _{2.5}	1
74	Khanna	Moderate	164	PM _{2.5}	1
75	Kochi	Satisfactory	91	PM _{2.5}	1
76	Kohima	Satisfactory	69	PM ₁₀	1
77	Kolar	Good	42	SO ₂	1
78	Kolkata	Moderate	162	PM _{2.5} , PM ₁₀	7
79	Kollam	Moderate	108	PM ₁₀	1
80	Koppal	Satisfactory	53	СО	1
81	Kota	Very Poor	329	PM _{2.5}	1
82	Kozhikode	Good	45	PM ₁₀	1
83	Kurukshetra	Poor	275	PM _{2.5}	1
84	Lucknow	Poor	241	PM _{2.5} , PM ₁₀	6

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	sfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Gadag, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Panchkula, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ludhiana	Poor	258	PM _{2.5}	1
86	Mandi Gobindgarh	Poor	217	PM _{2.5}	1
87	Mandideep	Moderate	128	PM ₁₀	1
88	Mandikhera	Moderate	117	PM _{2.5}	1
89	Manesar	Very Poor	330	PM _{2.5}	1
90	Manglore	Satisfactory	68	PM ₁₀	1
91	Medikeri	Good	24	СО	1
92	Meerut	Poor	276	PM _{2.5}	3
93	Moradabad	Poor	296	PM _{2.5}	2
94	Motihari	Very Poor	314	PM _{2.5}	1
95	Mumbai	Satisfactory	81	PM ₁₀ , CO, PM _{2.5}	18
96	Munger	Poor	252	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Gadag, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Panchkula, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Muzaffarnagar	Poor	231	PM _{2.5}	1
98	Muzaffarpur	Poor	282	PM _{2.5} , PM ₁₀	3
99	Mysuru	Satisfactory	52	со	1
100	Naharlagun	Satisfactory	83	PM ₁₀	1
101	Nandesari	Satisfactory	55	PM _{2.5}	1
102	Narnaul	Very Poor	305	PM _{2.5}	1
103	Nashik	Satisfactory	53	PM _{2.5}	1
104	Navi Mumbai	Satisfactory	61	PM _{2.5} , PM ₁₀	3
105	Noida	Very Poor	336	PM _{2.5} , PM ₁₀	4
106	Pali	Moderate	180	PM _{2.5}	1
107	Palwal	Moderate	169	PM ₁₀	1
108	Panipat	Very Poor	340	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Gadag, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Panchkula, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Patiala	Poor	222	PM _{2.5}	1
110	Patna	Poor	259	PM _{2.5} , PM ₁₀	5
111	Pithampur	Moderate	182	PM _{2.5}	1
112	Prayagraj	Poor	255	PM _{2.5}	3
113	Puducherry	Good	28	03	1
114	Pune	Satisfactory	57	со	1
115	Raichur	Satisfactory	54	PM ₁₀	1
116	Rajamahendravaram	Satisfactory	72	PM ₁₀	1
117	Ramanagara	Good	33	PM ₁₀	1
118	Ratlam	Moderate	155	PM _{2.5}	1
119	Rohtak	Very Poor	351	PM _{2.5}	1
120	Rupnagar	Moderate	194	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Gadag, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Panchkula, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sagar	Moderate	135	PM _{2.5}	1
122	Sasaram	Moderate	168	PM _{2.5}	1
123	Satna	Satisfactory	65	PM ₁₀	1
124	Shillong	Good	12	SO ₂	1
125	Shivamogga	Good	41	PM ₁₀	1
126	Siliguri	Satisfactory	98	PM ₁₀	1
127	Singrauli	Poor	279	PM _{2.5}	1
128	Sirsa	Poor	256	PM _{2.5}	1
129	Solapur	Satisfactory	90	PM ₁₀	1
130	Sonipat	Poor	274	PM _{2.5}	1
131	Srinagar	Moderate	114	PM ₁₀	1
132	Talcher	Satisfactory	83	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Gadag, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Panchkula, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Thane	Moderate	135	PM ₁₀	1
134	Thiruvananthapuram	Satisfactory	65	PM ₁₀ , CO	2
135	Thoothukudi	Satisfactory	92	со	1
136	Tirupati	Good	46	со	1
137	Udaipur	Poor	263	PM _{2.5}	1
138	Ujjain	Poor	208	PM _{2.5}	1
139	Varanasi	Poor	240	PM _{2.5}	4
140	Vatva	Moderate	200	PM _{2.5}	1
141	Vijayapura	Good	47	PM ₁₀	1
142	Visakhapatnam	Moderate	132	PM _{2.5}	1
143	Vrindavan	Poor	269	PM _{2.5}	1
144	Yadgir	Good	33	SO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Gadag, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Panchkula, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Yamunanagar	Poor	292	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Gadag, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Panchkula, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.