Air Quality Index on Feb 11, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	276	$PM_{2.5}$	1
2	Ahmedabad	Moderate	173	$PM_{2.5}$	1
3	Ajmer	Satisfactory	100	PM_{10}	1
4	Alwar	Moderate	101	$PM_{2.5}$	1
5	Amaravati	Satisfactory	72	$PM_{2.5}$	1
6	Ambala	Moderate	191	$PM_{2.5}$	1
7	Amritsar	Moderate	178	$PM_{2.5}$	1
8	Ankleshwar	Moderate	167	$PM_{2.5}$	1
9	Asanol	Moderate	160	$PM_{2.5}$	1
10	Bagalkot	Satisfactory	70	PM_{10}	1
11	Bahadurgarh	Moderate	143	PM_{10}	1
12	Ballabgarh	Very Poor	396	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Chikkaballapur, Ernakulam, GandhiNagar, Haldia, Hubballi, Jodhpur, Manesar, Moradabad, Muzaffarnagar, Nagpur, Rajamahendravaram, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 11, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	196	$PM_{2.5}$	1
14	Bengaluru	Satisfactory	66	PM_{10}, O_3, $PM_{2.5}$	7
15	Bhiwadi	Very Poor	323	$PM_{2.5}$	1
16	Bhiwani	Poor	243	$PM_{2.5}$	1
17	Bhopal	Moderate	102	O_3	1
18	Brajrajnagar	Moderate	158	$PM_{2.5}$	1
19	Bulandshahr	Very Poor	341	$PM_{2.5}$	1
20	Chandigarh	Moderate	110	PM_{10}	1
21	Chandrapur	Satisfactory	90	$PM_{2.5}$	1
22	Chennai	Satisfactory	64	PM_{10}, $PM_{2.5}$, NO_2	4
23	Chikkamagaluru	Satisfactory	71	PM_{10}	1
24	Coimbatore	Satisfactory	62	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Chikkaballapur, Ernakulam, GandhiNagar, Haldia, Hubballi, Jodhpur, Manesar, Moradabad, Muzaffarnagar, Nagpur, Rajamahendravaram, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 11, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Satisfactory	89	PM_{10}	1
26	Delhi	Very Poor	323	$PM_{2.5}$	34
27	Dewas	Moderate	106	PM_{10}	1
28	Dharuhera	Poor	280	PM_{10}	1
29	Eloor	Satisfactory	94	PM_{10}	1
30	Faridabad	Poor	274	$PM_{2.5}$	1
31	Fatehabad	Moderate	130	PM_{10}	1
32	Gaya	Poor	254	$PM_{2.5}$	1
33	Ghaziabad	Very Poor	345	$PM_{2.5}$	4
34	Greater_Noida	Very Poor	338	PM_{10}, $PM_{2.5}$	2
35	Gurugram	Poor	282	$PM_{2.5}$	2
36	Guwahati	Poor	235	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Chikkaballapur, Ernakulam, GandhiNagar, Haldia, Hubballi, Jodhpur, Manesar, Moradabad, Muzaffarnagar, Nagpur, Rajamahendravaram, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 11, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gwalior	Poor	268	$PM_{2.5}$	2
38	Hapur	Moderate	157	PM_{10}	1
39	Hisar	Poor	262	$PM_{2.5}$	1
40	Howrah	Poor	245	$PM_{2.5}$	3
41	Hyderabad	Satisfactory	75	$PM_{2.5}$, PM_{10}	6
42	Indore	Moderate	125	$PM_{2.5}$	1
43	Jabalpur	Moderate	158	$PM_{2.5}$	1
44	Jaipur	Moderate	122	$PM_{2.5}$, O_3	2
45	Jalandhar	Moderate	182	$PM_{2.5}$	1
46	Jind	Poor	267	$PM_{2.5}$	1
47	Jorapokhar	Moderate	193	$PM_{2.5}$	1
48	Kaithal	Moderate	192	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Chikkaballapur, Ernakulam, GandhiNagar, Haldia, Hubballi, Jodhpur, Manesar, Moradabad, Muzaffarnagar, Nagpur, Rajamahendravaram, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 11, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalaburgi	Satisfactory	77	PM_{10}	1
50	Kalyan	Moderate	141	PM_{10}	1
51	Kannur	Satisfactory	80	PM_{10}	1
52	Kanpur	Poor	287	$PM_{2.5}$	1
53	Karnal	Poor	260	$PM_{2.5}$	1
54	Katni	Moderate	167	$PM_{2.5}$	1
55	Khanna	Satisfactory	71	PM_{10}	1
56	Kochi	Moderate	109	PM_{10}	1
57	Kolkata	Poor	227	$PM_{2.5}, O_3$	6
58	Kota	Moderate	111	PM_{10}	1
59	Kozhikode	Satisfactory	67	CO	1
60	Kurukshetra	Poor	205	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Chikkaballapur, Ernakulam, GandhiNagar, Haldia, Hubballi, Jodhpur, Manesar, Moradabad, Muzaffarnagar, Nagpur, Rajamahendravaram, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 11, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Lucknow	Poor	254	$PM_{2.5}$	4
62	Ludhiana	Satisfactory	98	PM_{10}	1
63	Maihar	Satisfactory	78	PM_{10}	1
64	Mandi Gobindgarh	Poor	228	$PM_{2.5}$	1
65	Mandideep	Satisfactory	81	PM_{10}	1
66	Mandikhera	Moderate	170	$PM_{2.5}$	1
67	Meerut	Poor	289	$PM_{2.5}$	3
68	Mumbai	Moderate	139	O_3, PM_{10}	8
69	Muzaffarpur	Poor	291	$PM_{2.5}$	1
70	Mysuru	Satisfactory	51	O_3	1
71	Narnaul	Moderate	189	$PM_{2.5}$	1
72	Nashik	Satisfactory	78	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Chikkaballapur, Ernakulam, GandhiNagar, Haldia, Hubballi, Jodhpur, Manesar, Moradabad, Muzaffarnagar, Nagpur, Rajamahendravaram, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 11, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Navi Mumbai	Moderate	118	PM_{10}, $PM_{2.5}$, CO	3
74	Noida	Very Poor	337	$PM_{2.5}$	4
75	Pali	Moderate	155	O_3	1
76	Palwal	Poor	294	$PM_{2.5}$	1
77	Panchkula	Satisfactory	64	$PM_{2.5}$	1
78	Panipat	Very Poor	313	PM_{10}	1
79	Patiala	Moderate	140	$PM_{2.5}$	1
80	Patna	Poor	232	$PM_{2.5}$	4
81	Pithampur	Moderate	121	$PM_{2.5}$	1
82	Pune	Satisfactory	75	$PM_{2.5}$	1
83	Ramanagara	Satisfactory	51	PM_{10}	1
84	Ratlam	Moderate	118	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Chikkaballapur, Ernakulam, GandhiNagar, Haldia, Hubballi, Jodhpur, Manesar, Moradabad, Muzaffarnagar, Nagpur, Rajamahendravaram, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 11, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rohtak	Poor	235	$PM_{2.5}$	1
86	Rupnagar	Moderate	104	PM_{10}	1
87	Sagar	Satisfactory	66	CO	1
88	Satna	Moderate	161	PM_{10}	1
89	Shillong	Satisfactory	81	$PM_{2.5}$	1
90	Siliguri	Poor	260	$PM_{2.5}$	1
91	Singrauli	Poor	293	$PM_{2.5}$	1
92	Sirsa	Moderate	121	PM_{10}	1
93	Solapur	Moderate	105	PM_{10}	1
94	Sonipat	Moderate	150	PM_{10}	1
95	Talcher	Poor	260	$PM_{2.5}$	1
96	Thane	Satisfactory	96	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Chikkaballapur, Ernakulam, GandhiNagar, Haldia, Hubballi, Jodhpur, Manesar, Moradabad, Muzaffarnagar, Nagpur, Rajamahendravaram, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 11, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Thiruvananthapuram	Satisfactory	69	PM_{10}	1
98	Tirupati	Good	43	$PM_{2.5}$	1
99	Udaipur	Moderate	132	$PM_{2.5}$	1
100	Ujjain	Moderate	109	PM_{10}	1
101	Vapi	Poor	232	$PM_{2.5}$	1
102	Varanasi	Poor	258	$PM_{2.5}$	1
103	Vatva	Moderate	164	$PM_{2.5}$	1
104	Vijayapura	Satisfactory	83	$PM_{2.5}$	1
105	Visakhapatnam	Satisfactory	93	PM_{10}	1
106	Yamunanagar	Poor	260	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Chikkaballapur, Ernakulam, GandhiNagar, Haldia, Hubballi, Jodhpur, Manesar, Moradabad, Muzaffarnagar, Nagpur, Rajamahendravaram, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.