

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	133	PM _{2.5}	1
2	Agra	Moderate	161	PM _{2.5}	1
3	Ahmedabad	Moderate	152	03	1
4	Aizawl	Satisfactory	73	PM ₁₀	1
5	Ajmer	Satisfactory	79	PM ₁₀	1
6	Alwar	Satisfactory	66	PM ₁₀	1
7	Amaravati	Satisfactory	59	PM ₁₀	1
8	Ambala	Satisfactory	100	PM ₁₀	1
9	Ankleshwar	Moderate	146	PM ₁₀	1
10	Asansol	Moderate	152	PM _{2.5}	1
11	Aurangabad	Satisfactory	98	PM _{2.5}	1
12	Bagalkot	Satisfactory	53	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Bathinda, Bidar, Brajrajnagar, Coimbatore, Durgapur, Gadag, Jorapokhar, Kalaburgi, Kalyan, Maihar, Moradabad, Nandesari, Ramanagara, Rupnagar, Satna, Shillong, Solapur, Thoothukudi, Thrissur, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	317	PM ₁₀	1
14	Bahadurgarh	Poor	231	PM _{2.5}	1
15	Ballabgarh	Moderate	192	PM _{2.5}	1
16	Bengaluru	Satisfactory	82	PM _{2.5} , PM ₁₀ , NO ₂	6
17	Bhiwadi	Poor	214	PM _{2.5}	1
18	Bhiwani	Moderate	133	PM ₁₀	1
19	Bhopal	Moderate	126	03	1
20	Bulandshahr	Poor	218	03	1
21	Chamarajanagar	Satisfactory	73	PM _{2.5}	1
22	Chandigarh	Satisfactory	80	PM ₁₀	1
23	Chandrapur	Satisfactory	96	PM ₁₀	2
24	Charkhi Dadri	Moderate	135	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bathinda, Bidar, Brajrajnagar, Coimbatore, Durgapur, Gadag, Jorapokhar, Kalaburgi, Kalyan, Maihar, Moradabad, Nandesari, Ramanagara, Rupnagar, Satna, Shillong, Solapur, Thoothukudi, Thrissur, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Good	46	O ₃ , PM ₁₀ , CO	4
26	Chikkaballapur	Satisfactory	91	PM _{2.5}	1
27	Chikkamagaluru	Good	48	PM ₁₀	1
28	Damoh	Good	48	PM _{2.5}	1
29	Davanagere	Satisfactory	61	PM ₁₀	1
30	Delhi	Poor	256	PM _{2.5} , PM ₁₀	30
31	Dewas	Satisfactory	94	PM ₁₀	1
32	Dharuhera	Poor	208	PM ₁₀	1
33	Eloor	Good	47	со	1
34	Ernakulam	Satisfactory	54	со	1
35	Faridabad	Poor	211	PM _{2.5} , O ₃ , PM ₁₀	4
36	Fatehabad	Moderate	163	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bathinda, Bidar, Brajrajnagar, Coimbatore, Durgapur, Gadag, Jorapokhar, Kalaburgi, Kalyan, Maihar, Moradabad, Nandesari, Ramanagara, Rupnagar, Satna, Shillong, Solapur, Thoothukudi, Thrissur, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Satisfactory	68	PM ₁₀	1
38	Gaya	Moderate	172	O ₃ , PM _{2.5}	2
39	Ghaziabad	Poor	283	PM ₁₀ , PM _{2.5}	4
40	Greater Noida	Poor	269	PM ₁₀	1
41	Gummidipoondi	Satisfactory	81	PM _{2.5}	1
42	Gurugram	Poor	206	PM _{2.5}	3
43	Guwahati	Moderate	174	PM _{2.5}	1
44	Gwalior	Moderate	136	O ₃	1
45	Hajipur	Moderate	153	PM ₁₀	1
46	Haldia	Satisfactory	87	PM ₁₀	1
47	Hapur	Moderate	163	O ₃	1
48	Hassan	Satisfactory	86	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bathinda, Bidar, Brajrajnagar, Coimbatore, Durgapur, Gadag, Jorapokhar, Kalaburgi, Kalyan, Maihar, Moradabad, Nandesari, Ramanagara, Rupnagar, Satna, Shillong, Solapur, Thoothukudi, Thrissur, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Moderate	192	PM _{2.5}	1
50	Howrah	Satisfactory	92	PM ₁₀	3
51	Hubballi	Satisfactory	69	O ₃	1
52	Hyderabad	Satisfactory	81	PM ₁₀ , PM _{2.5}	5
53	Indore	Satisfactory	94	PM ₁₀	1
54	Jabalpur	Satisfactory	97	O ₃	1
55	Jaipur	Satisfactory	91	PM _{2.5} , PM ₁₀ , O ₃	3
56	Jalandhar	Moderate	180	PM _{2.5}	1
57	Jind	Poor	243	PM _{2.5}	1
58	Jodhpur	Moderate	169	PM _{2.5}	1
59	Kaithal	Moderate	136	PM ₁₀	1
60	Kannur	Moderate	107	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bathinda, Bidar, Brajrajnagar, Coimbatore, Durgapur, Gadag, Jorapokhar, Kalaburgi, Kalyan, Maihar, Moradabad, Nandesari, Ramanagara, Rupnagar, Satna, Shillong, Solapur, Thoothukudi, Thrissur, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Satisfactory	66	O ₃ , PM _{2.5}	2
62	Karnal	Satisfactory	96	PM _{2.5}	1
63	Katni	Moderate	120	PM ₁₀	1
64	Khanna	Moderate	102	PM ₁₀	1
65	Kochi	Satisfactory	57	PM ₁₀	1
66	Kohima	Moderate	111	PM ₁₀	1
67	Kolar	Satisfactory	60	СО	1
68	Kolkata	Moderate	102	O ₃ , PM ₁₀ , PM _{2.5}	7
69	Kollam	Moderate	114	PM _{2.5}	1
70	Koppal	Satisfactory	63	со	1
71	Kota	Moderate	130	PM _{2.5}	1
72	Kozhikode	Satisfactory	86	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Bathinda, Bidar, Brajrajnagar, Coimbatore, Durgapur, Gadag, Jorapokhar, Kalaburgi, Kalyan, Maihar, Moradabad, Nandesari, Ramanagara, Rupnagar, Satna, Shillong, Solapur, Thoothukudi, Thrissur, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Poor	226	PM _{2.5}	1
74	Lucknow	Moderate	134	PM _{2.5} , PM ₁₀ , O ₃	4
75	Ludhiana	Satisfactory	96	PM ₁₀	1
76	Mandi Gobindgarh	Moderate	153	PM _{2.5}	1
77	Mandideep	Good	43	PM ₁₀	1
78	Mandikhera	Satisfactory	78	PM ₁₀	1
79	Manesar	Poor	221	PM _{2.5}	1
80	Manglore	Satisfactory	56	PM ₁₀	1
81	Medikeri	Satisfactory	52	PM ₁₀	1
82	Meerut	Poor	238	PM ₁₀	2
83	Mumbai	Moderate	129	PM _{2.5} , PM ₁₀	19
84	Muzaffarnagar	Moderate	188	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Bathinda, Bidar, Brajrajnagar, Coimbatore, Durgapur, Gadag, Jorapokhar, Kalaburgi, Kalyan, Maihar, Moradabad, Nandesari, Ramanagara, Rupnagar, Satna, Shillong, Solapur, Thoothukudi, Thrissur, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Moderate	147	PM _{2.5} , PM ₁₀	2
86	Mysuru	Satisfactory	62	O ₃	1
87	Nagpur	Satisfactory	82	PM _{2.5}	1
88	Naharlagun	Moderate	105	PM ₁₀	1
89	Narnaul	Moderate	190	PM ₁₀	1
90	Nashik	Satisfactory	82	O ₃	1
91	Navi Mumbai	Moderate	136	PM ₁₀	3
92	Noida	Poor	248	PM ₁₀	3
93	Pali	Moderate	169	PM _{2.5}	1
94	Palwal	Poor	206	PM _{2.5}	1
95	Panchkula	Good	37	NO ₂	1
96	Panipat	Moderate	195	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bathinda, Bidar, Brajrajnagar, Coimbatore, Durgapur, Gadag, Jorapokhar, Kalaburgi, Kalyan, Maihar, Moradabad, Nandesari, Ramanagara, Rupnagar, Satna, Shillong, Solapur, Thoothukudi, Thrissur, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Moderate	103	PM ₁₀	1
98	Patna	Moderate	175	O ₃ , PM _{2.5} , PM ₁₀	4
99	Pithampur	Moderate	102	O ₃	1
100	Puducherry	Good	46	PM ₁₀	1
101	Pune	Satisfactory	74	PM _{2.5} , PM ₁₀ , CO	8
102	Raichur	Satisfactory	74	PM ₁₀	1
103	Rajamahendravaram	Satisfactory	60	PM ₁₀	1
104	Ratlam	Satisfactory	97	PM ₁₀	1
105	Rohtak	Moderate	189	PM _{2.5}	1
106	Sagar	Satisfactory	68	PM _{2.5}	1
107	Shivamogga	Satisfactory	62	O ₃	1
108	Siliguri	Moderate	166	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bathinda, Bidar, Brajrajnagar, Coimbatore, Durgapur, Gadag, Jorapokhar, Kalaburgi, Kalyan, Maihar, Moradabad, Nandesari, Ramanagara, Rupnagar, Satna, Shillong, Solapur, Thoothukudi, Thrissur, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Singrauli	Poor	263	PM ₁₀	1
110	Sirsa	Moderate	120	PM ₁₀	1
111	Sonipat	Poor	224	PM ₁₀	1
112	Srinagar	Satisfactory	83	PM ₁₀	1
113	Talcher	Moderate	104	PM ₁₀	1
114	Thane	Poor	204	PM ₁₀	1
115	Thiruvananthapuram	Good	46	O ₃ , PM ₁₀	2
116	Udaipur	Satisfactory	100	PM ₁₀	1
117	Ujjain	Moderate	166	O ₃	1
118	Vapi	Moderate	146	PM ₁₀	1
119	Varanasi	Poor	248	O ₃	1
120	Vatva	Poor	203	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bathinda, Bidar, Brajrajnagar, Coimbatore, Durgapur, Gadag, Jorapokhar, Kalaburgi, Kalyan, Maihar, Moradabad, Nandesari, Ramanagara, Rupnagar, Satna, Shillong, Solapur, Thoothukudi, Thrissur, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Visakhapatnam	Satisfactory	82	PM ₁₀	1
122	Yadgir	Moderate	112	03	1
123	Yamunanagar	Moderate	180	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bathinda, Bidar, Brajrajnagar, Coimbatore, Durgapur, Gadag, Jorapokhar, Kalaburgi, Kalyan, Maihar, Moradabad, Nandesari, Ramanagara, Rupnagar, Satna, Shillong, Solapur, Thoothukudi, Thrissur, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.