

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	42	PM ₁₀	1
2	Agra	Satisfactory	67	03	6
3	Ahmedabad	Satisfactory	68	PM ₁₀	7
4	Aizawl	Good	15	PM ₁₀	1
5	Ajmer	Satisfactory	81	PM ₁₀	1
6	Akola	Good	39	PM ₁₀	1
7	Alwar	Satisfactory	81	PM ₁₀	1
8	Amaravati	Good	29	NO ₂	1
9	Ambala	Good	37	PM ₁₀	1
10	Amravati	Good	36	O ₃ , PM ₁₀	2
11	Amritsar	Satisfactory	85	PM _{2.5}	1
12	Anantapur	Good	31	O ₃	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah, Aurangabad (Bihar), Bhilwara, Bidar, Bihar Sharif, Boisar, Brajrajnagar,

Buxar, Chandrapur, Coimbatore, Darbhanga, Dharuhera, Dhule, Eloor

Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Katihar, Kishanganj, Kolhapur, Kollam, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Puducherry, Rajgir, Ramanathapuram, Salem, Sasaram, Sirsa, Surat, Tonk, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ankleshwar	Moderate	114	O ₃	1
14	Ariyalur	Good	33	NO ₂	1
15	Asansol	Good	46	PM ₁₀	1
16	Aurangabad (Maharashtra)	Satisfactory	54	O ₃ , PM ₁₀	3
17	Baddi	Satisfactory	83	PM ₁₀	1
18	Badlapur	Satisfactory	59	PM ₁₀	1
19	Bagalkot	Good	46	PM ₁₀	1
20	Baghpat	Satisfactory	78	O ₃	1
21	Bahadurgarh	Satisfactory	67	PM ₁₀	1
22	Ballabgarh	Satisfactory	66	PM ₁₀	1
23	Banswara	Satisfactory	87	PM ₁₀	1
24	Baran	Moderate	103	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah, Aurangabad (Bihar), Bhilwara, Bidar, Bihar Sharif, Boisar, Brajrajnagar,

Buxar, Chandrapur, Coimbatore, Darbhanga, Dharuhera, Dhule, Eloor

Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Katihar, Kishanganj, Kolhapur, Kollam, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Puducherry, Rajgir, Ramanathapuram, Salem, Sasaram, Sirsa, Surat, Tonk, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Good	42	PM _{2.5} , O ₃	2
26	Baripada	Satisfactory	52	PM ₁₀	1
27	Barmer	Satisfactory	71	PM ₁₀	1
28	Bathinda	Satisfactory	67	со	1
29	Begusarai	Poor	297	PM _{2.5}	1
30	Belapur	Satisfactory	56	СО	1
31	Belgaum	Good	46	СО	1
32	Bengaluru	Good	36	PM ₁₀	12
33	Bettiah	Moderate	102	СО	1
34	Bhagalpur	Satisfactory	82	со	2
35	Bharatpur	Satisfactory	63	O ₃	1
36	Bhilai	Good	36	PM _{2.5} , CO	3

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah, Aurangabad (Bihar), Bhilwara, Bidar, Bihar Sharif, Boisar, Brajrajnagar,

Buxar, Chandrapur, Coimbatore, Darbhanga, Dharuhera, Dhule, Eloor

Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Katihar, Kishanganj, Kolhapur, Kollam, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Puducherry, Rajgir, Ramanathapuram, Salem, Sasaram, Sirsa, Surat, Tonk, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwadi	Moderate	122	PM ₁₀	1
38	Bhiwandi	Moderate	118	PM _{2.5}	1
39	Bhiwani	Satisfactory	70	PM _{2.5}	1
40	Bhopal	Satisfactory	60	PM ₁₀	3
41	Bikaner	Satisfactory	84	PM ₁₀	1
42	Bilaspur	Satisfactory	94	со	1
43	Bileipada	Satisfactory	72	PM ₁₀	1
44	Bulandshahr	Satisfactory	66	PM ₁₀	1
45	Bundi	Moderate	102	PM ₁₀	1
46	Byrnihat	Poor	228	PM ₁₀	1
47	Chamarajanagar	Good	41	PM ₁₀	1
48	Chandigarh	Satisfactory	74	PM ₁₀	3

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah, Aurangabad (Bihar), Bhilwara, Bidar, Bihar Sharif, Boisar, Brajrajnagar,

Buxar, Chandrapur, Coimbatore, Darbhanga, Dharuhera, Dhule, Eloor,

Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Katihar, Kishanganj, Kolhapur, Kollam, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Puducherry, Rajgir, Ramanathapuram, Salem, Sasaram, Sirsa, Surat, Tonk, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Charkhi Dadri	Satisfactory	68	со	1
50	Chengalpattu	Satisfactory	51	со	1
51	Chennai	Satisfactory	64	со	7
52	Chhal	Good	47	PM ₁₀	1
53	Chhapra	Satisfactory	96	со	1
54	Chikkaballapur	Good	38	03	1
55	Chikkamagaluru	Good	21	PM ₁₀	1
56	Chittoor	Good	43	03	1
57	Chittorgarh	Satisfactory	72	PM ₁₀	1
58	Churu	Satisfactory	75	03	1
59	Cuddalore	Moderate	143	NO ₂	1
60	Damoh	Good	22	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah, Aurangabad (Bihar), Bhilwara, Bidar, Bihar Sharif, Boisar, Brajrajnagar,

-Buxar, Chandrapur, Coimbatore, Darbhanga, Dharuhera, Dhule, Eloor,

Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Katihar, Kishanganj, Kolhapur, Kollam, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Puducherry, Rajgir, Ramanathapuram, Salem, Sasaram, Sirsa, Surat, Tonk, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dausa	Satisfactory	83	PM ₁₀	1
62	Davanagere	Good	16	O ₃	1
63	Dehradun	Satisfactory	74	со	1
64	Delhi	Satisfactory	96	NO ₂ , PM ₁₀	36
65	Dewas	Poor	213	PM ₁₀	1
66	Dhanbad	Moderate	174	со	1
67	Dharwad	Good	42	со	1
68	Dholpur	Satisfactory	85	PM ₁₀	1
69	Dindigul	Good	41	SO ₂	1
70	Durgapur	Good	40	PM ₁₀	1
71	Faridabad	Severe	459	PM ₁₀	3
72	Fatehabad	Moderate	140	PM ₁₀	1

Notes:

 * AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah, Aurangabad (Bihar), Bhilwara, Bidar, Bihar Sharif, Boisar, Brajrajnagar,

Buxar, Chandrapur, Coimbatore, Darbhanga, Dharuhera, Dhule, Eloor,

Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Katihar, Kishanganj, Kolhapur, Kollam, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Puducherry, Rajgir, Ramanathapuram, Salem, Sasaram, Sirsa, Surat, Tonk, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Firozabad	Satisfactory	59	PM _{2.5}	2
74	Gadag	Good	46	SO ₂	1
75	Gandhinagar	Satisfactory	72	PM _{2.5} , PM ₁₀	3
76	Gangtok	Satisfactory	51	SO ₂	1
77	Gaya	Satisfactory	71	03	3
78	Ghaziabad	Satisfactory	100	PM ₁₀	4
79	Gorakhpur	Satisfactory	61	PM _{2.5}	1
80	Greater Noida	Moderate	108	PM ₁₀	2
81	Gurugram	Moderate	117	PM _{2.5}	4
82	Guwahati	Satisfactory	62	CO, SO ₂	4
83	Gwalior	Satisfactory	56	PM _{2.5}	3
84	Hajipur	Good	40	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah, Aurangabad (Bihar), Bhilwara, Bidar, Bihar Sharif, Boisar, Brajrajnagar,

Buxar, Chandrapur, Coimbatore, Darbhanga, Dharuhera, Dhule, Eloor

Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Katihar, Kishanganj, Kolhapur, Kollam, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Puducherry, Rajgir, Ramanathapuram, Salem, Sasaram, Sirsa, Surat, Tonk, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Haldia	Good	49	03	1
86	Hanumangarh	Moderate	162	PM ₁₀	1
87	Hapur	Satisfactory	59	PM _{2.5}	1
88	Haveri	Good	46	со	1
89	Howrah	Good	46	NO ₂	2
90	Hubballi	Good	26	PM ₁₀	2
91	Hyderabad	Satisfactory	57	PM ₁₀ , NO ₂	13
92	Indore	Satisfactory	61	PM ₁₀	1
93	Jabalpur	Satisfactory	79	O ₃	3
94	Jaipur	Satisfactory	76	O ₃ , PM ₁₀	6
95	Jaisalmer	Satisfactory	93	PM ₁₀	1
96	Jalandhar	Good	46	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah, Aurangabad (Bihar), Bhilwara, Bidar, Bihar Sharif, Boisar, Brajrajnagar,

Buxar, Chandrapur, Coimbatore, Darbhanga, Dharuhera, Dhule, Eloor,

Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Katihar, Kishanganj, Kolhapur, Kollam, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Puducherry, Rajgir, Ramanathapuram, Salem, Sasaram, Sirsa, Surat, Tonk, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalgaon	Satisfactory	85	PM ₁₀	1
98	Jalna	Good	24	PM ₁₀	1
99	Jhalawar	Satisfactory	62	03	1
100	Jhansi	Satisfactory	82	PM ₁₀	1
101	Jhunjhunu	Moderate	177	03	1
102	Jind	Moderate	103	PM _{2.5}	1
103	Jodhpur	Satisfactory	98	PM _{2.5}	5
104	Kadapa	Good	31	NO ₂	1
105	Kaithal	Satisfactory	65	PM _{2.5}	1
106	Kalyan	Poor	246	PM _{2.5}	1
107	Kanchipuram	Good	19	SO ₂	1
108	Kanpur	Satisfactory	66	со	3

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah, Aurangabad (Bihar), Bhilwara, Bidar, Bihar Sharif, Boisar, Brajrajnagar,

Buxar, Chandrapur, Coimbatore, Darbhanga, Dharuhera, Dhule, Eloor

Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Katihar, Kishanganj, Kolhapur, Kollam, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Puducherry, Rajgir, Ramanathapuram, Salem, Sasaram, Sirsa, Surat, Tonk, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karauli	Moderate	196	O ₃	1
110	Karnal	Good	48	PM ₁₀	1
111	Kashipur	Good	50	PM ₁₀	1
112	Katni	Satisfactory	65	PM ₁₀	1
113	Keonjhar	Good	47	PM ₁₀	1
114	Khanna	Satisfactory	73	PM ₁₀	1
115	Khurja	Moderate	115	PM _{2.5}	1
116	Kochi	Satisfactory	75	СО	1
117	Kohima	Good	43	SO ₂	1
118	Kolar	Good	22	PM ₁₀	1
119	Kolkata	Good	30	O ₃ , PM ₁₀	7
120	Koppal	Satisfactory	89	O ₃	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah, Aurangabad (Bihar), Bhilwara, Bidar, Bihar Sharif, Boisar, Brajrajnagar,

Buxar, Chandrapur, Coimbatore, Darbhanga, Dharuhera, Dhule, Eloor,

Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Katihar, Kishanganj, Kolhapur, Kollam, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Puducherry, Rajgir, Ramanathapuram, Salem, Sasaram, Sirsa, Surat, Tonk, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Korba	Good	44	NO ₂ , PM ₁₀	2
122	Kota	Satisfactory	88	PM ₁₀ , PM _{2.5}	3
123	Kunjemura	Good	49	PM ₁₀	1
124	Kurukshetra	Satisfactory	58	03	1
125	Latur	Good	39	PM ₁₀	1
126	Lucknow	Good	44	PM _{2.5}	6
127	Ludhiana	Satisfactory	96	PM ₁₀	1
128	Mahad	Good	44	PM ₁₀	1
129	Maihar	Good	43	PM ₁₀	1
130	Mandi Gobindgarh	Satisfactory	55	PM ₁₀	1
131	Mandideep	Moderate	102	O ₃	1
132	Mandikhera	Satisfactory	54	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah, Aurangabad (Bihar), Bhilwara, Bidar, Bihar Sharif, Boisar, Brajrajnagar,

-Buxar, Chandrapur, Coimbatore, Darbhanga, Dharuhera, Dhule, Eloor,

Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Katihar, Kishanganj, Kolhapur, Kollam, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Puducherry, Rajgir, Ramanathapuram, Salem, Sasaram, Sirsa, Surat, Tonk, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Manesar	Satisfactory	75	PM ₁₀	1
134	Mangalore	Satisfactory	67	PM ₁₀	1
135	Manguraha	Poor	235	03	1
136	Meerut	Satisfactory	68	CO, NO ₂	3
137	Moradabad	Satisfactory	68	PM _{2.5}	6
138	Motihari	Good	35	NO ₂	1
139	Mumbai	Satisfactory	65	PM _{2.5} , PM ₁₀	20
140	Munger	Satisfactory	53	PM ₁₀	1
141	Muzaffarpur	Satisfactory	99	СО	3
142	Mysuru	Good	37	03	1
143	Nagaon	Good	49	PM ₁₀	1
144	Nagaur	Satisfactory	80	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah, Aurangabad (Bihar), Bhilwara, Bidar, Bihar Sharif, Boisar, Brajrajnagar,

Buxar, Chandrapur, Coimbatore, Darbhanga, Dharuhera, Dhule, Eloor,

Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Katihar, Kishanganj, Kolhapur, Kollam, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Puducherry, Rajgir, Ramanathapuram, Salem, Sasaram, Sirsa, Surat, Tonk, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nagpur	Good	46	PM ₁₀ , O ₃	4
146	Naharlagun	Good	27	PM ₁₀	1
147	Nalbari	Satisfactory	57	PM ₁₀	1
148	Nanded	Satisfactory	56	03	1
149	Nashik	Good	41	PM ₁₀	4
150	Navi Mumbai	Satisfactory	66	NO ₂	3
151	Nayagarh	Good	50	PM ₁₀	1
152	Noida	Moderate	112	CO, NO ₂	4
153	Ooty	Satisfactory	51	SO ₂	1
154	Pali	Moderate	144	PM ₁₀	1
155	Palkalaiperur	Satisfactory	66	SO ₂	1
156	Palwal	Good	30	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah, Aurangabad (Bihar), Bhilwara, Bidar, Bihar Sharif, Boisar, Brajrajnagar,

Buxar, Chandrapur, Coimbatore, Darbhanga, Dharuhera, Dhule, Eloor,

Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Katihar, Kishanganj, Kolhapur, Kollam, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Puducherry, Rajgir, Ramanathapuram, Salem, Sasaram, Sirsa, Surat, Tonk, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Panchkula	Satisfactory	61	PM _{2.5}	1
158	Panipat	Satisfactory	69	PM ₁₀	1
159	Parbhani	Good	33	03	1
160	Patiala	Satisfactory	53	PM ₁₀	1
161	Patna	Satisfactory	80	O ₃ , PM _{2.5}	6
162	Pimpri Chinchwad	Good	39	PM ₁₀	3
163	Pithampur	Satisfactory	58	PM ₁₀	1
164	Pratapgarh	Satisfactory	72	PM ₁₀	1
165	Prayagraj	Satisfactory	66	PM _{2.5} , PM ₁₀	3
166	Pune	Satisfactory	95	NO ₂ , CO	4
167	Purnia	Satisfactory	80	со	1
168	Raichur	Satisfactory	63	O ₃	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah, Aurangabad (Bihar), Bhilwara, Bidar, Bihar Sharif, Boisar, Brajrajnagar,

Buxar, Chandrapur, Coimbatore, Darbhanga, Dharuhera, Dhule, Eloor

Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Katihar, Kishanganj, Kolhapur, Kollam, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Puducherry, Rajgir, Ramanathapuram, Salem, Sasaram, Sirsa, Surat, Tonk, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Raipur	Satisfactory	55	PM ₁₀ , NO ₂	3
170	Rairangpur	Good	50	PM ₁₀	1
171	Rajamahendravaram	Good	26	со	1
172	Rajsamand	Moderate	140	PM _{2.5}	1
173	Ramanagara	Good	38	03	1
174	Ratlam	Satisfactory	57	PM ₁₀	1
175	Rishikesh	Good	40	O ₃	1
176	Rohtak	Satisfactory	94	PM _{2.5}	1
177	Rourkela	Satisfactory	77	PM ₁₀	2
178	Rupnagar	Moderate	148	PM ₁₀	1
179	Sagar	Satisfactory	62	O ₃	1
180	Saharsa	Satisfactory	63	O ₃	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah, Aurangabad (Bihar), Bhilwara, Bidar, Bihar Sharif, Boisar, Brajrajnagar,

Buxar, Chandrapur, Coimbatore, Darbhanga, Dharuhera, Dhule, Eloor

Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Katihar, Kishanganj, Kolhapur, Kollam, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Puducherry, Rajgir, Ramanathapuram, Salem, Sasaram, Sirsa, Surat, Tonk, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Samastipur	Satisfactory	83	PM ₁₀	1
182	Sangli	Good	41	PM ₁₀	1
183	Satna	Satisfactory	58	PM ₁₀	1
184	Sawai Madhopur	Satisfactory	99	PM _{2.5}	1
185	Shillong	Good	24	PM _{2.5}	1
186	Shivamogga	Satisfactory	69	O ₃	1
187	Sikar	Satisfactory	89	O ₃	1
188	Silchar	Good	38	СО	1
189	Siliguri	Good	40	PM ₁₀	1
190	Singrauli	Satisfactory	64	PM ₁₀	1
191	Sirohi	Satisfactory	75	PM ₁₀	1
192	Sivasagar	Good	17	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah, Aurangabad (Bihar), Bhilwara, Bidar, Bihar Sharif, Boisar, Brajrajnagar,

-Buxar, Chandrapur, Coimbatore, Darbhanga, Dharuhera, Dhule, Eloor,

Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Katihar, Kishanganj, Kolhapur, Kollam, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Puducherry, Rajgir, Ramanathapuram, Salem, Sasaram, Sirsa, Surat, Tonk, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Siwan	Satisfactory	64	co	1
194	Solapur	Satisfactory	70	PM ₁₀	3
195	Sonipat	Moderate	125	PM ₁₀	1
196	Sri Ganganagar	Moderate	160	PM ₁₀	1
197	Srinagar	Satisfactory	52	PM ₁₀	1
198	Suakati	Good	48	PM ₁₀	1
199	Talcher	Satisfactory	58	СО	1
200	Tensa	Good	36	NO ₂	1
201	Thane	Good	50	PM ₁₀	2
202	Thiruvananthapuram	Good	22	PM ₁₀ , O ₃	2
203	Thoothukudi	Satisfactory	93	O ₃	1
204	Thrissur	Good	43	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah, Aurangabad (Bihar), Bhilwara, Bidar, Bihar Sharif, Boisar, Brajrajnagar,

Buxar, Chandrapur, Coimbatore, Darbhanga, Dharuhera, Dhule, Eloor,

Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Katihar, Kishanganj, Kolhapur, Kollam, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Puducherry, Rajgir, Ramanathapuram, Salem, Sasaram, Sirsa, Surat, Tonk, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tirupati	Good	34	NO ₂	2
206	Tirupur	Good	29	со	1
207	Tumidih	Satisfactory	64	PM ₁₀	1
208	Udaipur	Satisfactory	80	PM _{2.5}	1
209	Vapi	Good	45	PM _{2.5}	1
210	Varanasi	Good	38	SO ₂	3
211	Vatva	Satisfactory	74	PM ₁₀	1
212	Vijayapura	Good	49	PM ₁₀	1
213	Vijayawada	Good	44	O ₃	1
214	Visakhapatnam	Satisfactory	80	PM ₁₀	1
215	Yadgir	Good	30	со	1
216	Yamunanagar	Satisfactory	54	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Arrah, Aurangabad (Bihar), Bhilwara, Bidar, Bihar Sharif, Boisar, Brajrajnagar,

Buxar, Chandrapur, Coimbatore, Darbhanga, Dharuhera, Dhule, Eloor,

Ernakulam, Gummidipoondi, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kalaburgi, Kannur, Katihar, Kishanganj, Kolhapur, Kollam, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Nandesari, Narnaul, Puducherry, Rajgir, Ramanathapuram, Salem, Sasaram, Sirsa, Surat, Tonk, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases