

### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	261	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	112	PM <sub>10</sub>	1
3	Ajmer	Satisfactory	83	PM <sub>10</sub>	1
4	Alwar	Satisfactory	84	PM <sub>10</sub>	1
5	Amaravati	Satisfactory	64	03	1
6	Ambala	Moderate	180	PM <sub>2.5</sub>	1
7	Amritsar	Moderate	143	PM <sub>2.5</sub>	1
8	Asansol	Satisfactory	96	PM <sub>10</sub>	1
9	Aurangabad	Satisfactory	62	PM <sub>10</sub>	1
10	Baghpat	Poor	290	PM <sub>2.5</sub>	1
11	Bahadurgarh	Moderate	157	PM <sub>2.5</sub>	1
12	Ballabgarh	Poor	276	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Bhiwani, Jorapokhar, Kalaburgi, Kochi, Pune, Rupnagar, Sagar, Shillong, Varanasi, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Good	48	PM <sub>2.5</sub>	1
14	Bengaluru	Satisfactory	76	PM <sub>10</sub>	9
15	Bhiwadi	Poor	289	PM <sub>2.5</sub>	1
16	Bhopal	Moderate	133	PM <sub>10</sub>	1
17	Brajrajnagar	Moderate	106	PM <sub>2.5</sub>	1
18	Bulandshahr	Poor	262	PM <sub>2.5</sub>	1
19	Chandigarh	Moderate	122	PM <sub>10</sub>	1
20	Chandrapur	Satisfactory	76	PM <sub>10</sub> , PM <sub>2.5</sub>	2
21	Charkhi Dadri	Poor	233	PM <sub>2.5</sub>	1
22	Chennai	Satisfactory	64	CO, PM <sub>10</sub> , O <sub>3</sub>	3
23	Chikkaballapur	Moderate	112	PM <sub>2.5</sub>	1
24	Chikkamagaluru	Satisfactory	76	PM <sub>10</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Bhiwani, Jorapokhar, Kalaburgi, Kochi, Pune, Rupnagar, Sagar, Shillong, Varanasi, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Coimbatore	Good	34	со	1
26	Damoh	Satisfactory	93	PM <sub>10</sub>	1
27	Delhi	Poor	202	PM <sub>2.5</sub> , PM <sub>10</sub>	33
28	Dewas	Moderate	133	PM <sub>10</sub>	1
29	Dharuhera	Poor	214	PM <sub>10</sub>	1
30	Eloor	Good	35	со	1
31	Ernakulam	Satisfactory	91	со	1
32	Faridabad	Poor	236	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	3
33	Fatehabad	Moderate	180	PM <sub>2.5</sub>	1
34	Gandhinagar	Satisfactory	72	PM <sub>10</sub>	1
35	Gaya	Good	39	PM <sub>10</sub>	1
36	Ghaziabad	Poor	248	PM <sub>2.5</sub>	3

# Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Bhiwani, Jorapokhar, Kalaburgi, Kochi, Pune, Rupnagar, Sagar, Shillong, Varanasi, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Greater Noida	Poor	244	PM <sub>10</sub> , PM <sub>2.5</sub>	2
38	Gurugram	Moderate	198	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	4
39	Guwahati	Satisfactory	91	PM <sub>10</sub>	1
40	Gwalior	Moderate	196	PM <sub>2.5</sub>	1
41	Hajipur	Good	34	PM <sub>10</sub>	1
42	Hapur	Poor	210	PM <sub>10</sub>	1
43	Hisar	Moderate	146	PM <sub>10</sub>	1
44	Howrah	Moderate	105	PM <sub>10</sub>	1
45	Hubballi	Moderate	113	PM <sub>10</sub>	1
46	Hyderabad	Moderate	104	PM <sub>2.5</sub> , PM <sub>10</sub>	6
47	Indore	Moderate	146	PM <sub>10</sub>	1
48	Jabalpur	Satisfactory	85	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Bhiwani, Jorapokhar, Kalaburgi, Kochi, Pune, Rupnagar, Sagar, Shillong, Varanasi, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jaipur	Moderate	112	PM <sub>10</sub>	3
50	Jalandhar	Moderate	137	PM <sub>2.5</sub>	1
51	Jind	Moderate	198	PM <sub>2.5</sub>	1
52	Jodhpur	Moderate	184	PM <sub>10</sub>	1
53	Kaithal	Moderate	131	PM <sub>10</sub>	1
54	Kalyan	Moderate	126	PM <sub>10</sub>	1
55	Kannur	Good	50	СО	1
56	Kanpur	Moderate	173	PM <sub>2.5</sub>	1
57	Karnal	Moderate	130	PM <sub>2.5</sub>	1
58	Katni	Satisfactory	82	PM <sub>10</sub>	1
59	Khanna	Moderate	120	PM <sub>10</sub>	1
60	Kohima	Satisfactory	57	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Bhiwani, Jorapokhar, Kalaburgi, Kochi, Pune, Rupnagar, Sagar, Shillong, Varanasi, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kolkata	Satisfactory	72	PM <sub>10</sub>	7
62	Kollam	Good	46	со	1
63	Kota	Moderate	107	PM <sub>2.5</sub>	1
64	Kozhikode	Good	28	со	1
65	Kurukshetra	Poor	217	PM <sub>2.5</sub>	1
66	Lucknow	Poor	226	PM <sub>2.5</sub>	4
67	Ludhiana	Moderate	132	PM <sub>2.5</sub>	1
68	Maihar	Good	35	PM <sub>10</sub>	1
69	Mandi Gobindgarh	Moderate	138	PM <sub>2.5</sub>	1
70	Mandideep	Moderate	119	PM <sub>10</sub>	1
71	Mandikhera	Moderate	112	PM <sub>10</sub>	1
72	Manesar	Poor	229	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory Minor breathing discomfort to sensitive people			
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Bhiwani, Jorapokhar, Kalaburgi, Kochi, Pune, Rupnagar, Sagar, Shillong, Varanasi, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Meerut	Poor	251	PM <sub>2.5</sub> , PM <sub>10</sub>	2
74	Moradabad	Poor	241	PM <sub>2.5</sub>	1
75	Mumbai	Moderate	124	PM <sub>10</sub> , PM <sub>2.5</sub>	8
76	Muzaffarnagar	Poor	265	PM <sub>2.5</sub>	1
77	Muzaffarpur	Satisfactory	93	PM <sub>10</sub> , PM <sub>2.5</sub>	2
78	Mysuru	Good	40	O <sub>3</sub>	1
79	Nagpur	Satisfactory	70	O <sub>3</sub>	1
80	Nandesari	Moderate	184	со	1
81	Narnaul	Moderate	145	PM <sub>10</sub>	1
82	Nashik	Satisfactory	82	O <sub>3</sub>	1
83	Navi Mumbai	Moderate	106	PM <sub>2.5</sub> , PM <sub>10</sub>	2
84	Noida	Poor	206	PM <sub>2.5</sub> , PM <sub>10</sub>	4

# Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Bhiwani, Jorapokhar, Kalaburgi, Kochi, Pune, Rupnagar, Sagar, Shillong, Varanasi, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pali	Satisfactory	99	PM <sub>10</sub>	1
86	Palwal	Moderate	146	PM <sub>10</sub>	1
87	Panchkula	Moderate	110	PM <sub>2.5</sub>	1
88	Panipat	Moderate	196	PM <sub>10</sub>	1
89	Patiala	Moderate	117	PM <sub>10</sub>	1
90	Patna	Moderate	126	PM <sub>2.5</sub> , PM <sub>10</sub>	6
91	Pithampur	Moderate	166	PM <sub>2.5</sub>	1
92	Rajamahendravaram	Satisfactory	62	03	1
93	Ramanagara	Satisfactory	53	03	1
94	Ratlam	Poor	206	PM <sub>2.5</sub>	1
95	Rohtak	Moderate	179	PM <sub>2.5</sub>	1
96	Satna	Satisfactory	67	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Bhiwani, Jorapokhar, Kalaburgi, Kochi, Pune, Rupnagar, Sagar, Shillong, Varanasi, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Siliguri	Satisfactory	72	PM <sub>10</sub>	1
98	Singrauli	Satisfactory	70	со	1
99	Sirsa	Moderate	128	PM <sub>10</sub>	1
100	Solapur	Moderate	101	PM <sub>10</sub>	1
101	Sonipat	Moderate	172	PM <sub>10</sub>	1
102	Talcher	Moderate	102	PM <sub>10</sub>	1
103	Thane	Moderate	134	PM <sub>10</sub>	1
104	Thiruvananthapuram	Good	46	CO, PM <sub>10</sub>	2
105	Tirupati	Satisfactory	81	PM <sub>10</sub>	1
106	Udaipur	Satisfactory	74	PM <sub>10</sub>	1
107	Ujjain	Moderate	196	03	1
108	Vapi	Moderate	149	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Bhiwani, Jorapokhar, Kalaburgi, Kochi, Pune, Rupnagar, Sagar, Shillong, Varanasi, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Vatva	Moderate	147	PM <sub>10</sub>	1
110	Vijayapura	Satisfactory	67	03	1
111	Visakhapatnam	Satisfactory	92	PM <sub>10</sub>	1
112	Yamunanagar	Poor	251	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Bhiwani, Jorapokhar, Kalaburgi, Kochi, Pune, Rupnagar, Sagar, Shillong, Varanasi, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.