

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	72	PM _{2.5}	1
2	Agra	Satisfactory	95	PM ₁₀	5
3	Ahmedabad	Moderate	108	PM ₁₀	8
4	Ajmer	Moderate	124	PM ₁₀	1
5	Akola	Satisfactory	81	PM ₁₀	1
6	Alwar	Satisfactory	87	PM ₁₀	1
7	Amaravati	Good	46	PM ₁₀	1
8	Ambala	Satisfactory	96	СО	1
9	Amravati	Satisfactory	64	PM ₁₀	2
10	Anantapur	Satisfactory	56	PM ₁₀	1
11	Ankleshwar	Satisfactory	76	NO ₂	1
12	Araria	Good	46	СО	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Baripada, Begusarai, Boisar, Buxar,

Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga, Dehradu

Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Gangtok, Hisar, Imphal, Jaisalmer, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Khanna, Kolar, Kozhikode, Kunjemura, Malegaon, Manguraha, Milupara, Mira-Bhayandar Munger, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Salem, Samastipur, Satna, Tumidih, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Satisfactory	78	co	1
14	Asansol	Satisfactory	51	03	1
15	Aurangabad (Maharashtra)	Satisfactory	72	CO, PM ₁₀	3
16	Baddi	Moderate	139	PM ₁₀	1
17	Badlapur	Good	26	PM _{2.5}	1
18	Bagalkot	Good	43	PM ₁₀	1
19	Baghpat	Moderate	152	PM ₁₀	1
20	Bahadurgarh	Moderate	132	PM ₁₀	1
21	Ballabgarh	Moderate	130	PM ₁₀	1
22	Banswara	Moderate	128	PM ₁₀	1
23	Baran	Moderate	161	PM _{2.5}	1
24	Bareilly	Satisfactory	54	PM ₁₀	2

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Baripada, Begusarai, Boisar, Buxar,

Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga, Dehrad

Notes:

Notes:

Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Gangtok, Hisar, Imphal,

Jaisalmer, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Khanna,

Kolar, Kozhikode, Kunjemura, Malegaon, Manguraha, Milupara, Mira-Bhayandar

Munger, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Panipat, Parbhani,

Raichur, Rairangpur, Rishikesh, Salem, Samastipur, Satna, Tumidih, Udupi,

Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Moderate	136	PM ₁₀	1
26	Bathinda	Moderate	112	PM ₁₀	1
27	Belapur	Good	44	PM ₁₀	1
28	Belgaum	Satisfactory	76	PM ₁₀	1
29	Bengaluru	Satisfactory	68	PM ₁₀	8
30	Bettiah	Satisfactory	69	PM ₁₀	1
31	Bhagalpur	Good	42	PM ₁₀	2
32	Bharatpur	Moderate	144	PM ₁₀	1
33	Bhilai	Good	33	PM ₁₀ , O ₃	3
34	Bhilwara	Moderate	162	PM ₁₀	1
35	Bhiwadi	Moderate	169	PM ₁₀	1
36	Bhiwandi	Good	35	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Baripada, Begusarai, Boisar, Buxar,

Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga, Dehradu

Notes:

Notes:

Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Gangtok, Hisar, Imphal,

Jaisalmer, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Khanna,

Kolar, Kozhikode, Kunjemura, Malegaon, Manguraha, Milupara, Mira-Bhayandar

Munger, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Panipat, Parbhani,

Raichur, Rairangpur, Rishikesh, Salem, Samastipur, Satna, Tumidih, Udupi,

Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwani	Moderate	110	PM ₁₀	1
38	Bhopal	Moderate	103	PM ₁₀	3
39	Bidar	Good	28	PM ₁₀	1
40	Bihar Sharif	Good	29	03	1
41	Bikaner	Moderate	176	PM ₁₀	1
42	Bilaspur	Good	33	PM ₁₀	1
43	Bileipada	Satisfactory	81	PM ₁₀	1
44	Brajrajnagar	Good	33	SO ₂	1
45	Bulandshahr	Moderate	113	PM ₁₀	1
46	Bundi	Moderate	134	PM ₁₀	1
47	Byrnihat	Moderate	144	PM ₁₀	1
48	Chamarajanagar	Good	41	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Baripada, Begusarai, Boisar, Buxar,

Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga, Dehradu

Notes:

Notes:

Notes:

Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Gangtok, Hisar, Imphal,

Jaisalmer, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Khanna,

Kolar, Kozhikode, Kunjemura, Malegaon, Manguraha, Milupara, Mira-Bhayandar

Munger, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Panipat, Parbhani,

Raichur, Rairangpur, Rishikesh, Salem, Samastipur, Satna, Tumidih, Udupi,

Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	or Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandigarh	Moderate	141	PM ₁₀	3
50	Chandrapur	Satisfactory	73	СО	1
51	Charkhi Dadri	Moderate	104	PM ₁₀	1
52	Chennai	Satisfactory	61	CO, O ₃	7
53	Chhal	Good	32	03	1
54	Chikkaballapur	Good	46	PM ₁₀	1
55	Chittoor	Good	37	PM _{2.5}	1
56	Chittorgarh	Moderate	114	PM ₁₀	1
57	Churu	Satisfactory	69	PM ₁₀	1
58	Cuddalore	Moderate	158	NO ₂	2
59	Damoh	Satisfactory	59	PM ₁₀	1
60	Dausa	Moderate	193	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Baripada, Begusarai, Boisar, Buxar,

Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga, Dehradu

Notes:

Notes:

Notes:

Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Gangtok, Hisar, Imphal,

Jaisalmer, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Khanna,

Kolar, Kozhikode, Kunjemura, Malegaon, Manguraha, Milupara, Mira-Bhayandar

Munger, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Panipat, Parbhani,

Raichur, Rairangpur, Rishikesh, Salem, Samastipur, Satna, Tumidih, Udupi,

Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Davanagere	Good	34	PM ₁₀	1
62	Delhi	Moderate	153	PM ₁₀	34
63	Dewas	Satisfactory	66	PM ₁₀	1
64	Dhanbad	Moderate	187	со	1
65	Dharuhera	Moderate	143	PM ₁₀	1
66	Dharwad	Moderate	104	PM _{2.5}	1
67	Dholpur	Satisfactory	87	PM ₁₀	1
68	Dhule	Moderate	113	PM ₁₀	1
69	Durgapur	Good	49	PM ₁₀	1
70	Faridabad	Moderate	127	PM _{2.5} , PM ₁₀	3
71	Firozabad	Moderate	108	PM ₁₀	1
72	Gandhinagar	Moderate	109	PM _{2.5} , CO	3

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Baripada, Begusarai, Boisar, Buxar,

Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga, Dehrad

Notes:

Notes:

Notes:

Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Gangtok, Hisar, Imphal,

Jaisalmer, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Khanna,

Kolar, Kozhikode, Kunjemura, Malegaon, Manguraha, Milupara, Mira-Bhayandar

Munger, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Panipat, Parbhani,

Raichur, Rairangpur, Rishikesh, Salem, Samastipur, Satna, Tumidih, Udupi,

Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gaya	Satisfactory	55	СО	3
74	Ghaziabad	Moderate	156	PM ₁₀	4
75	Gorakhpur	Satisfactory	66	PM _{2.5}	1
76	Greater Noida	Poor	207	PM ₁₀	2
77	Gummidipoondi	Moderate	103	PM ₁₀	1
78	Gurugram	Moderate	141	PM _{2.5}	4
79	Guwahati	Satisfactory	71	CO, SO ₂	3
80	Gwalior	Satisfactory	76	PM ₁₀ , PM _{2.5}	4
81	Hajipur	Satisfactory	78	PM ₁₀	1
82	Haldia	Good	34	O ₃	1
83	Hanumangarh	Moderate	150	PM ₁₀	1
84	Hapur	Satisfactory	73	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Baripada, Begusarai, Boisar, Buxar,

Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga, Dehra

Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Gangtok, Hisar, Imphal, Jaisalmer, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Khanna, Kolar, Kozhikode, Kunjemura, Malegaon, Manguraha, Milupara, Mira-Bhayandar Munger, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Salem, Samastipur, Satna, Tumidih, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hassan	Satisfactory	58	PM ₁₀	1
86	Haveri	Good	39	СО	1
87	Hosur	Satisfactory	52	PM ₁₀	1
88	Howrah	Good	49	PM ₁₀	3
89	Hubballi	Satisfactory	70	PM ₁₀	1
90	Hyderabad	Satisfactory	82	PM ₁₀	12
91	Indore	Moderate	116	PM ₁₀	1
92	Jabalpur	Good	40	PM _{2.5} , CO	2
93	Jaipur	Moderate	143	PM ₁₀	5
94	Jalandhar	Moderate	101	PM ₁₀	1
95	Jalgaon	Satisfactory	81	PM ₁₀	1
96	Jhalawar	Moderate	113	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Baripada, Begusarai, Boisar, Buxar,

Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga, Dehrad

Notes:

Notes:

Notes:

Notes:

Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Gangtok, Hisar, Imphal,

Jaisalmer, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Khanna,

Kolar, Kozhikode, Kunjemura, Malegaon, Manguraha, Milupara, Mira-Bhayandar

Munger, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Panipat, Parbhani,

Raichur, Rairangpur, Rishikesh, Salem, Samastipur, Satna, Tumidih, Udupi,

Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhansi	Satisfactory	83	PM ₁₀	1
98	Jhunjhunu	Moderate	127	PM ₁₀	1
99	Jind	Moderate	109	PM ₁₀	1
100	Jodhpur	Moderate	130	PM ₁₀	5
101	Kaithal	Moderate	175	PM _{2.5}	1
102	Kalyan	Satisfactory	56	PM ₁₀	1
103	Kannur	Satisfactory	70	PM ₁₀	1
104	Kanpur	Satisfactory	58	PM _{2.5}	2
105	Karauli	Satisfactory	68	PM ₁₀	1
106	Karnal	Satisfactory	100	PM ₁₀	1
107	Kashipur	Moderate	109	PM ₁₀	1
108	Katihar	Satisfactory	96	со	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Baripada, Begusarai, Boisar, Buxar,

Chengalpattu, Chhapra, Chikkamagaluru, Ceimbatore, Darbhanga, Dehra

Notes:

Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Gangtok, Hisar, Imphal,

Jaisalmer, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Khanna,
Kolar, Kozhikode, Kunjemura, Malegaon, Manguraha, Milupara, Mira-Bhayandar

Munger, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Panipat, Parbhani,
Raichur, Rairangpur, Rishikesh, Salem, Samastipur, Satna, Tumidih, Udupi,
Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Katni	Satisfactory	60	PM ₁₀	1
110	Keonjhar	Satisfactory	58	со	1
111	Khurja	Satisfactory	94	PM _{2.5}	1
112	Kishanganj	Satisfactory	74	PM ₁₀	1
113	Kochi	Satisfactory	68	со	1
114	Kohima	Satisfactory	52	SO ₂	1
115	Kolhapur	Good	42	PM ₁₀	2
116	Kolkata	Good	43	PM ₁₀	7
117	Kollam	Satisfactory	68	PM ₁₀	1
118	Koppal	Good	35	SO ₂	1
119	Korba	Good	24	PM ₁₀ , PM _{2.5}	2
120	Kota	Moderate	118	PM ₁₀	3

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Baripada, Begusarai, Boisar, Buxar,

- Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga, Dehrad

Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Gangtok, Hisar, Imphal, Jaisalmer, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Khanna, Kolar, Kozhikode, Kunjemura, Malegaon, Manguraha, Milupara, Mira-Bhayandar Munger, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Salem, Samastipur, Satna, Tumidih, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kurukshetra	Moderate	119	PM ₁₀	1
122	Latur	Satisfactory	61	PM ₁₀	1
123	Lucknow	Satisfactory	75	O ₃ , PM ₁₀	6
124	Ludhiana	Satisfactory	100	PM ₁₀	1
125	Madikeri	Good	27	PM ₁₀	1
126	Mahad	Satisfactory	60	PM ₁₀	1
127	Maihar	Good	34	PM ₁₀	1
128	Mandi Gobindgarh	Poor	210	PM ₁₀	1
129	Mandideep	Satisfactory	87	PM ₁₀	1
130	Mandikhera	Satisfactory	94	PM ₁₀	1
131	Manesar	Satisfactory	96	PM _{2.5}	1
132	Mangalore	Good	47	со	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Baripada, Begusarai, Boisar, Buxar,

Chengalpattu, Chhapra, Chikkamagaluru, Ceimbatere, Darbhanga, Dehra

Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Gangtok, Hisar, Imphal, Jaisalmer, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Khanna, Kolar, Kozhikode, Kunjemura, Malegaon, Manguraha, Milupara, Mira-Bhayandar Munger, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Salem, Samastipur, Satna, Tumidih, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Meerut	Moderate	121	PM ₁₀ , PM _{2.5}	3
134	Moradabad	Moderate	117	PM ₁₀	6
135	Motihari	Satisfactory	53	со	1
136	Mumbai	Satisfactory	55	CO, PM ₁₀	18
137	Muzaffarnagar	Moderate	145	PM ₁₀	1
138	Muzaffarpur	Satisfactory	71	PM ₁₀ , O ₃	3
139	Mysuru	Satisfactory	55	PM ₁₀	1
140	Nagaur	Moderate	150	PM ₁₀	1
141	Nagpur	Satisfactory	58	CO, PM ₁₀	4
142	Nalbari	Good	50	PM _{2.5}	1
143	Nanded	Satisfactory	53	PM ₁₀	1
144	Narnaul	Moderate	114	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Baripada, Begusarai, Boisar, Buxar,

Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga, Dehrad

Notes:

Notes:

Notes:

Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Gangtok, Hisar, Imphal,

Jaisalmer, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Khanna,

Kolar, Kozhikode, Kunjemura, Malegaon, Manguraha, Milupara, Mira-Bhayandar

Munger, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Panipat, Parbhani,

Raichur, Rairangpur, Rishikesh, Salem, Samastipur, Satna, Tumidih, Udupi,

Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	ctory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nashik	Good	47	PM ₁₀	1
146	Navi Mumbai	Good	49	O ₃ , PM ₁₀	7
147	Nayagarh	Good	37	PM _{2.5}	1
148	Noida	Moderate	147	PM ₁₀ , PM _{2.5}	4
149	Ooty	Satisfactory	61	PM ₁₀	1
150	Pali	Moderate	186	PM _{2.5}	1
151	Palwal	Good	40	PM ₁₀	1
152	Panchkula	Satisfactory	98	PM _{2.5}	1
153	Patiala	Satisfactory	87	PM ₁₀	1
154	Patna	Satisfactory	89	PM ₁₀ , NO ₂	6
155	Pimpri Chinchwad	Good	45	PM _{2.5}	3
156	Pithampur	Moderate	118	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Baripada, Begusarai, Boisar, Buxar,

— Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga, Dehrad

Notes:

Notes:

Notes:

Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Gangtok, Hisar, Imphal,

Jaisalmer, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Khanna,

Kolar, Kozhikode, Kunjemura, Malegaon, Manguraha, Milupara, Mira-Bhayandar

Munger, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Panipat, Parbhani,

Raichur, Rairangpur, Rishikesh, Salem, Samastipur, Satna, Tumidih, Udupi,

Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pratapgarh	Moderate	139	PM ₁₀	1
158	Prayagraj	Satisfactory	65	PM ₁₀	3
159	Puducherry	Satisfactory	66	PM ₁₀	1
160	Pune	Satisfactory	92	NO ₂ , PM _{2.5}	7
161	Purnia	Satisfactory	71	со	1
162	Raipur	Good	38	PM ₁₀ , NO ₂	4
163	Rajamahendravaram	Good	40	O ₃	1
164	Rajgir	Satisfactory	58	O ₃	1
165	Rajsamand	Moderate	140	PM _{2.5}	1
166	Ramanagara	Good	49	PM ₁₀	1
167	Ramanathapuram	Good	30	PM ₁₀	1
168	Ratlam	Moderate	108	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Baripada, Begusarai, Boisar, Buxar,

Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga, Dehrad

Notes:

Notes:

Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Gangtok, Hisar, Imphal,

Jaisalmer, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Khanna,

Kolar, Kozhikode, Kunjemura, Malegaon, Manguraha, Milupara, Mira-Bhayandar

Munger, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Panipat, Parbhani,

Raichur, Rairangpur, Rishikesh, Salem, Samastipur, Satna, Tumidih, Udupi,

Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rohtak	Satisfactory	66	PM _{2.5}	1
170	Rourkela	Good	44	PM ₁₀	2
171	Rupnagar	Moderate	137	PM ₁₀	1
172	Sagar	Satisfactory	57	PM ₁₀	1
173	Saharsa	Satisfactory	77	03	1
174	Sangli	Good	35	PM ₁₀	1
175	Sasaram	Very Poor	304	O ₃	1
176	Sawai Madhopur	Satisfactory	94	PM ₁₀	1
177	Shillong	Good	28	PM ₁₀ , PM _{2.5}	2
178	Shivamogga	Satisfactory	52	03	1
179	Sikar	Moderate	108	PM ₁₀	1
180	Silchar	Good	30	со	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Baripada, Begusarai, Boisar, Buxar,

Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga, Dehradu

Notes:

Notes:

Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Gangtok, Hisar, Imphal,

Jaisalmer, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Khanna,

Kolar, Kozhikode, Kunjemura, Malegaon, Manguraha, Milupara, Mira-Bhayandar

Munger, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Panipat, Parbhani,

Raichur, Rairangpur, Rishikesh, Salem, Samastipur, Satna, Tumidih, Udupi,

Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	ctory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Siliguri	Satisfactory	61	PM ₁₀	1
182	Singrauli	Satisfactory	98	NO ₂	1
183	Sirohi	Moderate	104	PM ₁₀	1
184	Sirsa	Good	44	PM ₁₀	1
185	Sivasagar	Good	18	PM ₁₀	1
186	Siwan	Satisfactory	73	PM ₁₀	1
187	Solapur	Satisfactory	73	PM ₁₀	3
188	Sonipat	Moderate	164	PM ₁₀	1
189	Sri Ganganagar	Satisfactory	97	PM ₁₀	1
190	Srinagar	Satisfactory	97	PM ₁₀	1
191	Suakati	Satisfactory	65	PM ₁₀	1
192	Surat	Poor	252	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Baripada, Begusarai, Boisar, Buxar,

Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga, Dehradt

Notes:

Notes:

Notes:

Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Gangtok, Hisar, Imphal,

Jaisalmer, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Khanna,

Kolar, Kozhikode, Kunjemura, Malegaon, Manguraha, Milupara, Mira-Bhayandar

Munger, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Panipat, Parbhani,

Raichur, Rairangpur, Rishikesh, Salem, Samastipur, Satna, Tumidih, Udupi,

Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Talcher	Satisfactory	81	co	1
194	Tensa	Good	38	PM ₁₀	1
195	Thane	Satisfactory	62	со	2
196	Thiruvananthapuram	Good	38	PM ₁₀ , CO	2
197	Thoothukudi	Satisfactory	58	PM ₁₀	1
198	Thrissur	Satisfactory	58	PM ₁₀	1
199	Tirupati	Satisfactory	54	PM ₁₀	2
200	Tirupur	Satisfactory	66	PM ₁₀	1
201	Tonk	Moderate	163	PM ₁₀	1
202	Tumakuru	Satisfactory	73	СО	1
203	Udaipur	Moderate	119	PM ₁₀	1
204	Ujjain	Moderate	138	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Baripada, Begusarai, Boisar, Buxar,

Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga, Dehradu

Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Gangtok, Hisar, Imphal, Jaisalmer, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Khanna, Kolar, Kozhikode, Kunjemura, Malegaon, Manguraha, Milupara, Mira-Bhayandar Munger, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Salem, Samastipur, Satna, Tumidih, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Ulhasnagar	Satisfactory	52	PM ₁₀	1
206	Vapi	Satisfactory	73	PM ₁₀	1
207	Varanasi	Good	29	PM ₁₀	4
208	Vatva	Moderate	118	PM ₁₀	1
209	Vijayapura	Good	46	PM ₁₀	1
210	Vijayawada	Good	47	PM ₁₀	1
211	Visakhapatnam	Satisfactory	86	PM ₁₀	1
212	Vrindavan	Satisfactory	81	PM ₁₀	1
213	Yadgir	Good	48	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Baripada, Begusarai, Boisar, Buxar,

Chengalpattu, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga, Dehradu

Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Gangtok, Hisar, Imphal, Jaisalmer, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Khanna, Kolar, Kozhikode, Kunjemura, Malegaon, Manguraha, Milupara, Mira-Bhayandar Munger, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Panipat, Parbhani, Raichur, Rairangpur, Rishikesh, Salem, Samastipur, Satna, Tumidih, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.