

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	87	PM _{2.5}	1
2	Agra	Moderate	126	PM _{2.5}	1
3	Ahmedabad	Moderate	167	PM ₁₀	1
4	Ajmer	Satisfactory	87	PM ₁₀	1
5	Alwar	Satisfactory	92	PM ₁₀	1
6	Amaravati	Satisfactory	87	PM _{2.5}	1
7	Ambala	Satisfactory	67	PM ₁₀	1
8	Amritsar	Satisfactory	83	PM ₁₀	1
9	Ankleshwar	Moderate	147	NO ₂	1
10	Aurangabad	Satisfactory	81	PM ₁₀	1
11	Bagalkot	Good	43	PM ₁₀	1
12	Baghpat	Poor	219	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Asansol, Chamarajanagar, Coimbatore, Eloor, Gadag, Gummidipoondi, Haldia, Hubballi, Kaithal, Kalaburgi, Kochi, Kolar, Mandi Gobindgarh, Mandideep, Manglore, Moradabad, Palwal, Panipat, Satna, Thane, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Moderate	200	PM ₁₀	1
14	Ballabgarh	Poor	222	PM ₁₀	1
15	Bathinda	Moderate	139	PM ₁₀	1
16	Bengaluru	Moderate	102	PM _{2.5} , PM ₁₀	6
17	Bhiwadi	Poor	231	PM ₁₀	1
18	Bhiwani	Moderate	138	PM ₁₀	1
19	Bhopal	Moderate	123	PM ₁₀	1
20	Bidar	Moderate	105	PM ₁₀	1
21	Brajrajnagar	Satisfactory	97	PM ₁₀	1
22	Bulandshahr	Moderate	200	PM ₁₀	1
23	Chandigarh	Satisfactory	86	PM ₁₀	1
24	Chandrapur	Moderate	114	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Asansol, Chamarajanagar, Coimbatore, Eloor, Gadag, Gummidipoondi, Haldia, Hubballi, Kaithal, Kalaburgi, Kochi, Kolar, Mandi Gobindgarh, Mandideep, Manglore, Moradabad, Palwal, Panipat, Satna, Thane, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	153	PM ₁₀	1
26	Chennai	Satisfactory	63	PM ₁₀ , PM _{2.5}	6
27	Chikkaballapur	Moderate	106	PM _{2.5}	1
28	Chikkamagaluru	Satisfactory	78	PM _{2.5}	1
29	Damoh	Good	47	PM ₁₀	1
30	Davanagere	Moderate	113	PM ₁₀	1
31	Delhi	Poor	203	PM ₁₀	37
32	Dewas	Moderate	135	PM ₁₀	1
33	Dharuhera	Moderate	164	PM ₁₀	1
34	Durgapur	Poor	283	PM ₁₀	1
35	Ernakulam	Satisfactory	84	PM _{2.5}	1
36	Faridabad	Poor	241	PM ₁₀ , PM _{2.5}	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Asansol, Chamarajanagar, Coimbatore, Eloor, Gadag, Gummidipoondi, Haldia, Hubballi, Kaithal, Kalaburgi, Kochi, Kolar, Mandi Gobindgarh, Mandideep, Manglore, Moradabad, Palwal, Panipat, Satna, Thane, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	134	PM ₁₀	1
38	Gandhinagar	Satisfactory	96	PM ₁₀	1
39	Gaya	Satisfactory	98	CO, O ₃	2
40	Ghaziabad	Very Poor	307	PM ₁₀	4
41	Greater Noida	Poor	254	PM ₁₀	2
42	Gurugram	Moderate	165	PM ₁₀	4
43	Guwahati	Poor	258	PM _{2.5} , PM ₁₀	2
44	Gwalior	Moderate	112	PM ₁₀	1
45	Hajipur	Moderate	164	PM ₁₀	1
46	Hapur	Poor	203	PM ₁₀	1
47	Hisar	Moderate	173	PM _{2.5}	1
48	Howrah	Poor	215	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Asansol, Chamarajanagar, Coimbatore, Eloor, Gadag, Gummidipoondi, Haldia, Hubballi, Kaithal, Kalaburgi, Kochi, Kolar, Mandi Gobindgarh, Mandideep, Manglore, Moradabad, Palwal, Panipat, Satna, Thane, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Moderate	148	PM _{2.5} , PM ₁₀	5
50	Indore	Moderate	197	PM ₁₀	1
51	Jabalpur	Moderate	152	PM ₁₀	1
52	Jaipur	Moderate	126	PM ₁₀	3
53	Jalandhar	Satisfactory	88	PM ₁₀	1
54	Jind	Moderate	117	PM _{2.5}	1
55	Jodhpur	Moderate	163	PM _{2.5}	1
56	Jorapokhar	Satisfactory	64	со	1
57	Kalyan	Moderate	143	PM ₁₀	1
58	Kannur	Moderate	132	PM _{2.5}	1
59	Kanpur	Moderate	134	PM _{2.5}	2
60	Karnal	Moderate	112	PM ₁₀	1

Possible Health Impacts

od Minimal Impact

Good	William impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Asansol, Chamarajanagar, Coimbatore, Eloor, Gadag, Gummidipoondi, Haldia, Hubballi, Kaithal, Kalaburgi, Kochi, Kolar, Mandi Gobindgarh, Mandideep, Manglore, Moradabad, Palwal, Panipat, Satna, Thane, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Poor	206	PM ₁₀	1
62	Khanna	Satisfactory	75	PM _{2.5}	1
63	Kohima	Moderate	188	PM _{2.5}	1
64	Kolkata	Moderate	160	PM _{2.5} , PM ₁₀	5
65	Kollam	Moderate	102	PM _{2.5}	1
66	Koppal	Moderate	106	PM ₁₀	1
67	Kota	Satisfactory	88	PM ₁₀	1
68	Kozhikode	Satisfactory	78	PM ₁₀	1
69	Kurukshetra	Moderate	107	PM ₁₀	1
70	Lucknow	Poor	213	PM _{2.5} , PM ₁₀	3
71	Ludhiana	Moderate	110	PM ₁₀	1
72	Maihar	Good	46	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Asansol, Chamarajanagar, Coimbatore, Eloor, Gadag, Gummidipoondi, Haldia, Hubballi, Kaithal, Kalaburgi, Kochi, Kolar, Mandi Gobindgarh, Mandideep, Manglore, Moradabad, Palwal, Panipat, Satna, Thane, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandikhera	Moderate	131	PM _{2.5}	1
74	Manesar	Moderate	136	PM ₁₀	1
75	Medikeri	Satisfactory	70	PM ₁₀	1
76	Meerut	Poor	215	PM ₁₀	1
77	Mumbai	Moderate	110	O ₃ , PM _{2.5} , PM ₁₀	16
78	Muzaffarnagar	Moderate	139	PM ₁₀	1
79	Muzaffarpur	Poor	202	PM _{2.5} , PM ₁₀	2
80	Mysuru	Satisfactory	94	PM ₁₀	1
81	Nagpur	Satisfactory	75	PM ₁₀	1
82	Nandesari	Moderate	115	со	1
83	Narnaul	Moderate	179	PM ₁₀	1
84	Nashik	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Asansol, Chamarajanagar, Coimbatore, Eloor, Gadag, Gummidipoondi, Haldia, Hubballi, Kaithal, Kalaburgi, Kochi, Kolar, Mandi Gobindgarh, Mandideep, Manglore, Moradabad, Palwal, Panipat, Satna, Thane, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Navi Mumbai	Moderate	154	PM ₁₀ , O ₃	2
86	Noida	Poor	215	PM ₁₀	3
87	Pali	Moderate	102	PM ₁₀	1
88	Panchkula	Satisfactory	54	PM _{2.5}	1
89	Patiala	Satisfactory	82	PM ₁₀	1
90	Patna	Moderate	155	PM _{2.5} , PM ₁₀ , NO ₂	6
91	Pithampur	Moderate	137	PM ₁₀	1
92	Puducherry	Good	49	PM _{2.5}	1
93	Pune	Satisfactory	88	PM _{2.5} , NO ₂ , PM ₁₀	7
94	Raichur	Moderate	146	PM ₁₀	1
95	Rajamahendravaram	Satisfactory	87	PM ₁₀	1
96	Ramanagara	Poor	268	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Asansol, Chamarajanagar, Coimbatore, Eloor, Gadag, Gummidipoondi, Haldia, Hubballi, Kaithal, Kalaburgi, Kochi, Kolar, Mandi Gobindgarh, Mandideep, Manglore, Moradabad, Palwal, Panipat, Satna, Thane, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ratlam	Moderate	117	PM ₁₀	1
98	Rohtak	Moderate	167	PM _{2.5}	1
99	Rupnagar	Satisfactory	60	PM ₁₀	1
100	Sagar	Satisfactory	89	PM _{2.5}	1
101	Shillong	Satisfactory	79	PM _{2.5}	1
102	Shivamogga	Satisfactory	88	PM _{2.5}	1
103	Siliguri	Poor	257	PM _{2.5}	1
104	Singrauli	Poor	203	PM _{2.5}	1
105	Sirsa	Moderate	110	PM ₁₀	1
106	Solapur	Moderate	123	PM ₁₀	1
107	Sonipat	Moderate	198	PM ₁₀	1
108	Srinagar	Good	35	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Asansol, Chamarajanagar, Coimbatore, Eloor, Gadag, Gummidipoondi, Haldia, Hubballi, Kaithal, Kalaburgi, Kochi, Kolar, Mandi Gobindgarh, Mandideep, Manglore, Moradabad, Palwal, Panipat, Satna, Thane, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Talcher	Moderate	148	PM ₁₀	1
110	Thiruvananthapuram	Satisfactory	93	PM ₁₀	2
111	Thoothukudi	Satisfactory	81	PM ₁₀	1
112	Thrissur	Moderate	103	PM _{2.5}	1
113	Tirupati	Satisfactory	93	NO ₂	1
114	Udaipur	Moderate	102	PM ₁₀	1
115	Ujjain	Moderate	155	PM ₁₀	1
116	Vapi	Moderate	159	PM ₁₀	1
117	Varanasi	Moderate	134	PM _{2.5}	1
118	Vatva	Poor	212	PM ₁₀	1
119	Vijayapura	Satisfactory	87	PM ₁₀	1
120	Visakhapatnam	Moderate	143	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Asansol, Chamarajanagar, Coimbatore, Eloor, Gadag, Gummidipoondi, Haldia, Hubballi, Kaithal, Kalaburgi, Kochi, Kolar, Mandi Gobindgarh, Mandideep, Manglore, Moradabad, Palwal, Panipat, Satna, Thane, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yadgir	Moderate	103	O ₃	1
122	Yamunanagar	Moderate	112	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Asansol, Chamarajanagar, Coimbatore, Eloor, Gadag, Gummidipoondi, Haldia, Hubballi, Kaithal, Kalaburgi, Kochi, Kolar, Mandi Gobindgarh, Mandideep, Manglore, Moradabad, Palwal, Panipat, Satna, Thane, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.