

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	64	PM _{2.5}	1
2	Agra	Good	44	PM ₁₀ , NO ₂	6
3	Ahmedabad	Satisfactory	87	CO, PM ₁₀	7
4	Aizawl	Good	12	PM ₁₀	1
5	Ajmer	Moderate	116	PM ₁₀	1
6	Akola	Good	48	PM ₁₀	1
7	Alwar	Satisfactory	58	NO ₂	1
8	Amaravati	Good	34	PM ₁₀	1
9	Ambala	Satisfactory	94	со	1
10	Amravati	Good	35	PM ₁₀	2
11	Amritsar	Satisfactory	54	O ₃	1
12	Anantapur	Satisfactory	52	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhilwara, Bikaner, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera,

— Dindigul, Durgapur, Ernakulam, Gadag, Gummidipoondi, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kalvan, Karauli, Keonihar, Kochi, Kohima,

Hubballi, Imphal, Jorapokhar, Kalyan, Karauli, Keonjhar, Kochi, Kohima, Kolar, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panchkula, Parbhani, Pithampur, Raichur, Rishikesh, Sagar, Salem, Sasaram, Sirsa, Sivasagar, Sonipat, Surat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ankleshwar	Satisfactory	88	03	1
14	Araria	Satisfactory	65	со	1
15	Arrah	Moderate	138	PM _{2.5}	1
16	Asansol	Good	40	03	1
17	Aurangabad (Maharashtra)	Good	42	PM ₁₀	2
18	Baddi	Satisfactory	93	PM ₁₀	1
19	Badlapur	Good	33	PM ₁₀	1
20	Bagalkot	Good	46	PM ₁₀	1
21	Baghpat	Satisfactory	61	PM ₁₀	1
22	Bahadurgarh	Good	39	03	1
23	Ballabgarh	Satisfactory	73	PM ₁₀	1
24	Banswara	Satisfactory	82	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhilwara, Bikaner, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera,

— Dindigul, Durgapur, Ernakulam, Gadag, Gummidipoondi, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kalvan, Karauli, Keonihar, Kochi, Kohima,

Hubballi, Imphal, Jorapokhar, Kalyan, Karauli, Keonjhar, Kochi, Kohima, Kolar, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panchkula, Parbhani, Pithampur, Raichur, Rishikesh, Sagar, Salem, Sasaram, Sirsa, Sivasagar, Sonipat, Surat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baran	Moderate	173	PM _{2.5}	1
26	Bareilly	Good	45	PM _{2.5} , SO ₂	2
27	Baripada	Good	45	PM ₁₀	1
28	Barmer	Satisfactory	98	PM ₁₀	1
29	Bathinda	Good	41	PM ₁₀	1
30	Belapur	Good	38	PM ₁₀	1
31	Belgaum	Good	48	СО	1
32	Bengaluru	Good	48	PM ₁₀	11
33	Bettiah	Satisfactory	96	PM ₁₀	1
34	Bhagalpur	Satisfactory	64	со	2
35	Bharatpur	Satisfactory	79	O ₃	1
36	Bhilai	Good	25	O ₃ , NO ₂	2

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhilwara, Bikaner, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera,

Dindigul, Durgapur, Ernakulam, Gadag, Cummidipoondi, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kalyan, Karauli, Keonjhar, Kochi, Kohima,

Kolar, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panchkula, Parbhani, Pithampur, Raichur, Rishikesh, Sagar, Salem, Sasaram, Sirsa, Sivasagar, Sonipat, Surat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwadi	Satisfactory	76	PM ₁₀	1
38	Bhiwandi	Good	43	PM ₁₀	1
39	Bhiwani	Satisfactory	52	со	1
40	Bhopal	Satisfactory	78	PM ₁₀	3
41	Bidar	Good	23	СО	1
42	Bihar Sharif	Good	24	O ₃	1
43	Bilaspur	Satisfactory	85	СО	1
44	Bileipada	Satisfactory	52	PM ₁₀	1
45	Bulandshahr	Satisfactory	62	PM ₁₀	1
46	Bundi	Moderate	173	PM _{2.5}	1
47	Byrnihat	Moderate	185	PM _{2.5}	1
48	Chamarajanagar	Good	41	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhilwara, Bikaner, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera,

- Dindigul, Durgapur, Ernakulam, Cadag, Cummidipoondi, Hassan, Hisar,

Hubballi, Imphal, Jorapokhar, Kalyan, Karauli, Keonjhar, Kochi, Kohima, Kolar, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panchkula, Parbhani, Pithampur, Raichur, Rishikesh, Sagar, Salem, Sasaram, Sirsa, Sivasagar, Sonipat, Surat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandigarh	Satisfactory	64	PM ₁₀	3
50	Chandrapur	Satisfactory	51	PM ₁₀	1
51	Charkhi Dadri	Satisfactory	61	PM ₁₀	1
52	Chennai	Satisfactory	81	NO ₂ , CO	7
53	Chhal	Good	39	со	1
54	Chhapra	Satisfactory	85	со	1
55	Chikkaballapur	Good	29	03	1
56	Chittoor	Good	37	03	1
57	Chittorgarh	Satisfactory	69	PM ₁₀	1
58	Churu	Satisfactory	84	PM ₁₀	1
59	Coimbatore	Satisfactory	55	PM ₁₀	1
60	Cuddalore	Poor	205	NO ₂	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhilwara, Bikaner, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera,

- Dindigul, Durgapur, Ernakulam, Gadag, Gummidipoondi, Hassan, Hisar,

Hubballi, Imphal, Jorapokhar, Kalyan, Karauli, Keonjhar, Kochi, Kohima, Kolar, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panchkula, Parbhani, Pithampur, Raichur, Rishikesh, Sagar, Salem, Sasaram, Sirsa, Sivasagar, Sonipat, Surat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Damoh	Good	21	со	1
62	Dausa	Satisfactory	82	PM ₁₀	1
63	Davanagere	Good	20	PM _{2.5}	1
64	Delhi	Satisfactory	69	CO, PM ₁₀	12
65	Dewas	Good	44	PM ₁₀	1
66	Dhanbad	Moderate	193	со	1
67	Dharwad	Good	43	PM ₁₀	1
68	Dholpur	Good	34	03	1
69	Dhule	Good	34	PM ₁₀	1
70	Eloor	Satisfactory	68	PM ₁₀	1
71	Faridabad	Good	49	PM ₁₀	2
72	Fatehabad	Moderate	103	03	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhilwara, Bikaner, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera,

- Dindigul, Durgapur, Ernakulam, Gadag, Gummidipoondi, Hassan, Hisar,

Notes: Hubballi, Imphal, Jorapokhar, Kalyan, Karauli, Keonjhar, Kochi, Kohima,

Notes: Kolar, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar,

Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panchkula, Parbhani,

Pithampur, Raichur, Rishikesh, Sagar, Salem, Sasaram, Sirsa, Sivasagar,

Sonipat, Surat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore
as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Firozabad	Satisfactory	56	PM _{2.5}	2
74	Gandhinagar	Moderate	101	PM _{2.5} , PM ₁₀	3
75	Gangtok	Satisfactory	54	SO ₂	1
76	Gaya	Satisfactory	59	NO ₂ , CO	3
77	Ghaziabad	Satisfactory	64	PM _{2.5} , O ₃	3
78	Gorakhpur	Satisfactory	59	PM _{2.5}	1
79	Greater Noida	Satisfactory	62	PM ₁₀ , O ₃	2
80	Gurugram	Satisfactory	71	PM ₁₀ , CO	3
81	Guwahati	Satisfactory	59	CO, SO ₂	4
82	Gwalior	Good	41	O ₃ , PM _{2.5}	4
83	Hajipur	Good	31	PM ₁₀	1
84	Haldia	Good	41	03	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhilwara, Bikaner, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera,

-Dindigul, Durgapur, Ernakulam, Cadag, Cummidipoondi, Hassan, Hisar,

Hubballi, Imphal, Jorapokhar, Kalyan, Karauli, Keonjhar, Kochi, Kohima, Kolar, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panchkula, Parbhani, Pithampur, Raichur, Rishikesh, Sagar, Salem, Sasaram, Sirsa, Sivasagar, Sonipat, Surat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hanumangarh	Moderate	184	PM ₁₀	1
86	Hapur	Satisfactory	58	PM ₁₀	1
87	Haveri	Good	24	PM ₁₀	1
88	Hosur	Good	41	PM ₁₀	1
89	Howrah	Good	44	NO ₂	3
90	Hyderabad	Satisfactory	57	PM ₁₀	13
91	Indore	Satisfactory	68	PM ₁₀	1
92	Jabalpur	Good	46	03	3
93	Jaipur	Satisfactory	69	PM ₁₀	5
94	Jaisalmer	Moderate	147	PM ₁₀	1
95	Jalandhar	Satisfactory	80	PM ₁₀	1
96	Jalgaon	Satisfactory	58	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhilwara, Bikaner, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera,

-Dindigul, Durgapur, Ernakulam, Gadag, Gummidipoondi, Hassan, Hisar,

Notes: Hubballi, Imphal, Jorapokhar, Kalyan, Karauli, Keonjhar, Kochi, Kohima,
Notes: Kolar, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar,
Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panchkula, Parbhani,
Pithampur, Raichur, Rishikesh, Sagar, Salem, Sasaram, Sirsa, Sivasagar,
Sonipat, Surat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore
as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalna	Satisfactory	56	PM ₁₀	1
98	Jhalawar	Good	46	PM ₁₀	1
99	Jhansi	Good	38	PM _{2.5}	1
100	Jhunjhunu	Satisfactory	67	PM ₁₀	1
101	Jind	Satisfactory	58	со	1
102	Jodhpur	Moderate	131	PM _{2.5}	5
103	Kadapa	Good	33	PM _{2.5}	1
104	Kaithal	Satisfactory	67	PM _{2.5}	1
105	Kalaburgi	Good	47	PM ₁₀	1
106	Kanchipuram	Good	31	PM ₁₀	1
107	Kannur	Satisfactory	70	PM ₁₀	1
108	Kanpur	Good	50	PM ₁₀ , PM _{2.5}	3

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhilwara, Bikaner, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera,

Dindigul, Durgapur, Ernakulam, Gadag, Cummidipoondi, Hassan, Hisar,

Hubballi, Imphal, Jorapokhar, Kalyan, Karauli, Keonjhar, Kochi, Kohima, Kolar, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panchkula, Parbhani, Pithampur, Raichur, Rishikesh, Sagar, Salem, Sasaram, Sirsa, Sivasagar, Sonipat, Surat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karnal	Good	49	PM _{2.5}	1
110	Kashipur	Good	44	PM ₁₀	1
111	Katihar	Satisfactory	66	PM ₁₀	1
112	Katni	Good	37	PM ₁₀	1
113	Khanna	Satisfactory	56	PM ₁₀	1
114	Khurja	Satisfactory	77	PM _{2.5}	1
115	Kishanganj	Good	49	СО	1
116	Kolhapur	Good	46	PM ₁₀	2
117	Kolkata	Good	31	O ₃ , PM ₁₀	6
118	Kollam	Satisfactory	70	PM ₁₀	1
119	Koppal	Good	27	SO ₂	1
120	Korba	Good	26	NO ₂ , PM ₁₀	2

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhilwara, Bikaner, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera,

Dindigul, Durgapur, Ernakulam, Cadag, Cummidipoondi, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kalyan, Karauli, Keonjhar, Kochi, Kohima,

Kolar, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panchkula, Parbhani, Pithampur, Raichur, Rishikesh, Sagar, Salem, Sasaram, Sirsa, Sivasagar, Sonipat, Surat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kota	Moderate	108	PM ₁₀	3
122	Kunjemura	Good	34	PM ₁₀	1
123	Kurukshetra	Satisfactory	72	03	1
124	Latur	Good	46	PM ₁₀	1
125	Lucknow	Satisfactory	52	PM _{2.5} , PM ₁₀	6
126	Ludhiana	Satisfactory	82	PM ₁₀	1
127	Mahad	Good	27	PM ₁₀	1
128	Maihar	Good	24	со	1
129	Mandi Gobindgarh	Satisfactory	70	PM _{2.5}	1
130	Mandideep	Satisfactory	86	O ₃	1
131	Mandikhera	Good	25	SO ₂	1
132	Manesar	Satisfactory	61	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhilwara, Bikaner, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera,

Dindigul, Durgapur, Ernakulam, Cadag, Gummidipoondi, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kalyan, Karauli, Keonjhar, Kochi, Kohima,

Kolar, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panchkula, Parbhani, Pithampur, Raichur, Rishikesh, Sagar, Salem, Sasaram, Sirsa, Sivasagar, Sonipat, Surat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mangalore	Satisfactory	61	PM ₁₀	1
134	Manguraha	Good	35	PM ₁₀	1
135	Meerut	Satisfactory	57	CO, NO ₂	3
136	Moradabad	Satisfactory	77	PM ₁₀	6
137	Motihari	Good	47	PM ₁₀	1
138	Mumbai	Satisfactory	87	PM _{2.5} , CO	20
139	Munger	Satisfactory	85	PM ₁₀	1
140	Muzaffarpur	Satisfactory	72	O ₃	3
141	Mysuru	Satisfactory	59	O ₃	1
142	Nagaon	Satisfactory	60	PM ₁₀	1
143	Nagaur	Moderate	110	PM ₁₀	1
144	Nagpur	Good	50	PM ₁₀	4

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhilwara, Bikaner, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera,

Dindigul, Durgapur, Ernakulam, Gadag, Gummidipoondi, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kalyan, Karauli, Keonjhar, Kochi, Kohima,

Hubballi, Imphal, Jorapokhar, Kalyan, Karauli, Keonjhar, Kochi, Kohima, Kolar, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panchkula, Parbhani, Pithampur, Raichur, Rishikesh, Sagar, Salem, Sasaram, Sirsa, Sivasagar, Sonipat, Surat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nalbari	Good	32	PM ₁₀	1
146	Nanded	Good	44	PM ₁₀	1
147	Nashik	Good	33	PM ₁₀	4
148	Navi Mumbai	Satisfactory	60	CO, PM ₁₀	4
149	Nayagarh	Good	34	PM ₁₀	1
150	Noida	Satisfactory	68	PM _{2.5}	4
151	Ooty	Satisfactory	52	PM ₁₀	1
152	Pali	Moderate	193	PM ₁₀	1
153	Palkalaiperur	Satisfactory	66	SO ₂	1
154	Palwal	Satisfactory	64	03	1
155	Panipat	Moderate	101	PM ₁₀	1
156	Patiala	Good	50	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhilwara, Bikaner, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera,

Dindigul, Durgapur, Ernakulam, Cadag, Cummidipoondi, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kalyan, Karauli, Keonjhar, Kochi, Kohima,

Hubballi, Imphal, Jorapokhar, Kalyan, Karauli, Keonjhar, Kochi, Kohima, Kolar, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panchkula, Parbhani, Pithampur, Raichur, Rishikesh, Sagar, Salem, Sasaram, Sirsa, Sivasagar, Sonipat, Surat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Patna	Satisfactory	85	O ₃ , PM _{2.5}	6
158	Pimpri Chinchwad	Good	42	PM ₁₀	3
159	Pratapgarh	Satisfactory	91	PM ₁₀	1
160	Prayagraj	Satisfactory	53	PM ₁₀	3
161	Puducherry	Good	48	PM ₁₀	1
162	Pune	Moderate	103	NO ₂ , PM _{2.5}	5
163	Purnia	Good	45	со	1
164	Raipur	Good	50	PM ₁₀ , NO ₂	4
165	Rairangpur	Good	38	PM ₁₀	1
166	Rajamahendravaram	Good	34	PM ₁₀	1
167	Rajgir	Satisfactory	59	PM ₁₀	1
168	Rajsamand	Moderate	143	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhilwara, Bikaner, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera,

-Dindigul, Durgapur, Ernakulam, Gadag, Gummidipoondi, Hassan, Hisar,

Hubballi, Imphal, Jorapokhar, Kalyan, Karauli, Keonjhar, Kochi, Kohima, Kolar, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panchkula, Parbhani, Pithampur, Raichur, Rishikesh, Sagar, Salem, Sasaram, Sirsa, Sivasagar, Sonipat, Surat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Ramanagara	Good	41	PM ₁₀	1
170	Ramanathapuram	Satisfactory	85	со	1
171	Ratlam	Satisfactory	52	PM ₁₀	1
172	Rohtak	Good	40	03	1
173	Rourkela	Satisfactory	58	PM ₁₀	2
174	Rupnagar	Satisfactory	91	PM ₁₀	1
175	Saharsa	Good	47	PM ₁₀	1
176	Samastipur	Satisfactory	69	PM ₁₀	1
177	Sangli	Good	29	PM ₁₀	1
178	Satna	Satisfactory	72	PM ₁₀	1
179	Sawai Madhopur	Satisfactory	84	PM _{2.5}	1
180	Shillong	Good	20	SO ₂	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhilwara, Bikaner, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera,

- Dindigul, Durgapur, Ernakulam, Gadag, Gummidipoondi, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kalyan, Karauli, Keonjhar, Kochi, Kohima, Kolar, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar,

Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panchkula, Parbhani, Pithampur, Raichur, Rishikesh, Sagar, Salem, Sasaram, Sirsa, Sivasagar, Sonipat, Surat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Shivamogga	Satisfactory	56	O ₃	1
182	Sikar	Satisfactory	90	PM ₁₀	1
183	Silchar	Good	25	со	1
184	Siliguri	Good	39	PM ₁₀	1
185	Singrauli	Moderate	104	NO ₂	1
186	Sirohi	Satisfactory	76	PM ₁₀	1
187	Siwan	Satisfactory	58	PM ₁₀	1
188	Solapur	Satisfactory	72	PM ₁₀	3
189	Sri Ganganagar	Moderate	139	PM ₁₀	1
190	Srinagar	Good	46	PM _{2.5}	1
191	Suakati	Good	37	03	1
192	Thane	Good	49	PM ₁₀	3

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhilwara, Bikaner, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera,

-Dindigul, Durgapur, Ernakulam, Gadag, Gummidipoondi, Hassan, Hisar,

Hubballi, Imphal, Jorapokhar, Kalyan, Karauli, Keonjhar, Kochi, Kohima, Kolar, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panchkula, Parbhani, Pithampur, Raichur, Rishikesh, Sagar, Salem, Sasaram, Sirsa, Sivasagar, Sonipat, Surat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Thiruvananthapuram	Good	21	PM ₁₀	1
194	Thoothukudi	Satisfactory	52	PM ₁₀	1
195	Thrissur	Satisfactory	51	PM ₁₀	1
196	Tirupati	Good	42	PM ₁₀	1
197	Tirupur	Good	44	PM ₁₀	1
198	Tumakuru	Satisfactory	79	со	1
199	Tumidih	Good	24	со	1
200	Udaipur	Satisfactory	74	PM ₁₀	1
201	Vapi	Satisfactory	72	со	1
202	Varanasi	Good	32	SO ₂ , PM ₁₀	4
203	Vatva	Satisfactory	85	PM _{2.5}	1
204	Vijayapura	Good	46	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhilwara, Bikaner, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera,

Dindigul, Durgapur, Ernakulam, Cadag, Cummidipoendi, Hass

Hubballi, Imphal, Jorapokhar, Kalyan, Karauli, Keonjhar, Kochi, Kohima, Kolar, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panchkula, Parbhani, Pithampur, Raichur, Rishikesh, Sagar, Salem, Sasaram, Sirsa, Sivasagar, Sonipat, Surat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Visakhapatnam	Satisfactory	79	PM ₁₀	1
206	Vrindavan	Good	24	SO ₂	1
207	Yadgir	Good	29	PM ₁₀	1
208	Yamunanagar	Satisfactory	75	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Dindigul, Durgapur, Ernakulam, Gadag, Gummidipoondi, Hassan, Hisar, Hubballi, Imphal, Jorapokhar, Kalyan, Karauli, Keonjhar, Kochi, Kohima,

Notes: Kolar, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar,
Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panchkula, Parbhani,
Pithampur, Raichur, Rishikesh, Sagar, Salem, Sasaram, Sirsa, Sivasagar,
Sonipat, Surat, Talcher, Tensa, Tonk, Udupi, Ujjain, Vijayawada, vellore
as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhilwara, Bikaner, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera,