

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	25	PM <sub>10</sub>	2
2	Agra	Good	35	PM <sub>10</sub> , PM <sub>2.5</sub>	6
3	Ahmedabad	Satisfactory	68	SO <sub>2</sub>	1
4	Aizawl	Good	19	SO <sub>2</sub>	1
5	Ajmer	Satisfactory	69	PM <sub>10</sub>	1
6	Alwar	Satisfactory	87	PM <sub>10</sub>	1
7	Amaravati	Good	33	03	1
8	Ambala	Moderate	127	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	66	PM <sub>10</sub>	1
10	Anantapur	Satisfactory	55	PM <sub>10</sub>	1
11	Ankleshwar	Moderate	107	со	1
12	Arrah	Satisfactory	74	NO <sub>2</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	53	03	1
14	Aurangabad (Maharashtra)	Satisfactory	85	PM <sub>10</sub>	1
15	Baddi	Moderate	150	O <sub>3</sub>	1
16	Bagalkot	Good	46	PM <sub>10</sub>	1
17	Baghpat	Satisfactory	65	PM <sub>10</sub>	1
18	Bahadurgarh	Satisfactory	75	PM <sub>10</sub>	1
19	Ballabgarh	Satisfactory	75	PM <sub>10</sub>	1
20	Bareilly	Satisfactory	54	PM <sub>2.5</sub> , PM <sub>10</sub>	2
21	Bathinda	Satisfactory	88	PM <sub>10</sub>	1
22	Begusarai	Good	46	со	1
23	Bengaluru	Good	42	PM <sub>10</sub>	4
24	Bhagalpur	Satisfactory	52	NO <sub>2</sub> , O <sub>3</sub>	2

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Moderate	128	NO <sub>2</sub>	1
26	Bhiwani	Satisfactory	73	03	1
27	Bhopal	Satisfactory	60	PM <sub>10</sub>	1
28	Bihar Sharif	Good	40	PM <sub>10</sub>	1
29	Bilaspur	Satisfactory	55	PM <sub>10</sub>	1
30	Bulandshahr	Satisfactory	66	PM <sub>10</sub>	1
31	Buxar	Good	47	со	1
32	Chamarajanagar	Good	38	PM <sub>10</sub>	1
33	Chandigarh	Satisfactory	64	O <sub>3</sub> , CO, PM <sub>10</sub>	3
34	Chandrapur	Good	43	NO <sub>2</sub>	1
35	Charkhi Dadri	Satisfactory	76	PM <sub>10</sub>	1
36	Chennai	Satisfactory	70	CO, PM <sub>10</sub>	8

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Good	31	PM <sub>10</sub>	1
38	Chikkamagaluru	Good	27	NO <sub>2</sub>	1
39	Coimbatore	Good	32	со	1
40	Damoh	Good	25	PM <sub>2.5</sub>	1
41	Darbhanga	Good	37	со	1
42	Davanagere	Good	24	PM <sub>10</sub>	1
43	Dehradun	Good	39	PM <sub>10</sub>	1
44	Delhi	Satisfactory	84	CO, PM <sub>10</sub>	34
45	Dewas	Satisfactory	54	PM <sub>10</sub>	1
46	Dharuhera	Satisfactory	94	PM <sub>10</sub>	1
47	Durgapur	Satisfactory	54	PM <sub>10</sub>	1
48	Eloor	Good	50	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Araria, Aurangabac

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ernakulam	Good	34	СО	1
50	Faridabad	Satisfactory	90	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
51	Firozabad	Satisfactory	88	O <sub>3</sub> , PM <sub>10</sub>	2
52	Gadag	Good	46	NO <sub>2</sub>	1
53	Gandhinagar	Good	31	PM <sub>10</sub>	1
54	Gaya	Good	38	CO, O <sub>3</sub> , PM <sub>2.5</sub>	3
55	Ghaziabad	Satisfactory	77	PM <sub>10</sub>	4
56	Gorakhpur	Good	46	SO <sub>2</sub>	1
57	Greater Noida	Satisfactory	89	PM <sub>10</sub> , CO	2
58	Gurugram	Moderate	115	PM <sub>2.5</sub> , PM <sub>10</sub>	3
59	Guwahati	Satisfactory	51	O <sub>3</sub> , PM <sub>10</sub>	2
60	Gwalior	Good	39	PM <sub>2.5</sub> , O <sub>3</sub>	2

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Good	42	PM <sub>10</sub>	1
62	Hassan	Good	32	SO <sub>2</sub>	1
63	Haveri	Satisfactory	60	со	1
64	Hisar	Satisfactory	85	PM <sub>10</sub>	1
65	Hosur	Satisfactory	57	со	1
66	Howrah	Good	28	CO, PM <sub>10</sub>	3
67	Hubballi	Satisfactory	56	со	1
68	Hyderabad	Good	43	CO, PM <sub>10</sub> , NO <sub>2</sub>	10
69	Imphal	Satisfactory	81	O <sub>3</sub> , SO <sub>2</sub>	2
70	Indore	Satisfactory	56	NO <sub>2</sub>	1
71	Jabalpur	Good	43	PM <sub>10</sub>	1
72	Jaipur	Satisfactory	62	PM <sub>10</sub> , PM <sub>2.5</sub>	3

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Araria, Aurangabac

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Satisfactory	71	PM <sub>10</sub>	1
74	Jind	Satisfactory	64	PM <sub>2.5</sub>	1
75	Jodhpur	Satisfactory	76	PM <sub>10</sub>	1
76	Kaithal	Satisfactory	63	PM <sub>10</sub>	1
77	Kalyan	Satisfactory	67	со	1
78	Kannur	Satisfactory	54	PM <sub>2.5</sub>	1
79	Kanpur	Good	39	PM <sub>2.5</sub> , PM <sub>10</sub>	4
80	Karnal	Satisfactory	76	PM <sub>10</sub>	1
81	Katni	Good	42	PM <sub>10</sub>	1
82	Khanna	Good	45	PM <sub>10</sub>	1
83	Khurja	Satisfactory	79	SO <sub>2</sub>	1
84	Kishanganj	Good	32	O <sub>3</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQL is not calculated for today's bulletin for Argrig. Aurangabas

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kochi	Moderate	155	PM <sub>2.5</sub>	1
86	Kohima	Good	24	PM <sub>10</sub>	1
87	Kolkata	Good	35	O <sub>3</sub> , PM <sub>10</sub> , CO	6
88	Kollam	Satisfactory	65	PM <sub>10</sub>	1
89	Koppal	Satisfactory	60	O <sub>3</sub>	1
90	Kota	Satisfactory	57	PM <sub>2.5</sub>	1
91	Kurukshetra	Satisfactory	58	O <sub>3</sub>	1
92	Lucknow	Good	43	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	6
93	Ludhiana	Satisfactory	92	PM <sub>10</sub>	1
94	Madikeri	Good	24	O <sub>3</sub>	1
95	Maihar	Good	44	со	1
96	Mandideep	Moderate	115	SO <sub>2</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Araria, Aurangabac

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Satisfactory	53	PM <sub>10</sub>	1
98	Manglore	Satisfactory	53	PM <sub>10</sub>	1
99	Manguraha	Good	21	PM <sub>10</sub>	1
100	Meerut	Satisfactory	87	PM <sub>10</sub>	3
101	Moradabad	Satisfactory	57	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	5
102	Mumbai	Satisfactory	65	CO, PM <sub>10</sub> , O <sub>3</sub>	14
103	Muzaffarnagar	Satisfactory	88	PM <sub>10</sub>	1
104	Muzaffarpur	Satisfactory	57	O <sub>3</sub> , CO, PM <sub>10</sub>	3
105	Mysuru	Good	37	PM <sub>10</sub>	1
106	Nagpur	Good	40	со	1
107	Narnaul	Good	49	PM <sub>2.5</sub>	1
108	Navi Mumbai	Satisfactory	60	CO, PM <sub>2.5</sub>	2

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQL is not calculated for today's bulletin for Argrig. Aurangabas

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Satisfactory	73	PM <sub>10</sub> , CO	4
110	Ooty	Good	48	SO <sub>2</sub>	1
111	Pali	Satisfactory	84	PM <sub>10</sub>	1
112	Palwal	Satisfactory	87	PM <sub>10</sub>	1
113	Panchkula	Satisfactory	59	со	1
114	Panipat	Moderate	115	PM <sub>10</sub>	1
115	Patna	Good	47	PM <sub>10</sub>	5
116	Pithampur	Satisfactory	62	PM <sub>10</sub>	1
117	Prayagraj	Good	46	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	3
118	Puducherry	Satisfactory	52	PM <sub>10</sub>	1
119	Purnia	Satisfactory	66	со	1
120	Raichur	Satisfactory	73	СО	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Good	19	PM <sub>10</sub>	1
122	Ramanagara	Good	39	03	1
123	Ratlam	Good	49	PM <sub>10</sub>	1
124	Rupnagar	Satisfactory	97	PM <sub>10</sub>	1
125	Sagar	Satisfactory	51	со	1
126	Salem	Good	22	PM <sub>10</sub>	1
127	Samastipur	Satisfactory	72	PM <sub>10</sub>	1
128	Sasaram	Good	49	NO <sub>2</sub>	1
129	Satna	Good	14	03	1
130	Shillong	Good	22	PM <sub>10</sub> , SO <sub>2</sub>	2
131	Shivamogga	Good	45	PM <sub>10</sub>	1
132	Siliguri	Good	34	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Araria, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Singrauli	Satisfactory	86	NO <sub>2</sub>	1
134	Sirsa	Moderate	103	PM <sub>10</sub>	1
135	Solapur	Satisfactory	65	PM <sub>10</sub>	1
136	Sonipat	Satisfactory	93	PM <sub>10</sub>	1
137	Srinagar	Good	46	PM <sub>10</sub>	1
138	Talcher	Satisfactory	57	со	1
139	Thiruvananthapuram	Good	34	со	1
140	Thoothukudi	Satisfactory	55	PM <sub>10</sub>	1
141	Tirupati	Good	39	со	1
142	Tiruppur	Satisfactory	95	PM <sub>10</sub>	1
143	Udaipur	Satisfactory	77	PM <sub>10</sub>	1
144	Ujjain	Satisfactory	72	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Araria, Aurangabac

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Varanasi	Good	33	PM <sub>10</sub> , SO <sub>2</sub>	4
146	Vatva	Satisfactory	68	PM <sub>2.5</sub>	1
147	Vijayapura	Good	39	PM <sub>10</sub>	1
148	Visakhapatnam	Satisfactory	72	PM <sub>10</sub>	1
149	Vrindavan	Good	48	SO <sub>2</sub>	1
150	Yadgir	Good	19	O <sub>3</sub>	1
151	Yamunanagar	Moderate	134	PM <sub>2.5</sub>	1
152	vellore	Good	43	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AOI is not calculated for today's bulletin for Arcris. Aurangebod

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.