

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	327	PM <sub>2.5</sub>	1
2	Ahmedabad	Poor	202	PM <sub>10</sub>	1
3	Aizawl	Moderate	158	PM <sub>2.5</sub>	1
4	Ajmer	Satisfactory	89	PM <sub>10</sub>	1
5	Alwar	Moderate	124	PM <sub>2.5</sub>	1
6	Amaravati	Satisfactory	88	PM <sub>2.5</sub>	1
7	Ambala	Moderate	195	PM <sub>2.5</sub>	1
8	Amritsar	Satisfactory	90	PM <sub>10</sub>	1
9	Ankleshwar	Poor	268	PM <sub>2.5</sub>	1
10	Asansol	Poor	287	PM <sub>2.5</sub>	1
11	Aurangabad	Satisfactory	90	PM <sub>10</sub>	1
12	Baghpat	Poor	233	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Bagalkot,
  Bahadurgarh, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoor
  Hapur, Kalaburgi, Kochi, Kozhikode, Maihar, Nandesari, Narnaul, Panchkula,
  Panipat, Ramanagara, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	204	PM <sub>2.5</sub>	1
14	Bathinda	Moderate	107	PM <sub>2.5</sub>	1
15	Bengaluru	Satisfactory	84	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	8
16	Bhiwadi	Very Poor	312	PM <sub>2.5</sub>	1
17	Bhiwani	Moderate	106	PM <sub>10</sub>	1
18	Bhopal	Moderate	117	PM <sub>10</sub>	1
19	Bidar	Satisfactory	100	PM <sub>2.5</sub>	1
20	Brajrajnagar	Moderate	165	PM <sub>2.5</sub>	1
21	Bulandshahr	Very Poor	354	PM <sub>2.5</sub>	1
22	Chandigarh	Satisfactory	97	PM <sub>10</sub>	1
23	Chandrapur	Moderate	102	PM <sub>2.5</sub> , PM <sub>10</sub>	2
24	Charkhi Dadri	Moderate	167	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Bagalkot, Bahadurgarh, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoor Hapur, Kalaburgi, Kochi, Kozhikode, Maihar, Nandesari, Narnaul, Panchkula, Panipat, Ramanagara, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	63	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	5
26	Chikkaballapur	Satisfactory	71	PM <sub>2.5</sub>	1
27	Chikkamagaluru	Satisfactory	63	03	1
28	Damoh	Moderate	128	PM <sub>10</sub>	1
29	Delhi	Very Poor	347	PM <sub>10</sub> , PM <sub>2.5</sub>	37
30	Dewas	Satisfactory	82	PM <sub>10</sub>	1
31	Dharuhera	Poor	265	PM <sub>2.5</sub>	1
32	Durgapur	Very Poor	353	PM <sub>2.5</sub>	1
33	Eloor	Satisfactory	85	PM <sub>10</sub>	1
34	Ernakulam	Good	41	PM <sub>10</sub>	1
35	Faridabad	Poor	297	PM <sub>10</sub>	1
36	Fatehabad	Moderate	164	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Bagalkot, Bahadurgarh, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoor Hapur, Kalaburgi, Kochi, Kozhikode, Maihar, Nandesari, Narnaul, Panchkula, Panipat, Ramanagara, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Moderate	106	PM <sub>2.5</sub>	1
38	Gaya	Moderate	180	PM <sub>2.5</sub>	2
39	Ghaziabad	Very Poor	368	PM <sub>2.5</sub>	4
40	Greater Noida	Very Poor	384	PM <sub>2.5</sub>	2
41	Gurugram	Very Poor	330	PM <sub>2.5</sub>	2
42	Guwahati	Very Poor	351	PM <sub>2.5</sub>	1
43	Gwalior	Very Poor	307	PM <sub>2.5</sub>	1
44	Hajipur	Moderate	143	PM <sub>10</sub>	1
45	Haldia	Poor	288	PM <sub>2.5</sub>	1
46	Hisar	Moderate	200	PM <sub>2.5</sub>	1
47	Howrah	Very Poor	338	PM <sub>2.5</sub>	3
48	Hubballi	Moderate	103	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Bagalkot, Bahadurgarh, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoor Hapur, Kalaburgi, Kochi, Kozhikode, Maihar, Nandesari, Narnaul, Panchkula, Panipat, Ramanagara, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Moderate	135	PM <sub>2.5</sub> , PM <sub>10</sub>	6
50	Indore	Moderate	110	PM <sub>10</sub>	1
51	Jabalpur	Moderate	186	PM <sub>10</sub>	1
52	Jaipur	Moderate	179	PM <sub>10</sub> , PM <sub>2.5</sub>	3
53	Jalandhar	Satisfactory	95	PM <sub>10</sub>	1
54	Jind	Moderate	185	PM <sub>2.5</sub>	1
55	Jodhpur	Moderate	125	PM <sub>10</sub>	1
56	Jorapokhar	Moderate	156	PM <sub>10</sub>	1
57	Kaithal	Satisfactory	84	PM <sub>2.5</sub>	1
58	Kalyan	Poor	295	PM <sub>2.5</sub>	1
59	Kannur	Satisfactory	70	PM <sub>10</sub>	1
60	Kanpur	Very Poor	368	PM <sub>2.5</sub>	2

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Bagalkot, Bahadurgarh, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoor Hapur, Kalaburgi, Kochi, Kozhikode, Maihar, Nandesari, Narnaul, Panchkula, Panipat, Ramanagara, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Moderate	125	PM <sub>2.5</sub>	1
62	Katni	Poor	221	PM <sub>2.5</sub>	1
63	Khanna	Moderate	104	PM <sub>2.5</sub>	1
64	Kohima	Moderate	143	PM <sub>2.5</sub>	1
65	Kolar	Satisfactory	63	NO <sub>2</sub>	1
66	Kolkata	Very Poor	327	PM <sub>2.5</sub>	7
67	Kollam	Good	45	PM <sub>10</sub>	1
68	Koppal	Satisfactory	96	PM <sub>10</sub>	1
69	Kota	Poor	226	PM <sub>2.5</sub>	1
70	Kurukshetra	Moderate	161	PM <sub>2.5</sub>	1
71	Lucknow	Very Poor	320	PM <sub>2.5</sub>	4
72	Ludhiana	Satisfactory	89	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Bagalkot, Bahadurgarh, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoor Hapur, Kalaburgi, Kochi, Kozhikode, Maihar, Nandesari, Narnaul, Panchkula, Panipat, Ramanagara, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Moderate	189	PM <sub>10</sub>	1
74	Mandideep	Moderate	140	PM <sub>10</sub>	1
75	Mandikhera	Moderate	137	PM <sub>2.5</sub>	1
76	Manesar	Poor	219	PM <sub>2.5</sub>	1
77	Manglore	Good	48	PM <sub>2.5</sub>	1
78	Medikeri	Satisfactory	65	со	1
79	Meerut	Poor	296	PM <sub>2.5</sub>	2
80	Moradabad	Very Poor	332	PM <sub>2.5</sub>	1
81	Mumbai	Moderate	173	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	16
82	Muzaffarnagar	Poor	243	PM <sub>2.5</sub>	1
83	Muzaffarpur	Poor	272	PM <sub>2.5</sub>	2
84	Mysuru	Satisfactory	68	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Bagalkot, Bahadurgarh, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoor Hapur, Kalaburgi, Kochi, Kozhikode, Maihar, Nandesari, Narnaul, Panchkula, Panipat, Ramanagara, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nagpur	Satisfactory	81	PM <sub>10</sub>	1
86	Nashik	Moderate	133	PM <sub>2.5</sub>	1
87	Navi Mumbai	Very Poor	301	PM <sub>2.5</sub> , O <sub>3</sub>	3
88	Noida	Very Poor	383	PM <sub>2.5</sub>	3
89	Pali	Satisfactory	92	PM <sub>10</sub>	1
90	Palwal	Moderate	134	со	1
91	Patiala	Moderate	110	PM <sub>2.5</sub>	1
92	Patna	Moderate	195	PM <sub>2.5</sub> , PM <sub>10</sub> , NO <sub>2</sub>	5
93	Pithampur	Moderate	103	03	1
94	Puducherry	Good	49	PM <sub>10</sub>	1
95	Pune	Satisfactory	76	PM <sub>10</sub> , PM <sub>2.5</sub>	2
96	Raichur	Moderate	141	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Bagalkot, Bahadurgarh, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoor Hapur, Kalaburgi, Kochi, Kozhikode, Maihar, Nandesari, Narnaul, Panchkula, Panipat, Ramanagara, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rajamahendravaram	Moderate	101	PM <sub>2.5</sub>	1
98	Ratlam	Moderate	123	PM <sub>10</sub>	1
99	Rohtak	Poor	255	PM <sub>2.5</sub>	1
100	Rupnagar	Satisfactory	66	PM <sub>10</sub>	1
101	Sagar	Satisfactory	70	PM <sub>2.5</sub>	1
102	Satna	Satisfactory	84	PM <sub>10</sub>	1
103	Shivamogga	Satisfactory	61	PM <sub>10</sub>	1
104	Siliguri	Very Poor	302	PM <sub>2.5</sub>	1
105	Singrauli	Very Poor	351	PM <sub>2.5</sub>	1
106	Sirsa	Satisfactory	90	PM <sub>10</sub>	1
107	Solapur	Moderate	114	PM <sub>10</sub>	1
108	Sonipat	Moderate	144	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Bagalkot, Bahadurgarh, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoor Hapur, Kalaburgi, Kochi, Kozhikode, Maihar, Nandesari, Narnaul, Panchkula, Panipat, Ramanagara, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Talcher	Moderate	143	PM <sub>10</sub>	1
110	Thane	Poor	229	PM <sub>10</sub>	1
111	Thiruvananthapuram	Good	47	PM <sub>10</sub> , CO	2
112	Thoothukudi	Good	42	03	1
113	Thrissur	Satisfactory	63	PM <sub>2.5</sub>	1
114	Tirupati	Satisfactory	84	PM <sub>2.5</sub>	1
115	Udaipur	Moderate	183	PM <sub>2.5</sub>	1
116	Ujjain	Moderate	176	03	1
117	Vapi	Moderate	160	PM <sub>10</sub>	1
118	Varanasi	Poor	209	PM <sub>2.5</sub>	1
119	Vatva	Poor	276	PM <sub>10</sub>	1
120	Vijayapura	Satisfactory	55	СО	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Bagalkot, Bahadurgarh, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoor Hapur, Kalaburgi, Kochi, Kozhikode, Maihar, Nandesari, Narnaul, Panchkula, Panipat, Ramanagara, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Visakhapatnam	Moderate	131	PM <sub>2.5</sub>	1
122	Yadgir	Satisfactory	89	PM <sub>10</sub>	1
123	Yamunanagar	Poor	224	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Bagalkot, Bahadurgarh, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoor Hapur, Kalaburgi, Kochi, Kozhikode, Maihar, Nandesari, Narnaul, Panchkula, Panipat, Ramanagara, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.