Air Quality Index on Nov 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	339	$PM_{2.5}$	1
2	Ahmedabad	Moderate	118	$PM_{2.5}$	1
3	Ajmer	Moderate	116	PM_{10}	1
4	Alwar	Satisfactory	93	PM_{10}	1
5	Amaravati	Moderate	136	$PM_{2.5}$	1
6	Ambala	Very Poor	394	PM_{10}	1
7	Amritsar	Poor	255	$PM_{2.5}$	1
8	Ankleshwar	Very Poor	308	$PM_{2.5}$	1
9	Asansol	Moderate	101	PM_{10}	1
10	Aurangabad	Satisfactory	95	O_3	1
11	Bagalkot	Poor	242	$PM_{2.5}$	1
12	Baghpat	Very Poor	389	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Bhiwani, Charkhi Dadri, Coimbatore, Ernakulam, Hajipur, Jorapokhar, Ludhiana, Mysuru, Nagpur, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Very Poor	312	$PM_{2.5}$	1
14	Ballabgarh	Very Poor	347	$PM_{2.5}$	1
15	Bathinda	Moderate	155	$PM_{2.5}$	1
16	Bengaluru	Moderate	114	O_3, $PM_{2.5}$, PM_{10}	8
17	Bhiwadi	Very Poor	339	$PM_{2.5}$	1
18	Bhopal	Moderate	176	$PM_{2.5}$	1
19	Brajrajnagar	Moderate	123	$PM_{2.5}$	1
20	Bulandshahr	Very Poor	369	PM_{10}	1
21	Chandigarh	Moderate	123	PM_{10}	1
22	Chandrapur	Moderate	106	PM_{10}	1
23	Chennai	Moderate	117	$PM_{2.5}$, O_3	3
24	Chikkaballapur	Moderate	181	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Bhiwani, Charkhi Dadri, Coimbatore, Ernakulam, Hajipur, Jorapokhar, Ludhiana, Mysuru, Nagpur, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Satisfactory	95	PM_{10}	1
26	Damoh	Moderate	166	$PM_{2.5}$	1
27	Delhi	Very Poor	364	PM_{10}, $PM_{2.5}$	35
28	Dewas	Moderate	131	PM_{10}	1
29	Dharuhera	Poor	290	$PM_{2.5}$	1
30	Eloor	Good	43	O_3	1
31	Faridabad	Very Poor	354	$PM_{2.5}$	4
32	Fatehabad	Very Poor	335	$PM_{2.5}$	1
33	Gandhinagar	Moderate	109	PM_{10}	1
34	Gaya	Moderate	105	O_3	1
35	Ghaziabad	Very Poor	384	PM_{10}, $PM_{2.5}$	3
36	Greater Noida	Very Poor	388	PM_{10}, $PM_{2.5}$	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Bhiwani, Charkhi Dadri, Coimbatore, Ernakulam, Hajipur, Jorapokhar, Ludhiana, Mysuru, Nagpur, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Very Poor	306	$PM_{2.5}$, PM_{10}	4
38	Guwahati	Satisfactory	94	$PM_{2.5}$	1
39	Gwalior	Very Poor	356	$PM_{2.5}$	1
40	Hapur	Very Poor	341	PM_{10}	1
41	Hisar	Poor	289	$PM_{2.5}$	1
42	Howrah	Satisfactory	56	PM_{10}	3
43	Hubballi	Moderate	141	$PM_{2.5}$	1
44	Hyderabad	Moderate	162	$PM_{2.5}$	6
45	Indore	Moderate	138	PM_{10}	1
46	Jabalpur	Poor	234	$PM_{2.5}$	1
47	Jaipur	Moderate	134	$PM_{2.5}$, PM_{10}	3
48	Jalandhar	Poor	206	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Bhiwani, Charkhi Dadri, Coimbatore, Ernakulam, Hajipur, Jorapokhar, Ludhiana, Mysuru, Nagpur, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jind	Severe	425	$PM_{2.5}$	1
50	Jodhpur	Poor	259	$PM_{2.5}$	1
51	Kaithal	Very Poor	342	$PM_{2.5}$	1
52	Kalaburgi	Moderate	111	PM_{10}	1
53	Kalyan	Moderate	129	PM_{10}	1
54	Kannur	Good	40	CO	1
55	Kanpur	Very Poor	352	$PM_{2.5}$	1
56	Karnal	Poor	266	$PM_{2.5}$	1
57	Katni	Poor	286	PM_{10}	1
58	Khanna	Poor	271	$PM_{2.5}$	1
59	Kochi	Moderate	121	$PM_{2.5}$	1
60	Kohima	Good	38	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Bhiwani, Charkhi Dadri, Coimbatore, Ernakulam, Hajipur, Jorapokhar, Ludhiana, Mysuru, Nagpur, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kolkata	Satisfactory	53	$PM_{2.5}$, PM_{10}, O_3	7
62	Kollam	Poor	218	$PM_{2.5}$	1
63	Kota	Moderate	157	$PM_{2.5}$	1
64	Kozhikode	Satisfactory	76	PM_{10}	1
65	Kurukshetra	Very Poor	347	$PM_{2.5}$	1
66	Lucknow	Very Poor	318	PM_{10}, $PM_{2.5}$	4
67	Maihar	Satisfactory	76	$PM_{2.5}$	1
68	Mandi Gobindgarh	Poor	242	$PM_{2.5}$	1
69	Mandideep	Poor	207	$PM_{2.5}$	1
70	Mandikhera	Poor	202	$PM_{2.5}$	1
71	Manesar	Poor	240	$PM_{2.5}$	1
72	Meerut	Very Poor	364	$PM_{2.5}$	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Bhiwani, Charkhi Dadri, Coimbatore, Ernakulam, Hajipur, Jorapokhar, Ludhiana, Mysuru, Nagpur, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Moradabad	Very Poor	373	$PM_{2.5}$	1
74	Mumbai	Moderate	111	PM_{10}, $PM_{2.5}$, CO	9
75	Muzaffarnagar	Very Poor	342	PM_{10}	1
76	Muzaffarpur	Moderate	176	$PM_{2.5}$, O_3	2
77	Nandesari	Moderate	162	CO	1
78	Narnaul	Moderate	130	PM_{10}	1
79	Nashik	Satisfactory	60	$PM_{2.5}$	1
80	Navi Mumbai	Moderate	144	$PM_{2.5}$	2
81	Noida	Very Poor	384	$PM_{2.5}$	3
82	Pali	Moderate	120	$PM_{2.5}$	1
83	Palwal	Moderate	143	PM_{10}	1
84	Panchkula	Moderate	154	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Bhiwani, Charkhi Dadri, Coimbatore, Ernakulam, Hajipur, Jorapokhar, Ludhiana, Mysuru, Nagpur, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Panipat	Very Poor	333	PM_{10}	1
86	Patiala	Poor	278	$PM_{2.5}$	1
87	Patna	Moderate	164	$PM_{2.5}$, PM_{10}	5
88	Pithampur	Moderate	188	$PM_{2.5}$	1
89	Pune	Satisfactory	82	$PM_{2.5}$	1
90	Rajamahendravaram	Moderate	186	O_3	1
91	Ramanagara	Moderate	133	$PM_{2.5}$	1
92	Ratlam	Moderate	192	PM_{10}	1
93	Rohtak	Very Poor	302	$PM_{2.5}$	1
94	Rupnagar	Poor	253	$PM_{2.5}$	1
95	Sagar	Moderate	175	$PM_{2.5}$	1
96	Satna	Satisfactory	68	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Bhiwani, Charkhi Dadri, Coimbatore, Ernakulam, Hajipur, Jorapokhar, Ludhiana, Mysuru, Nagpur, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Shillong	Good	18	$PM_{2.5}$	1
98	Siliguri	Satisfactory	90	PM_{10}	1
99	Singrauli	Poor	208	$PM_{2.5}$	1
100	Sirsa	Moderate	183	$PM_{2.5}$	1
101	Solapur	Moderate	130	PM_{10}	1
102	Sonipat	Very Poor	308	PM_{10}	1
103	Talcher	Moderate	147	NO_2	1
104	Thane	Moderate	174	PM_{10}	1
105	Thiruvananthapuram	Satisfactory	95	$PM_{2.5}$, PM_{10}	2
106	Thrissur	Satisfactory	94	$PM_{2.5}$	1
107	Tirupati	Moderate	144	$PM_{2.5}$	1
108	Udaipur	Moderate	116	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Bhiwani, Charkhi Dadri, Coimbatore, Ernakulam, Hajipur, Jorapokhar, Ludhiana, Mysuru, Nagpur, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 01, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ujjain	Moderate	188	O_3	1
110	Vapi	Poor	233	$PM_{2.5}$	1
111	Varanasi	Poor	266	PM_{10}	1
112	Vatva	Moderate	151	PM_{10}	1
113	Visakhapatnam	Poor	247	PM_{10}	1
114	Yadgir	Moderate	173	O_3	1
115	Yamunanagar	Moderate	143	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Bhiwani, Charkhi Dadri, Coimbatore, Ernakulam, Hajipur, Jorapokhar, Ludhiana, Mysuru, Nagpur, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.