Air Quality Index on Jan 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	298	$PM_{2.5}$	1
2	Agra	Poor	220	$PM_{2.5}$, PM_{10}	6
3	Ahmedabad	Moderate	172	$PM_{2.5}$, PM_{10}	9
4	Aizawl	Satisfactory	85	PM_{10}	1
5	Ajmer	Satisfactory	78	$PM_{2.5}$	1
6	Alwar	Satisfactory	83	PM_{10}	1
7	Amaravati	Moderate	112	$PM_{2.5}$	1
8	Ambala	Poor	249	$PM_{2.5}$	1
9	Amritsar	Moderate	176	NO_2	1
10	Ankleshwar	Poor	252	$PM_{2.5}$	1
11	Asansol	Poor	202	$PM_{2.5}$	1
12	Aurangabad	Moderate	112	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Bidar, Brajrajnagar, Buxar, Fatehabad, Hubballi, Jorapokhar, Kalaburgi, Kolar, Kollam, Mandideep, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Purnia, Rajgir, Sagar, Siliguri, Solapur, Sonipat, Thane, Thrissur, Udupi, Vatva, Vrindavan, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	50	$PM_{2.5}$	1
14	Baghpat	Poor	275	$PM_{2.5}$	1
15	Bahadurgarh	Poor	223	$PM_{2.5}$	1
16	Ballabgarh	Poor	259	$PM_{2.5}$	1
17	Bathinda	Moderate	129	PM_{10}	1
18	Bengaluru	Moderate	104	O_3, $PM_{2.5}$, CO	9
19	Bettiah	Poor	210	PM_{10}	1
20	Bhagalpur	Very Poor	382	PM_{10}, $PM_{2.5}$	2
21	Bhilai	Good	43	PM_{10}	1
22	Bhiwadi	Poor	299	$PM_{2.5}$	1
23	Bhiwani	Very Poor	301	$PM_{2.5}$	1
24	Bhopal	Moderate	106	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Bidar, Brajrajnagar, Buxar, Fatehabad, Hubballi, Jorapokhar, Kalaburgi, Kolar, Kollam, Mandideep, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Purnia, Rajgir, Sagar, Siliguri, Solapur, Sonipat, Thane, Thrissur, Udupi, Vatva, Vrindavan, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Poor	242	$PM_{2.5}$	1
26	Bilaspur	Satisfactory	60	PM_{10}	1
27	Bulandshahr	Poor	253	$PM_{2.5}$	1
28	Chamarajanagar	Good	30	PM_{10}	1
29	Chandigarh	Moderate	109	PM_{10}	1
30	Chandrapur	Moderate	150	$PM_{2.5}$	2
31	Charkhi Dadri	Poor	299	$PM_{2.5}$	1
32	Chennai	Moderate	105	$PM_{2.5}$, PM_{10}	7
33	Chhapra	Very Poor	399	$PM_{2.5}$	1
34	Chikkaballapur	Moderate	136	$PM_{2.5}$	1
35	Chikkamagaluru	Good	33	PM_{10}	1
36	Coimbatore	Satisfactory	86	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Bidar, Brajrajnagar, Buxar, Fatehabad, Hubballi, Jorapokhar, Kalaburgi, Kolar, Kollam, Mandideep, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Purnia, Rajgir, Sagar, Siliguri, Solapur, Sonipat, Thane, Thrissur, Udupi, Vatva, Vrindavan, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Satisfactory	63	$PM_{2.5}$	1
38	Darbhanga	Very Poor	363	$PM_{2.5}$	1
39	Davanagere	Moderate	120	PM_{10}	1
40	Delhi	Very Poor	338	PM_{10}, $PM_{2.5}$	32
41	Dewas	Moderate	126	$PM_{2.5}$	1
42	Dharuhera	Poor	251	$PM_{2.5}$	1
43	Durgapur	Very Poor	306	PM_{10}	1
44	Eloor	Satisfactory	79	CO	1
45	Ernakulam	Satisfactory	79	NO_2	1
46	Faridabad	Very Poor	330	$PM_{2.5}$	3
47	Firozabad	Moderate	158	$PM_{2.5}$	1
48	Gadag	Satisfactory	64	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Bidar, Brajrajnagar, Buxar, Fatehabad, Hubballi, Jorapokhar, Kalaburgi, Kolar, Kollam, Mandideep, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Purnia, Rajgir, Sagar, Siliguri, Solapur, Sonipat, Thane, Thrissur, Udupi, Vatva, Vrindavan, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Moderate	154	$PM_{2.5}$, PM_{10}	3
50	Gaya	Moderate	166	$PM_{2.5}$, PM_{10}	3
51	Ghaziabad	Very Poor	328	$PM_{2.5}$	4
52	Gorakhpur	Moderate	117	$PM_{2.5}$	1
53	Greater Noida	Poor	289	$PM_{2.5}$	2
54	Gummidipoondi	Satisfactory	59	PM_{10}	1
55	Gurugram	Poor	248	$PM_{2.5}$	3
56	Guwahati	Poor	268	$PM_{2.5}$	2
57	Gwalior	Moderate	158	$PM_{2.5}$	1
58	Hajipur	Satisfactory	96	$PM_{2.5}$	1
59	Haldia	Moderate	102	PM_{10}	1
60	Hapur	Poor	243	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Bidar, Brajrajnagar, Buxar, Fatehabad, Hubballi, Jorapokhar, Kalaburgi, Kolar, Kollam, Mandideep, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Purnia, Rajgir, Sagar, Siliguri, Solapur, Sonipat, Thane, Thrissur, Udupi, Vatva, Vrindavan, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Satisfactory	77	PM_{10}	1
62	Hisar	Very Poor	302	$PM_{2.5}$	1
63	Howrah	Poor	280	$PM_{2.5}$	2
64	Hyderabad	Moderate	158	$PM_{2.5}$, PM_{10}	4
65	Indore	Moderate	179	$PM_{2.5}$	1
66	Jabalpur	Moderate	185	PM_{10}	1
67	Jaipur	Moderate	200	$PM_{2.5}$	1
68	Jalandhar	Moderate	105	$PM_{2.5}$	1
69	Jind	Poor	262	$PM_{2.5}$	1
70	Jodhpur	Moderate	134	$PM_{2.5}$	1
71	Kaithal	Moderate	141	$PM_{2.5}$	1
72	Kalyan	Poor	235	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Bidar, Brajrajnagar, Buxar, Fatehabad, Hubballi, Jorapokhar, Kalaburgi, Kolar, Kollam, Mandideep, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Purnia, Rajgir, Sagar, Siliguri, Solapur, Sonipat, Thane, Thrissur, Udupi, Vatva, Vrindavan, Yamunanagar as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kannur	Satisfactory	80	$PM_{2.5}$	1
74	Kanpur	Poor	233	$PM_{2.5}$	3
75	Karnal	Satisfactory	98	PM_{10}	1
76	Katihar	Very Poor	387	$PM_{2.5}$	1
77	Katni	Poor	202	$PM_{2.5}$	1
78	Khanna	Moderate	144	PM_{10}	1
79	Kishanganj	Severe	403	$PM_{2.5}$	1
80	Kochi	Moderate	165	$PM_{2.5}$	1
81	Kohima	Moderate	127	$PM_{2.5}$	1
82	Kolkata	Moderate	183	$PM_{2.5}$	3
83	Koppal	Moderate	116	O_3	1
84	Kota	Moderate	107	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Bidar, Brajrajnagar, Buxar, Fatehabad, Hubballi, Jorapokhar, Kalaburgi, Kolar, Kollam, Mandideep, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Purnia, Rajgir, Sagar, Siliguri, Solapur, Sonipat, Thane, Thrissur, Udupi, Vatva, Vrindavan, Yamunanagar as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kozhikode	Good	47	CO	1
86	Kurukshetra	Moderate	160	$PM_{2.5}$	1
87	Lucknow	Moderate	190	$PM_{2.5}$, PM_{10}	6
88	Ludhiana	Moderate	114	$PM_{2.5}$	1
89	Madikeri	Satisfactory	62	PM_{10}	1
90	Maihar	Good	21	PM_{10}	1
91	Mandi Gobindgarh	Poor	242	$PM_{2.5}$	1
92	Mandikhera	Satisfactory	90	PM_{10}	1
93	Manesar	Very Poor	318	$PM_{2.5}$	1
94	Manglore	Satisfactory	60	$PM_{2.5}$	1
95	Meerut	Poor	213	$PM_{2.5}$, PM_{10}	2
96	Moradabad	Moderate	147	$PM_{2.5}$	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Bidar, Brajrajnagar, Buxar, Fatehabad, Hubballi, Jorapokhar, Kalaburgi, Kolar, Kollam, Mandideep, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Purnia, Rajgir, Sagar, Siliguri, Solapur, Sonipat, Thane, Thrissur, Udupi, Vatva, Vrindavan, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Motihari	Very Poor	339	$PM_{2.5}$	1
98	Mumbai	Moderate	176	$PM_{2.5}$, PM_{10}	14
99	Munger	Severe	404	$PM_{2.5}$	1
100	Muzaffarnagar	Poor	279	$PM_{2.5}$	1
101	Muzaffarpur	Severe	408	$PM_{2.5}$	1
102	Mysuru	Moderate	101	O_3	1
103	Nandesari	Satisfactory	100	CO	1
104	Narnaul	Poor	213	$PM_{2.5}$	1
105	Navi Mumbai	Moderate	172	$PM_{2.5}$, PM_{10}	3
106	Noida	Very Poor	304	$PM_{2.5}$	3
107	Pali	Satisfactory	98	PM_{10}	1
108	Palwal	Moderate	135	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Bidar, Brajrajnagar, Buxar, Fatehabad, Hubballi, Jorapokhar, Kalaburgi, Kolar, Kollam, Mandideep, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Purnia, Rajgir, Sagar, Siliguri, Solapur, Sonipat, Thane, Thrissur, Udupi, Vatva, Vrindavan, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Panchkula	Poor	259	$PM_{2.5}$	1
110	Patiala	Moderate	114	$PM_{2.5}$	1
111	Patna	Very Poor	327	$PM_{2.5}$, PM_{10}	6
112	Pithampur	Satisfactory	94	$PM_{2.5}$	1
113	Prayagraj	Moderate	166	$PM_{2.5}$	2
114	Puducherry	Satisfactory	86	$PM_{2.5}$	1
115	Pune	Moderate	117	$PM_{2.5}$	3
116	Raichur	Moderate	169	PM_{10}	1
117	Rajamahendravaram	Satisfactory	87	PM_{10}	1
118	Ramanagara	Satisfactory	63	PM_{10}	1
119	Ratlam	Moderate	104	PM_{10}	1
120	Rohtak	Poor	248	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Bidar, Brajrajnagar, Buxar, Fatehabad, Hubballi, Jorapokhar, Kalaburgi, Kolar, Kollam, Mandideep, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Purnia, Rajgir, Sagar, Siliguri, Solapur, Sonipat, Thane, Thrissur, Udupi, Vatva, Vrindavan, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rupnagar	Moderate	125	PM_{10}	1
122	Saharsa	Very Poor	385	PM_{10}	1
123	Sasaram	Poor	227	$PM_{2.5}$	1
124	Satna	Satisfactory	63	PM_{10}	1
125	Shillong	Good	44	$PM_{2.5}$	1
126	Shivamogga	Satisfactory	56	PM_{10}	1
127	Singrauli	Moderate	200	PM_{10}	1
128	Sirsa	Moderate	144	PM_{10}	1
129	Siwan	Very Poor	400	$PM_{2.5}$	1
130	Srinagar	Moderate	127	PM_{10}	1
131	Talcher	Moderate	190	NO_2	1
132	Thiruvananthapuram	Satisfactory	74	$PM_{10}, PM_{2.5}$	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Bidar, Brajrajnagar, Buxar, Fatehabad, Hubballi, Jorapokhar, Kalaburgi, Kolar, Kollam, Mandideep, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Purnia, Rajgir, Sagar, Siliguri, Solapur, Sonipat, Thane, Thrissur, Udupi, Vatva, Vrindavan, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Thoothukudi	Satisfactory	64	PM_{10}	1
134	Tirupati	Moderate	119	$PM_{2.5}$	1
135	Udaipur	Moderate	118	PM_{10}	1
136	Ujjain	Moderate	189	PM_{10}	1
137	Vapi	Moderate	175	PM_{10}	1
138	Varanasi	Moderate	189	$PM_{2.5}$, PM_{10}	4
139	Vijayapura	Satisfactory	51	PM_{10}	1
140	Visakhapatnam	Moderate	191	PM_{10}	1
141	Yadgir	Satisfactory	80	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Arrah, Bidar, Brajrajnagar, Buxar, Fatehabad, Hubballi, Jorapokhar, Kalaburgi, Kolar, Kollam, Mandideep, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Purnia, Rajgir, Sagar, Siliguri, Solapur, Sonipat, Thane, Thrissur, Udupi, Vatva, Vrindavan, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.