

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	105	PM <sub>10</sub>	1
2	Agra	Satisfactory	86	PM <sub>10</sub>	6
3	Ahmedabad	Satisfactory	91	03	6
4	Aizawl	Good	36	PM <sub>10</sub>	1
5	Ajmer	Moderate	104	PM <sub>10</sub>	1
6	Akola	Moderate	124	PM <sub>10</sub>	1
7	Alwar	Satisfactory	74	PM <sub>10</sub>	1
8	Amaravati	Moderate	107	PM <sub>10</sub>	1
9	Ambala	Satisfactory	91	со	1
10	Amravati	Moderate	120	PM <sub>10</sub>	2
11	Amritsar	Satisfactory	62	PM <sub>10</sub>	1
12	Anantapur	Satisfactory	70	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Arrah, Baripada, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru,

#### Chittorgarh, Colmbatore, Cuddalore, Darbhanga, Davanagere, Dhanbad,

Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hosur, Imphal, Jorapokhar, Kalaburgi, Karauli, Kolar, Koppal, Kozhikode, Kunjemura, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Purnia, Raichur, Rairangpur, Rupnagar, Samastipur, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ankleshwar	Satisfactory	66	PM <sub>10</sub>	1
14	Araria	Moderate	118	PM <sub>10</sub>	1
15	Asansol	Satisfactory	97	PM <sub>2.5</sub>	1
16	Aurangabad (Bihar)	Satisfactory	81	со	1
17	Aurangabad (Maharashtra)	Satisfactory	54	PM <sub>10</sub>	3
18	Baddi	Moderate	109	PM <sub>10</sub>	1
19	Badlapur	Moderate	119	PM <sub>10</sub>	1
20	Bagalkot	Good	42	PM <sub>10</sub>	1
21	Baghpat	Moderate	141	PM <sub>10</sub>	1
22	Bahadurgarh	Moderate	173	PM <sub>10</sub>	1
23	Ballabgarh	Moderate	115	PM <sub>10</sub>	1
24	Banswara	Moderate	105	PM <sub>10</sub>	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Arrah, Baripada, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru,

#### Disputed Display Class Constitution Constitution and Harman

Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hosur, Imphal,

Notes:

Jorapokhar, Kalaburgi, Karauli, Kolar, Koppal, Kozhikode, Kunjemura,
Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Purnia,
Raichur, Rairangpur, Rupnagar, Samastipur, Sirsa, Siwan, Sonipat, Srinagar,
Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not
available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baran	Moderate	113	PM <sub>10</sub>	1
26	Bareilly	Satisfactory	80	PM <sub>10</sub>	2
27	Barmer	Satisfactory	87	PM <sub>10</sub>	1
28	Bathinda	Moderate	127	PM <sub>10</sub>	1
29	Begusarai	Moderate	129	PM <sub>10</sub>	1
30	Belapur	Satisfactory	64	PM <sub>10</sub>	1
31	Belgaum	Satisfactory	71	PM <sub>10</sub>	1
32	Bengaluru	Satisfactory	78	PM <sub>2.5</sub> , PM <sub>10</sub>	11
33	Bettiah	Moderate	117	PM <sub>2.5</sub>	1
34	Bhagalpur	Moderate	111	PM <sub>10</sub>	2
35	Bharatpur	Moderate	101	PM <sub>10</sub>	1
36	Bhilai	Good	48	PM <sub>10</sub> , PM <sub>2.5</sub>	2

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Arrah, Baripada, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru,

#### Dhamad Biadinal Flag Factures Committee at Hanna Inches

Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hosur, Imphal, Jorapokhar, Kalaburgi, Karauli, Kolar, Koppal, Kozhikode, Kunjemura, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Purnia, Raichur, Rairangpur, Rupnagar, Samastipur, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhilwara	Moderate	135	PM <sub>10</sub>	1
38	Bhiwadi	Moderate	152	PM <sub>10</sub>	1
39	Bhiwandi	Satisfactory	77	PM <sub>10</sub>	1
40	Bhiwani	Satisfactory	61	PM <sub>10</sub>	1
41	Bhopal	Moderate	119	PM <sub>10</sub>	3
42	Bidar	Satisfactory	60	PM <sub>10</sub>	1
43	Bihar Sharif	Good	35	03	1
44	Bikaner	Moderate	121	PM <sub>10</sub>	1
45	Bilaspur	Good	38	со	1
46	Bileipada	Moderate	168	PM <sub>10</sub>	1
47	Bulandshahr	Moderate	129	PM <sub>10</sub>	1
48	Bundi	Moderate	127	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Arrah, Baripada, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru,

Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Purnia, Raichur, Rairangpur, Rupnagar, Samastipur, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not

Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hosur, Imphal, Jorapokhar, Kalaburgi, Karauli, Kolar, Koppal, Kozhikode, Kunjemura,

### Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# available. # Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Byrnihat	Poor	202	PM <sub>2.5</sub>	1
50	Chamarajanagar	Good	39	PM <sub>10</sub>	1
51	Chandigarh	Satisfactory	87	PM <sub>10</sub>	3
52	Chandrapur	Satisfactory	77	PM <sub>10</sub>	1
53	Charkhi Dadri	Moderate	157	PM <sub>2.5</sub>	1
54	Chennai	Satisfactory	69	NO <sub>2</sub> , PM <sub>10</sub>	7
55	Chhal	Good	40	PM <sub>10</sub>	1
56	Chhapra	Moderate	182	PM <sub>10</sub>	1
57	Chikkaballapur	Good	45	PM <sub>10</sub>	1
58	Chittoor	Satisfactory	54	O <sub>3</sub>	1
59	Churu	Satisfactory	57	PM <sub>10</sub>	1
60	Damoh	Satisfactory	87	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Arrah, Baripada, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru,

#### Dhamad Birdinal Floor Frontales Organida and Haran Israhal

Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hosur, Imphal, Jorapokhar, Kalaburgi, Karauli, Kolar, Koppal, Kozhikode, Kunjemura, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Purnia, Raichur, Rairangpur, Rupnagar, Samastipur, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dausa	Satisfactory	91	PM <sub>10</sub>	1
62	Dehradun	Moderate	101	СО	1
63	Delhi	Moderate	146	PM <sub>10</sub> , PM <sub>2.5</sub>	32
64	Dewas	Satisfactory	62	PM <sub>10</sub>	1
65	Dharuhera	Moderate	135	PM <sub>10</sub>	1
66	Dholpur	Satisfactory	68	PM <sub>10</sub>	1
67	Dhule	Moderate	103	PM <sub>10</sub>	1
68	Durgapur	Moderate	116	PM <sub>10</sub>	1
69	Faridabad	Moderate	132	PM <sub>10</sub> , PM <sub>2.5</sub>	4
70	Fatehabad	Moderate	104	O <sub>3</sub>	1
71	Firozabad	Satisfactory	99	PM <sub>10</sub>	2
72	Gadag	Good	46	SO <sub>2</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Arrah, Baripada, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru,

#### Chittorgarh, Coimbatore, Cuddalore, Darbhanga, Davanagere, Dhanbad,

Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hosur, Imphal, Jorapokhar, Kalaburgi, Karauli, Kolar, Koppal, Kozhikode, Kunjemura, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Purnia, Raichur, Rairangpur, Rupnagar, Samastipur, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gandhinagar	Satisfactory	84	PM <sub>2.5</sub> , PM <sub>10</sub>	2
74	Gangtok	Satisfactory	62	SO <sub>2</sub>	1
75	Gaya	Satisfactory	71	PM <sub>10</sub> , PM <sub>2.5</sub>	3
76	Ghaziabad	Moderate	138	PM <sub>10</sub>	3
77	Gorakhpur	Moderate	114	PM <sub>10</sub>	1
78	Greater Noida	Moderate	182	PM <sub>10</sub>	2
79	Gurugram	Moderate	180	PM <sub>2.5</sub>	3
80	Guwahati	Moderate	156	PM <sub>10</sub>	4
81	Gwalior	Satisfactory	76	PM <sub>10</sub>	3
82	Hajipur	Moderate	114	PM <sub>10</sub>	1
83	Haldia	Moderate	108	PM <sub>10</sub>	1
84	Hanumangarh	Moderate	130	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Arrah, Baripada, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru,

#### District District Class Constitution Constitution of University

Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hosur, Imphal, Jorapokhar, Kalaburgi, Karauli, Kolar, Koppal, Kozhikode, Kunjemura, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Purnia, Raichur, Rairangpur, Rupnagar, Samastipur, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hapur	Satisfactory	83	PM <sub>10</sub>	1
86	Hassan	Good	44	SO <sub>2</sub>	1
87	Haveri	Good	38	со	1
88	Hisar	Moderate	142	PM <sub>10</sub>	1
89	Howrah	Moderate	150	PM <sub>10</sub>	3
90	Hubballi	Good	48	PM <sub>10</sub>	2
91	Hyderabad	Moderate	107	PM <sub>2.5</sub> , PM <sub>10</sub>	12
92	Indore	Moderate	108	PM <sub>10</sub>	1
93	Jabalpur	Moderate	109	PM <sub>10</sub>	3
94	Jaipur	Satisfactory	98	PM <sub>10</sub>	6
95	Jaisalmer	Satisfactory	90	PM <sub>10</sub>	1
96	Jalandhar	Moderate	133	PM <sub>10</sub>	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Arrah, Baripada, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru,

Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hosur, Imphal,

### Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Jorapokhar, Kalaburgi, Karauli, Kolar, Koppal, Kozhikode, Kunjemura, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Purnia, Raichur, Rairangpur, Rupnagar, Samastipur, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalgaon	Satisfactory	70	PM <sub>10</sub>	1
98	Jalna	Satisfactory	67	PM <sub>10</sub>	1
99	Jhalawar	Satisfactory	95	PM <sub>2.5</sub>	1
100	Jhansi	Satisfactory	96	PM <sub>10</sub>	1
101	Jhunjhunu	Moderate	106	PM <sub>10</sub>	1
102	Jind	Moderate	107	PM <sub>10</sub>	1
103	Jodhpur	Satisfactory	85	PM <sub>10</sub>	4
104	Kadapa	Good	41	PM <sub>2.5</sub>	1
105	Kaithal	Poor	203	PM <sub>2.5</sub>	1
106	Kalyan	Moderate	104	PM <sub>10</sub>	1
107	Kanchipuram	Good	19	PM <sub>10</sub>	1
108	Kannur	Satisfactory	70	PM <sub>10</sub>	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Arrah, Baripada, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru,

#### Dhamad Birdind Flag Frankday Commidicated in the second

Notes:

Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hosur, Imphal,

Jorapokhar, Kalaburgi, Karauli, Kolar, Koppal, Kozhikode, Kunjemura,

Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Purnia,

Raichur, Rairangpur, Rupnagar, Samastipur, Sirsa, Siwan, Sonipat, Srinagar,

Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not

available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kanpur	Satisfactory	68	PM <sub>10</sub>	3
110	Karnal	Satisfactory	90	PM <sub>10</sub>	1
111	Kashipur	Moderate	112	PM <sub>10</sub>	1
112	Katihar	Moderate	131	PM <sub>10</sub>	1
113	Katni	Moderate	115	PM <sub>10</sub>	1
114	Keonjhar	Satisfactory	78	PM <sub>2.5</sub>	1
115	Khanna	Satisfactory	99	PM <sub>10</sub>	1
116	Khurja	Moderate	143	PM <sub>2.5</sub>	1
117	Kishanganj	Poor	224	PM <sub>10</sub>	1
118	Kochi	Satisfactory	78	PM <sub>10</sub>	1
119	Kohima	Satisfactory	67	PM <sub>10</sub>	1
120	Kolhapur	Satisfactory	65	PM <sub>10</sub>	2

\* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Arrah, Baripada, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru,

Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hosur, Imphal,

#### Jorapokhar, Kalaburgi, Karauli, Kolar, Koppal, Kozhikode, Kunjemura, Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Purnia, Raichur, Rairangpur, Rupnagar, Samastipur, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available. # Some stations have data available at 3PM \* In case of a city with multiple monitoring locations, average value is used

- to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kolkata	Moderate	135	PM <sub>10</sub> , PM <sub>2.5</sub>	7
122	Kollam	Satisfactory	64	PM <sub>10</sub>	1
123	Korba	Good	38	PM <sub>10</sub>	2
124	Kota	Satisfactory	95	PM <sub>10</sub> , PM <sub>2.5</sub>	3
125	Kurukshetra	Moderate	124	PM <sub>10</sub>	1
126	Latur	Satisfactory	64	PM <sub>10</sub>	1
127	Lucknow	Moderate	105	PM <sub>10</sub> , PM <sub>2.5</sub>	6
128	Ludhiana	Moderate	102	PM <sub>10</sub>	1
129	Madikeri	Good	33	PM <sub>2.5</sub>	1
130	Mahad	Satisfactory	93	PM <sub>10</sub>	1
131	Maihar	Satisfactory	63	PM <sub>10</sub>	1
132	Mandi Gobindgarh	Moderate	105	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Arrah, Baripada, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru,

Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hosur, Imphal, Jorapokhar, Kalaburgi, Karauli, Kolar, Koppal, Kozhikode, Kunjemura, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Purnia, Raichur, Rairangpur, Rupnagar, Samastipur, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandikhera	Satisfactory	63	PM <sub>10</sub>	1
134	Manesar	Satisfactory	61	PM <sub>2.5</sub>	1
135	Mangalore	Satisfactory	73	PM <sub>10</sub>	1
136	Meerut	Moderate	113	PM <sub>10</sub> , O <sub>3</sub>	3
137	Milupara	Satisfactory	51	PM <sub>10</sub>	1
138	Moradabad	Moderate	116	PM <sub>10</sub>	6
139	Motihari	Poor	292	PM <sub>10</sub>	1
140	Mumbai	Satisfactory	91	NO <sub>2</sub> , PM <sub>2.5</sub>	20
141	Munger	Moderate	140	PM <sub>10</sub>	1
142	Muzaffarnagar	Moderate	125	PM <sub>10</sub>	1
143	Muzaffarpur	Moderate	117	PM <sub>2.5</sub> , NO <sub>2</sub>	3
144	Mysuru	Satisfactory	71	O <sub>3</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Arrah, Baripada, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru,

#### Chittorgarn, Colmbatore, Guddalore, Darbhanga, Davanagere, Dhanbad,

Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hosur, Imphal, Jorapokhar, Kalaburgi, Karauli, Kolar, Koppal, Kozhikode, Kunjemura, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Purnia, Raichur, Rairangpur, Rupnagar, Samastipur, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nagaon	Moderate	104	PM <sub>10</sub>	1
146	Nagaur	Moderate	114	PM <sub>10</sub>	1
147	Nagpur	Satisfactory	83	PM <sub>10</sub>	4
148	Nalbari	Moderate	178	PM <sub>10</sub>	1
149	Nanded	Moderate	130	PM <sub>10</sub>	1
150	Nandesari	Good	50	со	1
151	Narnaul	Moderate	117	PM <sub>10</sub>	1
152	Nashik	Good	46	PM <sub>10</sub>	4
153	Navi Mumbai	Moderate	103	PM <sub>2.5</sub> , PM <sub>10</sub>	7
154	Nayagarh	Satisfactory	94	PM <sub>10</sub>	1
155	Noida	Moderate	138	PM <sub>10</sub> , CO	4
156	Pali	Satisfactory	94	PM <sub>10</sub>	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Arrah, Baripada, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru,

#### Chittorgarh, Colmbatore, Cuddalore, Darbhanga, Davanagere, Dhanbad,

Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hosur, Imphal,

Notes:

Jorapokhar, Kalaburgi, Karauli, Kolar, Koppal, Kozhikode, Kunjemura,
Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Purnia,
Raichur, Rairangpur, Rupnagar, Samastipur, Sirsa, Siwan, Sonipat, Srinagar,
Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not
available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Palkalaiperur	Satisfactory	72	SO <sub>2</sub>	1
158	Palwal	Good	47	PM <sub>2.5</sub>	1
159	Panchkula	Satisfactory	81	PM <sub>2.5</sub>	1
160	Panipat	Moderate	132	PM <sub>2.5</sub>	1
161	Parbhani	Satisfactory	92	PM <sub>10</sub>	1
162	Patiala	Moderate	103	PM <sub>10</sub>	1
163	Patna	Moderate	122	PM <sub>10</sub> , NO <sub>2</sub>	6
164	Pimpri Chinchwad	Satisfactory	77	PM <sub>2.5</sub>	3
165	Pithampur	Moderate	104	PM <sub>10</sub>	1
166	Pratapgarh	Moderate	123	PM <sub>10</sub>	1
167	Prayagraj	Moderate	108	PM <sub>10</sub>	3
168	Puducherry	Satisfactory	61	03	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Arrah, Baripada, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru,

#### Chittorgarh, Coimbatore, Cuddalore, Darbhanga, Davanagere, Dhanbad,

Notes:

Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hosur, Imphal,

Jorapokhar, Kalaburgi, Karauli, Kolar, Koppal, Kozhikode, Kunjemura,

Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Purnia,

Raichur, Rairangpur, Rupnagar, Samastipur, Sirsa, Siwan, Sonipat, Srinagar,

Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not

available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Pune	Moderate	115	O <sub>3</sub> , NO <sub>2</sub>	7
170	Raipur	Satisfactory	66	PM <sub>10</sub>	4
171	Rajamahendravaram	Satisfactory	83	PM <sub>10</sub>	1
172	Rajgir	Satisfactory	89	PM <sub>10</sub>	1
173	Rajsamand	Poor	240	PM <sub>10</sub>	1
174	Ramanagara	Good	38	PM <sub>10</sub>	1
175	Ramanathapuram	Good	34	PM <sub>10</sub>	1
176	Ratlam	Satisfactory	92	PM <sub>10</sub>	1
177	Rishikesh	Satisfactory	56	PM <sub>10</sub>	1
178	Rohtak	Satisfactory	62	PM <sub>2.5</sub>	1
179	Rourkela	Moderate	113	PM <sub>10</sub>	2
180	Sagar	Satisfactory	100	PM <sub>10</sub>	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Arrah, Baripada, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru,

Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Purnia, Raichur, Rairangpur, Rupnagar, Samastipur, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not

Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hosur, Imphal,

### Notes: Jorapokhar, Kalaburgi, Karauli, Kolar, Koppal, Kozhikode, Kunjemura,

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Saharsa	Satisfactory	98	PM <sub>10</sub>	1
182	Salem	Good	42	PM <sub>2.5</sub>	1
183	Sangli	Good	45	PM <sub>10</sub>	1
184	Sasaram	Satisfactory	82	PM <sub>10</sub>	1
185	Satna	Satisfactory	97	PM <sub>10</sub>	1
186	Sawai Madhopur	Satisfactory	90	PM <sub>10</sub>	1
187	Shillong	Satisfactory	66	PM <sub>10</sub> , PM <sub>2.5</sub>	2
188	Shivamogga	Satisfactory	62	PM <sub>10</sub>	1
189	Sikar	Moderate	105	PM <sub>10</sub>	1
190	Silchar	Good	30	со	1
191	Siliguri	Satisfactory	80	PM <sub>10</sub>	1
192	Singrauli	Satisfactory	95	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Arrah, Baripada, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru,

#### Chittorgarh, Colmbatore, Guddalore, Darbhanga, Davanagere, Dhanbad,

Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hosur, Imphal, Jorapokhar, Kalaburgi, Karauli, Kolar, Koppal, Kozhikode, Kunjemura, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Purnia, Raichur, Rairangpur, Rupnagar, Samastipur, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sirohi	Satisfactory	72	PM <sub>10</sub>	1
194	Sivasagar	Satisfactory	57	PM <sub>10</sub>	1
195	Solapur	Satisfactory	87	PM <sub>10</sub>	3
196	Sri Ganganagar	Satisfactory	94	PM <sub>10</sub>	1
197	Talcher	Satisfactory	89	PM <sub>10</sub>	1
198	Thane	Satisfactory	85	PM <sub>10</sub>	1
199	Thiruvananthapuram	Good	26	CO, PM <sub>10</sub>	2
200	Thoothukudi	Satisfactory	54	PM <sub>10</sub>	1
201	Thrissur	Satisfactory	59	PM <sub>10</sub>	1
202	Tirupati	Satisfactory	55	PM <sub>10</sub>	1
203	Tirupur	Good	38	PM <sub>10</sub>	1
204	Tonk	Moderate	126	PM <sub>10</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Arrah, Baripada, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru,

Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hosur, Imphal, Jorapokhar, Kalaburgi, Karauli, Kolar, Koppal, Kozhikode, Kunjemura, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Purnia, Raichur, Rairangpur, Rupnagar, Samastipur, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact			
Satisfactory	Minor breathing discomfort to sensitive people			
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases			
Poor	Breathing discomfort to most people on prolonged exposure			
Very Poor	Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases			



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tumakuru	Good	42	co	1
206	Tumidih	Good	39	PM <sub>10</sub>	1
207	Udaipur	Satisfactory	78	PM <sub>10</sub>	1
208	Ujjain	Satisfactory	83	PM <sub>10</sub>	1
209	Ulhasnagar	Satisfactory	95	PM <sub>10</sub>	1
210	Vapi	Moderate	103	со	1
211	Varanasi	Good	44	PM <sub>10</sub>	4
212	Vatva	Satisfactory	79	PM <sub>10</sub>	1
213	Vijayapura	Good	49	PM <sub>10</sub>	1
214	Visakhapatnam	Moderate	190	PM <sub>10</sub>	1
215	Vrindavan	Good	36	PM <sub>10</sub>	1
216	Yadgir	Good	50	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Arrah, Baripada, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru,

#### Dhamad Diadiad Flag Factures Operation and Hamada

Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hosur, Imphal, Jorapokhar, Kalaburgi, Karauli, Kolar, Koppal, Kozhikode, Kunjemura, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Purnia, Raichur, Rairangpur, Rupnagar, Samastipur, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact			
Satisfactory	Minor breathing discomfort to sensitive people			
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases			
Poor	Breathing discomfort to most people on prolonged exposure			
Very Poor	Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases			



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Yamunanagar	Moderate	103	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Arrah, Baripada, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru,

Chittorgarh, Coimbatore, Cuddalore, Darbhanga, Davanagere, Dhanbad,

Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Hosur, Imphal, Jorapokhar, Kalaburgi, Karauli, Kolar, Koppal, Kozhikode, Kunjemura, Malegaon, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Ooty, Purnia, Raichur, Rairangpur, Rupnagar, Samastipur, Sirsa, Siwan, Sonipat, Srinagar, Suakati, Surat, Tensa, Udupi, Vijayawada, Virar, vellore as data was not available.

# Some stations have data available at 3PM

Notes:

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.