Air Quality Index on Jan 07, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	180	$PM_{2.5}$	1
2	Agra	Poor	258	$PM_{2.5}$	1
3	Ahmedabad	Moderate	123	$PM_{2.5}$	1
4	Aizawl	Good	27	PM_{10}	1
5	Ajmer	Satisfactory	74	PM_{10}	1
6	Alwar	Satisfactory	79	$PM_{2.5}$	1
7	Amaravati	Moderate	136	$PM_{2.5}$	1
8	Ambala	Satisfactory	89	PM_{10}	1
9	Amritsar	Good	50	PM_{10}	1
10	Ankleshwar	Very Poor	310	$PM_{2.5}$	1
11	Asansol	Poor	265	$PM_{2.5}$	1
12	Bagalkot	Good	17	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Kalaburgi, Karnal, Kollam, Maihar, Nagpur, Narnaul, Panipat, Raichur, Ramanagara, Varanasi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 07, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	262	$PM_{2.5}$	1
14	Bahadurgarh	Moderate	181	$PM_{2.5}$	1
15	Ballabgarh	Moderate	107	$PM_{2.5}$	1
16	Bathinda	Satisfactory	61	PM_{10}	1
17	Bengaluru	Good	43	CO, O_3, NO_2	6
18	Bhiwadi	Poor	270	$PM_{2.5}$	1
19	Bhiwani	Satisfactory	90	PM_{10}	1
20	Bhopal	Poor	227	$PM_{2.5}$	1
21	Bidar	Satisfactory	54	$PM_{2.5}$	1
22	Brajrajnagar	Moderate	145	$PM_{2.5}$	1
23	Bulandshahr	Poor	270	$PM_{2.5}$	1
24	Chamarajanagar	Satisfactory	55	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Kalaburgi, Karnal, Kollam, Maihar, Nagpur, Narnaul, Panipat, Raichur, Ramanagara, Varanasi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 07, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Satisfactory	56	PM_{10}	1
26	Chandrapur	Moderate	138	$PM_{2.5}$, PM_{10}	2
27	Charkhi Dadri	Moderate	164	$PM_{2.5}$	1
28	Chennai	Good	44	$PM_{2.5}$, NO_2, CO	8
29	Chikkaballapur	Good	35	CO	1
30	Chikkamagaluru	Good	33	O_3	1
31	Coimbatore	Satisfactory	53	PM_{10}	1
32	Damoh	Poor	218	$PM_{2.5}$	1
33	Delhi	Poor	255	$PM_{2.5}$	36
34	Dewas	Poor	211	$PM_{2.5}$	1
35	Dharuhera	Moderate	139	$PM_{2.5}$	1
36	Durgapur	Very Poor	312	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Kalaburgi, Karnal, Kollam, Maihar, Nagpur, Narnaul, Panipat, Raichur, Ramanagara, Varanasi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 07, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Eloor	Satisfactory	61	PM_{10}	1
38	Ernakulam	Moderate	144	NO_2	1
39	Faridabad	Poor	240	$PM_{2.5}$, PM_{10}	3
40	Fatehabad	Satisfactory	86	$PM_{2.5}$	1
41	Gadag	Good	28	SO_2	1
42	Gandhinagar	Satisfactory	82	PM_{10}	1
43	Gaya	Moderate	130	$PM_{2.5}$	2
44	Ghaziabad	Poor	294	$PM_{2.5}$	4
45	Greater Noida	Poor	288	$PM_{2.5}$	2
46	Gummidipoondi	Good	47	PM_{10}	1
47	Gurugram	Poor	204	$PM_{2.5}$	3
48	Guwahati	Poor	289	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Kalaburgi, Karnal, Kollam, Maihar, Nagpur, Narnaul, Panipat, Raichur, Ramanagara, Varanasi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 07, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gwalior	Poor	298	$PM_{2.5}$	1
50	Hajipur	Moderate	118	PM_{10}	1
51	Haldia	Poor	280	$PM_{2.5}$	1
52	Hapur	Satisfactory	71	PM_{10}	1
53	Hisar	Moderate	150	$PM_{2.5}$	1
54	Howrah	Very Poor	319	PM_{10}, $PM_{2.5}$	3
55	Hubballi	Satisfactory	56	PM_{10}	1
56	Hyderabad	Satisfactory	86	$PM_{2.5}$, NO_2, PM_{10}	5
57	Indore	Poor	219	$PM_{2.5}$	1
58	Jabalpur	Poor	212	PM_{10}	1
59	Jaipur	Satisfactory	98	PM_{10}	3
60	Jalandhar	Satisfactory	60	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Kalaburgi, Karnal, Kollam, Maihar, Nagpur, Narnaul, Panipat, Raichur, Ramanagara, Varanasi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 07, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jind	Moderate	194	$PM_{2.5}$	1
62	Jodhpur	Moderate	127	$PM_{2.5}$	1
63	Jorapokhar	Moderate	104	PM_{10}	1
64	Kaithal	Satisfactory	79	PM_{10}	1
65	Kalyan	Very Poor	310	$PM_{2.5}$	1
66	Kannur	Good	36	CO	1
67	Kanpur	Poor	215	$PM_{2.5}$	2
68	Katni	Poor	268	$PM_{2.5}$	1
69	Khanna	Satisfactory	72	PM_{10}	1
70	Kochi	Satisfactory	58	PM_{10}	1
71	Kohima	Satisfactory	74	PM_{10}	1
72	Kolkata	Very Poor	304	$PM_{2.5}$	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Kalaburgi, Karnal, Kollam, Maihar, Nagpur, Narnaul, Panipat, Raichur, Ramanagara, Varanasi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 07, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Good	23	PM_{10}	1
74	Kota	Moderate	158	$PM_{2.5}$	1
75	Kozhikode	Satisfactory	54	CO	1
76	Kurukshetra	Moderate	101	$PM_{2.5}$	1
77	Lucknow	Moderate	173	$PM_{2.5}$	4
78	Ludhiana	Good	41	PM_{10}	1
79	Mandi Gobindgarh	Moderate	122	PM_{10}	1
80	Mandideep	Moderate	171	$PM_{2.5}$	1
81	Mandikhera	Satisfactory	92	NO_2	1
82	Manesar	Moderate	122	$PM_{2.5}$	1
83	Manglore	Good	21	O_3	1
84	Medikeri	Good	46	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Kalaburgi, Karnal, Kollam, Maihar, Nagpur, Narnaul, Panipat, Raichur, Ramanagara, Varanasi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 07, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Moderate	162	NO_2, $PM_{2.5}$	3
86	Moradabad	Moderate	131	$PM_{2.5}$	1
87	Mumbai	Poor	285	$PM_{2.5}$	18
88	Muzaffarnagar	Moderate	120	PM_{10}	1
89	Muzaffarpur	Very Poor	302	$PM_{2.5}$	2
90	Mysuru	Good	38	PM_{10}	1
91	Nandesari	Satisfactory	73	$PM_{2.5}$	1
92	Nashik	Moderate	165	$PM_{2.5}$	1
93	Navi Mumbai	Very Poor	328	$PM_{2.5}$	3
94	Noida	Poor	236	$PM_{2.5}$, PM_{10}	4
95	Pali	Satisfactory	84	PM_{10}	1
96	Palwal	Moderate	110	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Air Quality Index on Jan 07, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Moderate	114	O_3	1
98	Patiala	Satisfactory	87	PM_{10}	1
99	Patna	Poor	255	$PM_{2.5}$	4
100	Pithampur	Moderate	196	$PM_{2.5}$	1
101	Pune	Moderate	113	$PM_{2.5}$	4
102	Rajamahendravaram	Moderate	135	$PM_{2.5}$	1
103	Ratlam	Moderate	142	$PM_{2.5}$	1
104	Rohtak	Poor	255	$PM_{2.5}$	1
105	Rupnagar	Good	35	$PM_{2.5}$	1
106	Sagar	Good	41	$PM_{2.5}$	1
107	Satna	Moderate	108	PM_{10}	1
108	Shillong	Good	31	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Kalaburgi, Karnal, Kollam, Maihar, Nagpur, Narnaul, Panipat, Raichur, Ramanagara, Varanasi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 07, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shivamogga	Satisfactory	61	PM_{10}	1
110	Siliguri	Poor	249	$PM_{2.5}$	1
111	Singrauli	Very Poor	303	$PM_{2.5}$	1
112	Sirsa	Satisfactory	58	NO_2	1
113	Solapur	Satisfactory	69	PM_{10}	1
114	Sonipat	Moderate	131	PM_{10}	1
115	Talcher	Moderate	164	PM_{10}	1
116	Thane	Poor	222	PM_{10}	1
117	Thiruvananthapuram	Good	38	PM_{10}, O_3	2
118	Thoothukudi	Good	36	O_3	1
119	Thrissur	Good	47	O_3	1
120	Tirupati	Good	40	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Kalaburgi, Karnal, Kollam, Maihar, Nagpur, Narnaul, Panipat, Raichur, Ramanagara, Varanasi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 07, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udaipur	Moderate	169	$PM_{2.5}$	1
122	Ujjain	Poor	243	$PM_{2.5}$	1
123	Vapi	Very Poor	336	$PM_{2.5}$	1
124	Vatva	Moderate	157	PM_{10}	1
125	Vijayapura	Good	44	CO	1
126	Visakhapatnam	Moderate	146	$PM_{2.5}$	1
127	Yadgir	Good	37	O_3	1
128	Yamunanagar	Moderate	200	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Kalaburgi, Karnal, Kollam, Maihar, Nagpur, Narnaul, Panipat, Raichur, Ramanagara, Varanasi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.