

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	167	PM _{2.5}	1
2	Agra	Poor	241	PM _{2.5}	1
3	Ahmedabad	Moderate	134	PM _{2.5}	1
4	Aizawl	Good	39	PM ₁₀	1
5	Ajmer	Satisfactory	93	PM ₁₀	1
6	Alwar	Satisfactory	84	PM ₁₀	1
7	Amaravati	Moderate	164	PM _{2.5}	1
8	Ambala	Moderate	101	PM ₁₀	1
9	Amritsar	Good	44	PM ₁₀	1
10	Asansol	Moderate	145	PM _{2.5}	1
11	Aurangabad	Moderate	134	PM _{2.5}	1
12	Bagalkot	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart disease	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhiwadi, Chamarajanagar, Coimbatore, Kalaburgi, Kollam, Nagpur, Palwal, Rohtak, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	201	PM _{2.5}	1
14	Bahadurgarh	Moderate	115	со	1
15	Ballabgarh	Moderate	105	PM ₁₀	1
16	Bathinda	Satisfactory	73	PM ₁₀	1
17	Bengaluru	Moderate	104	PM _{2.5} , O ₃ , PM ₁₀	6
18	Bhiwani	Moderate	173	03	1
19	Bhopal	Poor	255	PM _{2.5}	1
20	Brajrajnagar	Moderate	151	PM _{2.5}	1
21	Bulandshahr	Very Poor	305	PM _{2.5}	1
22	Chandigarh	Satisfactory	72	PM ₁₀	1
23	Chandrapur	Moderate	136	PM _{2.5} , PM ₁₀	2
24	Charkhi Dadri	Moderate	124	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhiwadi, Chamarajanagar, Coimbatore, Kalaburgi, Kollam, Nagpur, Palwal, Rohtak, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	87	PM ₁₀ , PM _{2.5}	5
26	Chikkaballapur	Satisfactory	73	PM ₁₀	1
27	Chikkamagaluru	Satisfactory	69	03	1
28	Damoh	Moderate	127	PM _{2.5}	1
29	Delhi	Poor	230	PM _{2.5}	37
30	Dewas	Moderate	184	PM _{2.5}	1
31	Dharuhera	Moderate	182	PM _{2.5}	1
32	Eloor	Satisfactory	61	03	1
33	Ernakulam	Moderate	104	PM _{2.5}	1
34	Faridabad	Moderate	196	PM _{2.5} , PM ₁₀	4
35	Fatehabad	Satisfactory	91	PM _{2.5}	1
36	Gandhinagar	Moderate	127	СО	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhiwadi, Chamarajanagar, Coimbatore, Kalaburgi, Kollam, Nagpur, Palwal, Rohtak, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Moderate	167	PM _{2.5}	2
38	Ghaziabad	Poor	282	PM _{2.5}	4
39	Greater Noida	Poor	290	PM _{2.5}	2
40	Gurugram	Moderate	184	PM _{2.5}	4
41	Guwahati	Very Poor	329	PM _{2.5}	1
42	Gwalior	Very Poor	322	PM _{2.5}	1
43	Hajipur	Moderate	154	PM ₁₀	1
44	Hapur	Satisfactory	92	PM ₁₀	1
45	Hisar	Moderate	110	PM _{2.5}	1
46	Howrah	Poor	254	PM _{2.5}	3
47	Hubballi	Moderate	105	PM ₁₀	1
48	Hyderabad	Moderate	111	PM ₁₀ , PM _{2.5}	5

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhiwadi, Chamarajanagar, Coimbatore, Kalaburgi, Kollam, Nagpur, Palwal, Rohtak, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Moderate	187	PM _{2.5}	1
50	Jabalpur	Moderate	195	PM _{2.5}	1
51	Jaipur	Satisfactory	73	PM ₁₀ , PM _{2.5}	3
52	Jalandhar	Good	49	PM _{2.5}	1
53	Jind	Satisfactory	88	PM _{2.5}	1
54	Jodhpur	Moderate	140	PM _{2.5}	1
55	Jorapokhar	Moderate	124	PM ₁₀	1
56	Kaithal	Satisfactory	69	PM ₁₀	1
57	Kalyan	Moderate	114	PM ₁₀	1
58	Kannur	Satisfactory	97	PM _{2.5}	1
59	Kanpur	Poor	258	PM _{2.5}	1
60	Karnal	Satisfactory	68	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhiwadi, Chamarajanagar, Coimbatore, Kalaburgi, Kollam, Nagpur, Palwal, Rohtak, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Moderate	188	PM _{2.5}	1
62	Khanna	Satisfactory	85	PM ₁₀	1
63	Kochi	Satisfactory	81	PM ₁₀	1
64	Kohima	Satisfactory	82	PM ₁₀	1
65	Kolkata	Poor	244	PM _{2.5}	7
66	Kota	Satisfactory	99	PM ₁₀	1
67	Kozhikode	Satisfactory	85	PM ₁₀	1
68	Kurukshetra	Moderate	124	PM _{2.5}	1
69	Lucknow	Poor	256	PM _{2.5}	4
70	Ludhiana	Good	49	PM ₁₀	1
71	Maihar	Satisfactory	78	PM ₁₀	1
72	Mandi Gobindgarh	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhiwadi, Chamarajanagar, Coimbatore, Kalaburgi, Kollam, Nagpur, Palwal, Rohtak, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandideep	Moderate	134	PM ₁₀	1
74	Mandikhera	Satisfactory	73	PM ₁₀	1
75	Manesar	Moderate	116	PM _{2.5}	1
76	Medikeri	Satisfactory	62	PM ₁₀	1
77	Meerut	Moderate	174	PM _{2.5} , PM ₁₀	2
78	Moradabad	Poor	231	PM _{2.5}	1
79	Mumbai	Moderate	152	PM _{2.5} , O ₃	15
80	Muzaffarnagar	Moderate	182	PM _{2.5}	1
81	Muzaffarpur	Poor	266	PM _{2.5} , PM ₁₀	2
82	Mysuru	Satisfactory	55	PM _{2.5}	1
83	Nandesari	Moderate	104	со	1
84	Narnaul	Moderate	134	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhiwadi, Chamarajanagar, Coimbatore, Kalaburgi, Kollam, Nagpur, Palwal, Rohtak, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nashik	Satisfactory	88	PM _{2.5}	1
86	Navi Mumbai	Moderate	198	PM _{2.5}	3
87	Noida	Poor	243	PM _{2.5}	3
88	Pali	Satisfactory	70	PM ₁₀	1
89	Panchkula	Moderate	180	PM _{2.5}	1
90	Panipat	Moderate	128	PM ₁₀	1
91	Patiala	Satisfactory	73	PM ₁₀	1
92	Patna	Poor	219	PM _{2.5} , PM ₁₀	6
93	Pithampur	Moderate	154	PM _{2.5}	1
94	Pune	Moderate	160	PM _{2.5}	4
95	Rajamahendravaram	Moderate	156	PM _{2.5}	1
96	Ramanagara	Satisfactory	73	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhiwadi, Chamarajanagar, Coimbatore, Kalaburgi, Kollam, Nagpur, Palwal, Rohtak, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ratlam	Moderate	151	PM _{2.5}	1
98	Rupnagar	Satisfactory	57	PM _{2.5}	1
99	Sagar	Satisfactory	70	PM _{2.5}	1
100	Satna	Satisfactory	72	PM ₁₀	1
101	Shillong	Satisfactory	94	PM _{2.5}	1
102	Shivamogga	Satisfactory	79	PM ₁₀	1
103	Siliguri	Poor	258	PM _{2.5}	1
104	Singrauli	Poor	218	PM _{2.5}	1
105	Sirsa	Satisfactory	80	NO ₂	1
106	Solapur	Moderate	113	PM ₁₀	1
107	Sonipat	Moderate	111	PM ₁₀	1
108	Talcher	Moderate	125	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhiwadi, Chamarajanagar, Coimbatore, Kalaburgi, Kollam, Nagpur, Palwal, Rohtak, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thiruvananthapuram	Satisfactory	92	PM _{2.5} , PM ₁₀	2
110	Thoothukudi	Satisfactory	74	O ₃	1
111	Thrissur	Moderate	116	PM _{2.5}	1
112	Tirupati	Satisfactory	80	PM _{2.5}	1
113	Udaipur	Moderate	138	PM _{2.5}	1
114	Ujjain	Poor	264	PM _{2.5}	1
115	Vapi	Moderate	195	PM _{2.5}	1
116	Varanasi	Poor	249	PM _{2.5}	1
117	Vatva	Moderate	138	PM ₁₀	1
118	Vijayapura	Satisfactory	60	PM ₁₀	1
119	Visakhapatnam	Poor	202	PM _{2.5}	1
120	Yadgir	Satisfactory	68	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhiwadi, Chamarajanagar, Coimbatore, Kalaburgi, Kollam, Nagpur, Palwal, Rohtak, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yamunanagar	Poor	260	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bhiwadi, Chamarajanagar, Coimbatore, Kalaburgi, Kollam, Nagpur, Palwal, Rohtak, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.