



## Air Quality Index on Aug 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	67	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	83	PM <sub>10</sub>	6
3	Ahmedabad	Satisfactory	72	PM <sub>10</sub>	7
4	Ajmer	Moderate	109	PM <sub>2.5</sub>	1
5	Akola	Moderate	103	PM <sub>10</sub>	1
6	Alwar	Satisfactory	80	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	72	PM <sub>10</sub>	1
8	Ambala	Satisfactory	97	CO	1
9	Amravati	Satisfactory	78	PM <sub>10</sub>	2
10	Anantapur	Satisfactory	72	PM <sub>10</sub>	1
11	Araria	Good	43	CO	1
12	Ariyalur	Good	41	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ankleshwar, Asansol, Aurangabad (Bihar), Bagalkot, Baripada, Barmer, Begusarai, Bhagalpur, Bharatpur, Bhiwandi, Boisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kochi, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Raichur, Rairangpur, Rajgir, Ramanathapuram, Salem, Sirsa, Sonapat, Srinagar, Tensa, Tirupur, Udupi, Vijayawada, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Satisfactory	99	PM <sub>10</sub>	1
14	Aurangabad (Maharashtra)	Satisfactory	69	PM <sub>10</sub>	3
15	Baddi	Moderate	119	PM <sub>10</sub>	1
16	Badlapur	Good	46	PM <sub>10</sub>	1
17	Baghpat	Moderate	125	PM <sub>10</sub>	1
18	Bahadurgarh	Satisfactory	82	PM <sub>10</sub>	1
19	Ballabgarh	Satisfactory	93	PM <sub>10</sub>	1
20	Banswara	Satisfactory	98	PM <sub>10</sub>	1
21	Baran	Satisfactory	94	PM <sub>10</sub>	1
22	Bareilly	Satisfactory	68	PM <sub>10</sub>	2
23	Bathinda	Satisfactory	87	PM <sub>10</sub>	1
24	Belapur	Satisfactory	52	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ankleshwar, Asansol, Aurangabad (Bihar), Bagalkot, Baripada, Barmer, Begusarai, Bhagalpur, Bharatpur, Bhiwandi, Boisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kochi, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Raichur, Rairangpur, Rajgir, Ramanathapuram, Salem, Sirsa, Sonapat, Srinagar, Tensa, Tirupur, Udupi, Vijayawada, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Aug 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Satisfactory	72	PM <sub>10</sub>	1
26	Bengaluru	Satisfactory	60	PM <sub>10</sub>	10
27	Bettiah	Moderate	124	PM <sub>10</sub>	1
28	Bhilai	Satisfactory	82	PM <sub>10</sub>	2
29	Bhilwara	Moderate	160	PM <sub>2.5</sub>	1
30	Bhiwadi	Moderate	120	PM <sub>10</sub>	1
31	Bhiwani	Satisfactory	93	PM <sub>10</sub>	1
32	Bhopal	Satisfactory	86	PM <sub>10</sub>	2
33	Bidar	Satisfactory	56	PM <sub>10</sub>	1
34	Bihar Sharif	Good	25	CO	1
35	Bikaner	Moderate	119	PM <sub>10</sub>	1
36	Bilaspur	Good	42	CO	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ankleshwar, Asansol, Aurangabad (Bihar), Bagalkot, Baripada, Barmer, Begusarai, Bhagalpur, Bharatpur, Bhiwandi, Boisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kochi, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Raichur, Rairangpur, Rajgir, Ramanathapuram, Salem, Sirsa, Sonapat, Srinagar, Tensa, Tirupur, Udupi, Vijayawada, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Moderate	133	PM <sub>10</sub>	1
38	Brajrajnagar	Satisfactory	66	PM <sub>10</sub>	1
39	Bulandshahr	Satisfactory	84	PM <sub>10</sub>	1
40	Bundi	Poor	284	O <sub>3</sub>	1
41	Byrnihat	Moderate	162	PM <sub>2.5</sub>	1
42	Chamarajanagar	Good	41	PM <sub>10</sub>	1
43	Chandigarh	Satisfactory	94	PM <sub>10</sub>	3
44	Chandrapur	Satisfactory	63	CO	1
45	Charkhi Dadri	Satisfactory	77	PM <sub>10</sub>	1
46	Chennai	Satisfactory	79	CO	7
47	Chhal	Satisfactory	59	PM <sub>10</sub>	1
48	Chhapra	Satisfactory	53	CO	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ankleshwar, Asansol, Aurangabad (Bihar), Bagalkot, Baripada, Barmer, Begusarai, Bhagalpur, Bharatpur, Bhiwandi, Boisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kochi, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Raichur, Rairangpur, Rajgir, Ramanathapuram, Salem, Sirsa, Sonapat, Srinagar, Tensa, Tirupur, Udupi, Vijayawada, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkaballapur	Good	35	PM <sub>10</sub>	1
50	Chikkamagaluru	Good	32	PM <sub>10</sub>	1
51	Chittoor	Good	37	PM <sub>10</sub>	1
52	Chittorgarh	Satisfactory	91	PM <sub>10</sub>	1
53	Churu	Moderate	102	PM <sub>10</sub>	1
54	Cuddalore	Moderate	136	NO <sub>2</sub>	2
55	Damoh	Satisfactory	65	PM <sub>10</sub>	1
56	Dausa	Moderate	135	PM <sub>10</sub>	1
57	Dehradun	Satisfactory	76	PM <sub>10</sub>	1
58	Delhi	Moderate	118	PM <sub>10</sub>	32
59	Dewas	Good	43	PM <sub>10</sub>	1
60	Dhanbad	Moderate	194	CO	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ankleshwar, Asansol, Aurangabad (Bihar), Bagalkot, Baripada, Barmer, Begusarai, Bhagalpur, Bharatpur, Bhiwandi, Boisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kochi, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Raichur, Rairangpur, Rajgir, Ramanathapuram, Salem, Sirsa, Sonapat, Srinagar, Tensa, Tirupur, Udupi, Vijayawada, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Aug 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dharuhera	Moderate	123	PM <sub>10</sub>	1
62	Dholpur	Satisfactory	66	PM <sub>10</sub>	1
63	Dhule	Satisfactory	93	PM <sub>10</sub>	1
64	Durgapur	Moderate	108	PM <sub>10</sub>	1
65	Eloor	Satisfactory	68	PM <sub>10</sub>	1
66	Faridabad	Moderate	155	PM <sub>10</sub>	1
67	Fatehabad	Moderate	120	O <sub>3</sub>	1
68	Firozabad	Satisfactory	95	PM <sub>10</sub>	2
69	Gadag	Good	46	SO <sub>2</sub>	1
70	Gandhinagar	Satisfactory	86	PM <sub>2.5</sub> , PM <sub>10</sub>	3
71	Gangtok	Satisfactory	56	SO <sub>2</sub>	1
72	Gaya	Satisfactory	62	CO	3

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ankleshwar, Asansol, Aurangabad (Bihar), Bagalkot, Baripada, Barmer, Begusarai, Bhagalpur, Bharatpur, Bhiwandi, Boisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kochi, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Raichur, Rairangpur, Rajgir, Ramanathapuram, Salem, Sirsa, Sonapat, Srinagar, Tensa, Tirupur, Udupi, Vijayawada, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ghaziabad	Moderate	129	PM <sub>10</sub>	3
74	Gorakhpur	Satisfactory	65	PM <sub>10</sub>	1
75	Greater Noida	Moderate	160	PM <sub>10</sub>	2
76	Gummidipoondi	Moderate	107	PM <sub>10</sub>	1
77	Gurugram	Moderate	139	PM <sub>10</sub> , PM <sub>2.5</sub>	3
78	Guwahati	Good	42	SO <sub>2</sub>	2
79	Gwalior	Satisfactory	79	PM <sub>10</sub> , O <sub>3</sub>	3
80	Hajipur	Satisfactory	93	PM <sub>10</sub>	1
81	Haldia	Satisfactory	74	PM <sub>10</sub>	1
82	Hanumangarh	Moderate	124	PM <sub>10</sub>	1
83	Hapur	Satisfactory	55	PM <sub>10</sub>	1
84	Haveri	Good	46	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ankleshwar, Asansol, Aurangabad (Bihar), Bagalkot, Baripada, Barmer, Begusarai, Bhagalpur, Bharatpur, Bhiwandi, Boisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kochi, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Raichur, Rairangpur, Rajgir, Ramanathapuram, Salem, Sirsa, Sonapat, Srinagar, Tensa, Tirupur, Udupi, Vijayawada, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Aug 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hisar	Moderate	152	PM <sub>10</sub>	1
86	Hosur	Satisfactory	52	PM <sub>10</sub>	1
87	Howrah	Satisfactory	88	PM <sub>10</sub>	3
88	Hubballi	Satisfactory	86	PM <sub>10</sub>	2
89	Hyderabad	Satisfactory	68	PM <sub>2.5</sub> , PM <sub>10</sub>	8
90	Indore	Satisfactory	94	PM <sub>10</sub>	1
91	Jabalpur	Satisfactory	84	PM <sub>10</sub>	2
92	Jaipur	Moderate	112	PM <sub>10</sub>	5
93	Jaisalmer	Moderate	112	PM <sub>10</sub>	1
94	Jalandhar	Satisfactory	86	PM <sub>10</sub>	1
95	Jalgaon	Satisfactory	66	PM <sub>10</sub>	1
96	Jalna	Satisfactory	72	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ankleshwar, Asansol, Aurangabad (Bihar), Bagalkot, Baripada, Barmer, Begusarai, Bhagalpur, Bharatpur, Bhiwandi, Boisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kochi, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Raichur, Rairangpur, Rajgir, Ramanathapuram, Salem, Sirsa, Sonapat, Srinagar, Tensa, Tirupur, Udupi, Vijayawada, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:





## Air Quality Index on Aug 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhalawar	Satisfactory	92	PM <sub>10</sub>	1
98	Jhansi	Satisfactory	79	PM <sub>10</sub>	1
99	Jhunjhunu	Moderate	118	PM <sub>2.5</sub>	1
100	Jind	Moderate	103	PM <sub>10</sub>	1
101	Jodhpur	Satisfactory	93	PM <sub>10</sub>	5
102	Kadapa	Good	33	PM <sub>2.5</sub>	1
103	Kaithal	Moderate	163	PM <sub>2.5</sub>	1
104	Kanchipuram	Good	31	PM <sub>10</sub>	1
105	Kanpur	Satisfactory	86	PM <sub>10</sub>	4
106	Karauli	Satisfactory	82	PM <sub>10</sub>	1
107	Karnal	Satisfactory	100	PM <sub>10</sub>	1
108	Kashipur	Satisfactory	74	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ankleshwar, Asansol, Aurangabad (Bihar), Bagalkot, Baripada, Barmer, Begusarai, Bhagalpur, Bharatpur, Bhiwandi, Boisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kochi, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Raichur, Rairangpur, Rajgir, Ramanathapuram, Salem, Sirsa, Sonapat, Srinagar, Tensa, Tirupur, Udupi, Vijayawada, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Aug 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Katihar	Satisfactory	87	CO	1
110	Katni	Satisfactory	100	PM <sub>10</sub>	1
111	Keonjhar	Satisfactory	92	PM <sub>10</sub>	1
112	Khanna	Satisfactory	88	PM <sub>10</sub>	1
113	Khurja	Satisfactory	82	PM <sub>2.5</sub>	1
114	Kishanganj	Good	35	CO	1
115	Kohima	Good	49	SO <sub>2</sub>	1
116	Kolar	Satisfactory	55	PM <sub>10</sub>	1
117	Kolhapur	Good	48	PM <sub>10</sub>	1
118	Kolkata	Satisfactory	70	PM <sub>10</sub>	6
119	Kollam	Satisfactory	87	PM <sub>10</sub>	1
120	Koppal	Good	28	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ankleshwar, Asansol, Aurangabad (Bihar), Bagalkot, Baripada, Barmer, Begusarai, Bhagalpur, Bharatpur, Bhiwandi, Boisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kochi, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Raichur, Rairangpur, Rajgir, Ramanathapuram, Salem, Sirsa, Sonapat, Srinagar, Tensa, Tirupur, Udupi, Vijayawada, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Korba	Good	50	PM <sub>10</sub>	2
122	Kota	Satisfactory	87	PM <sub>10</sub>	3
123	Kunjemura	Moderate	152	PM <sub>10</sub>	1
124	Latur	Satisfactory	73	PM <sub>10</sub>	1
125	Lucknow	Satisfactory	97	PM <sub>2.5</sub> , PM <sub>10</sub>	6
126	Ludhiana	Satisfactory	93	PM <sub>10</sub>	1
127	Madikeri	Good	43	PM <sub>10</sub>	1
128	Mahad	Good	31	PM <sub>10</sub>	1
129	Maihar	Good	45	PM <sub>10</sub>	1
130	Mandi Gobindgarh	Poor	202	PM <sub>2.5</sub>	1
131	Mandideep	Satisfactory	73	PM <sub>10</sub>	1
132	Mandikhera	Satisfactory	84	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ankleshwar, Asansol, Aurangabad (Bihar), Bagalkot, Baripada, Barmer, Begusarai, Bhagalpur, Bharatpur, Bhiwandi, Boisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kochi, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Raichur, Rairangpur, Rajgir, Ramanathapuram, Salem, Sirsa, Sonapat, Srinagar, Tensa, Tirupur, Udupi, Vijayawada, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Aug 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Manesar	Satisfactory	78	PM <sub>2.5</sub>	1
134	Mangalore	Satisfactory	72	NO <sub>2</sub>	1
135	Manguraha	Good	37	PM <sub>10</sub>	1
136	Meerut	Moderate	125	PM <sub>10</sub>	3
137	Moradabad	Moderate	113	PM <sub>10</sub>	6
138	Mumbai	Satisfactory	78	NO <sub>2</sub> , PM <sub>10</sub>	16
139	Muzaffarnagar	Moderate	133	PM <sub>10</sub>	1
140	Muzaffarpur	Satisfactory	70	NO <sub>2</sub>	2
141	Mysuru	Satisfactory	56	PM <sub>10</sub>	1
142	Nagaon	Good	48	O <sub>3</sub>	1
143	Nagaur	Satisfactory	99	PM <sub>10</sub>	1
144	Nagpur	Satisfactory	72	PM <sub>10</sub>	4

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ankleshwar, Asansol, Aurangabad (Bihar), Bagalkot, Baripada, Barmer, Begusarai, Bhagalpur, Bharatpur, Bhiwandi, Boisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kochi, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Raichur, Rairangpur, Rajgir, Ramanathapuram, Salem, Sirsa, Sonapat, Srinagar, Tensa, Tirupur, Udupi, Vijayawada, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Naharlagun	Good	35	PM <sub>10</sub>	1
146	Nalbari	Satisfactory	56	CO	1
147	Nanded	Satisfactory	52	O <sub>3</sub>	1
148	Narnaul	Satisfactory	92	PM <sub>10</sub>	1
149	Nashik	Good	48	PM <sub>10</sub>	3
150	Navi Mumbai	Satisfactory	55	PM <sub>10</sub>	7
151	Nayagarh	Satisfactory	86	PM <sub>10</sub>	1
152	Noida	Moderate	140	CO	3
153	Ooty	Good	49	SO <sub>2</sub>	1
154	Pali	Moderate	112	PM <sub>2.5</sub>	1
155	Palkalaiperur	Satisfactory	66	SO <sub>2</sub>	1
156	Palwal	Good	40	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ankleshwar, Asansol, Aurangabad (Bihar), Bagalkot, Baripada, Barmer, Begusarai, Bhagalpur, Bharatpur, Bhiwandi, Boisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kochi, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Raichur, Rairangpur, Rajgir, Ramanathapuram, Salem, Sirsa, Sonapat, Srinagar, Tensa, Tirupur, Udupi, Vijayawada, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Panchkula	Satisfactory	88	PM <sub>2.5</sub>	1
158	Panipat	Satisfactory	86	PM <sub>2.5</sub>	1
159	Parbhani	Satisfactory	56	PM <sub>10</sub>	1
160	Patiala	Satisfactory	100	PM <sub>10</sub>	1
161	Patna	Satisfactory	68	PM <sub>10</sub> , NO <sub>2</sub>	6
162	Pimpri Chinchwad	Satisfactory	68	PM <sub>10</sub>	3
163	Pithampur	Satisfactory	84	PM <sub>10</sub>	1
164	Pratapgarh	Moderate	107	PM <sub>10</sub>	1
165	Prayagraj	Satisfactory	88	PM <sub>10</sub>	3
166	Puducherry	Satisfactory	62	O <sub>3</sub>	1
167	Pune	Satisfactory	95	NO <sub>2</sub> , PM <sub>2.5</sub>	5
168	Purnia	Satisfactory	71	CO	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ankleshwar, Asansol, Aurangabad (Bihar), Bagalkot, Baripada, Barmer, Begusarai, Bhagalpur, Bharatpur, Bhiwandi, Boisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kochi, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Raichur, Rairangpur, Rajgir, Ramanathapuram, Salem, Sirsa, Sonapat, Srinagar, Tensa, Tirupur, Udupi, Vijayawada, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Raipur	Satisfactory	60	PM <sub>10</sub>	3
170	Rajamahendravaram	Satisfactory	83	PM <sub>10</sub>	1
171	Rajsamand	Satisfactory	96	PM <sub>10</sub>	1
172	Ramanagara	Satisfactory	51	NO <sub>2</sub>	1
173	Ratlam	Satisfactory	71	PM <sub>10</sub>	1
174	Rishikesh	Good	34	PM <sub>10</sub>	1
175	Rohtak	Good	40	CO	1
176	Rourkela	Moderate	127	PM <sub>10</sub>	2
177	Rupnagar	Satisfactory	82	PM <sub>10</sub>	1
178	Sagar	Satisfactory	65	PM <sub>10</sub>	1
179	Saharsa	Satisfactory	94	CO	1
180	Samastipur	Good	25	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ankleshwar, Asansol, Aurangabad (Bihar), Bagalkot, Baripada, Baramer, Begusarai, Bhagalpur, Bharatpur, Bhiwandi, Boisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kochi, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Raichur, Rairangpur, Rajgir, Ramanathapuram, Salem, Sirsa, Sonapat, Srinagar, Tensa, Tirupur, Udupi, Vijayawada, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Aug 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sangli	Good	43	PM <sub>10</sub>	1
182	Sasaram	Satisfactory	53	PM <sub>10</sub>	1
183	Satna	Satisfactory	53	PM <sub>10</sub>	1
184	Sawai Madhopur	Moderate	110	PM <sub>10</sub>	1
185	Shillong	Good	19	SO <sub>2</sub>	1
186	Shivamogga	Satisfactory	60	PM <sub>2.5</sub>	1
187	Sikar	Moderate	110	PM <sub>10</sub>	1
188	Silchar	Good	38	CO	1
189	Siliguri	Good	44	PM <sub>10</sub>	1
190	Singrauli	Satisfactory	94	NO <sub>2</sub>	1
191	Sirohi	Satisfactory	54	PM <sub>10</sub>	1
192	Sivasagar	Good	10	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ankleshwar, Asansol, Aurangabad (Bihar), Bagalkot, Baripada, Barmer, Begusarai, Bhagalpur, Bharatpur, Bhiwandi, Boisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kochi, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Raichur, Rairangpur, Rajgir, Ramanathapuram, Salem, Sirsa, Sonapat, Srinagar, Tensa, Tirupur, Udupi, Vijayawada, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:





## Air Quality Index on Aug 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Siwan	Satisfactory	58	PM <sub>10</sub>	1
194	Solapur	Satisfactory	66	PM <sub>10</sub>	3
195	Sri Ganganagar	Moderate	150	PM <sub>10</sub>	1
196	Suakati	Moderate	107	PM <sub>10</sub>	1
197	Surat	Satisfactory	88	PM <sub>10</sub>	1
198	Talcher	Good	50	PM <sub>10</sub>	1
199	Thane	Satisfactory	56	PM <sub>10</sub> , CO	2
200	Thiruvananthapuram	Good	34	CO, PM <sub>10</sub>	2
201	Thoothukudi	Satisfactory	70	O <sub>3</sub>	1
202	Thrissur	Satisfactory	66	PM <sub>10</sub>	1
203	Tirupati	Satisfactory	62	PM <sub>10</sub>	1
204	Tonk	Moderate	130	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ankleshwar, Asansol, Aurangabad (Bihar), Bagalkot, Baripada, Barmur, Begusarai, Bhagalpur, Bharatpur, Bhiwandi, Boisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kochi, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Raichur, Rairangpur, Rajgir, Ramanathapuram, Salem, Sirsa, Sonapat, Srinagar, Tensa, Tirupur, Udupi, Vijayawada, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tumakuru	Satisfactory	88	CO	1
206	Tumidih	Good	35	PM <sub>10</sub>	1
207	Udaipur	Satisfactory	85	PM <sub>10</sub>	1
208	Ujjain	Satisfactory	86	PM <sub>10</sub>	1
209	Ulhasnagar	Satisfactory	60	PM <sub>10</sub>	1
210	Vapi	Satisfactory	70	PM <sub>10</sub>	1
211	Varanasi	Satisfactory	83	O <sub>3</sub>	4
212	Vatva	Satisfactory	91	PM <sub>10</sub>	1
213	Vijayapura	Good	46	PM <sub>10</sub>	1
214	Visakhapatnam	Moderate	138	PM <sub>10</sub>	1
215	Vrindavan	Good	36	PM <sub>10</sub>	1
216	Yadgir	Good	42	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ankleshwar, Asansol, Aurangabad (Bihar), Bagalkot, Baripada, Barmer, Begusarai, Bhagalpur, Bharatpur, Bhiwandi, Boisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kochi, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Motihari, Munger, Nandesari, Raichur, Rairangpur, Rajgir, Ramanathapuram, Salem, Sirsa, Sonapat, Srinagar, Tensa, Tirupur, Udupi, Vijayawada, Virar, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases