Air Quality Index on Nov 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	264	$PM_{2.5}$	1
2	Ahmedabad	Moderate	166	$PM_{2.5}$	1
3	Ajmer	Moderate	103	PM_{10}	1
4	Alwar	Satisfactory	91	PM_{10}	1
5	Amaravati	Moderate	131	$PM_{2.5}$	1
6	Ambala	Very Poor	390	PM_{10}	1
7	Amritsar	Poor	239	$PM_{2.5}$	1
8	Ankleshwar	Moderate	182	PM_{10}	1
9	Asansol	Poor	209	$PM_{2.5}$	1
10	Aurangabad	Satisfactory	87	PM_{10}	1
11	Bagalkot	Poor	216	$PM_{2.5}$	1
12	Baghpat	Very Poor	392	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Coimbatore, Gaya, Hubballi, Jorapokhar, Kalaburgi, Kochi, Nagpur, Nandesari, Nashik, Solapur, Vatva, Vijayapura as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Poor	288	$PM_{2.5}$	1
14	Ballabgarh	Poor	292	$PM_{2.5}$	1
15	Bathinda	Poor	293	$PM_{2.5}$	1
16	Bengaluru	Moderate	119	$PM_{2.5}$, PM_{10}	9
17	Bhiwadi	Very Poor	322	$PM_{2.5}$	1
18	Bhiwani	Moderate	163	PM_{10}	1
19	Bhopal	Moderate	138	PM_{10}	1
20	Brajrajnagar	Poor	204	$PM_{2.5}$	1
21	Bulandshahr	Very Poor	339	$PM_{2.5}$	1
22	Chandigarh	Moderate	139	$PM_{2.5}$	1
23	Chandrapur	Moderate	106	$PM_{2.5}$	1
24	Charkhi Dadri	Poor	233	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Coimbatore, Gaya, Hubballi, Jorapokhar, Kalaburgi, Kochi, Nagpur, Nandesari, Nashik, Solapur, Vatva, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Moderate	148	$PM_{2.5}$	3
26	Chikkaballapur	Moderate	128	$PM_{2.5}$	1
27	Chikkamagaluru	Satisfactory	98	PM_{10}	1
28	Damoh	Moderate	140	PM_{10}	1
29	Delhi	Very Poor	302	PM_{10}, $PM_{2.5}$	33
30	Dewas	Moderate	110	PM_{10}	1
31	Dharuhera	Poor	260	PM_{10}	1
32	Eloor	Good	44	PM_{10}	1
33	Ernakulam	Satisfactory	92	CO	1
34	Faridabad	Very Poor	318	$PM_{2.5}$, PM_{10}	4
35	Fatehabad	Poor	283	$PM_{2.5}$	1
36	Gandhinagar	Moderate	119	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Coimbatore, Gaya, Hubballi, Jorapokhar, Kalaburgi, Kochi, Nagpur, Nandesari, Nashik, Solapur, Vatva, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Very Poor	340	$PM_{2.5}$	4
38	Greater Noida	Very Poor	356	PM_{10}, $PM_{2.5}$	2
39	Gurugram	Poor	270	$PM_{2.5}$	4
40	Guwahati	Moderate	103	PM_{10}	1
41	Gwalior	Moderate	149	PM_{10}	1
42	Hajipur	Moderate	105	$PM_{2.5}$	1
43	Hapur	Very Poor	329	PM_{10}	1
44	Hisar	Poor	274	$PM_{2.5}$	1
45	Howrah	Moderate	133	$PM_{2.5}$, PM_{10}	3
46	Hyderabad	Moderate	167	$PM_{2.5}$	6
47	Indore	Moderate	138	PM_{10}	1
48	Jabalpur	Poor	256	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Coimbatore, Gaya, Hubballi, Jorapokhar, Kalaburgi, Kochi, Nagpur, Nandesari, Nashik, Solapur, Vatva, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jaipur	Moderate	176	PM_{10}, $PM_{2.5}$	3
50	Jalandhar	Poor	274	$PM_{2.5}$	1
51	Jind	Very Poor	316	$PM_{2.5}$	1
52	Jodhpur	Poor	246	$PM_{2.5}$	1
53	Kaithal	Very Poor	380	PM_{10}	1
54	Kalyan	Poor	210	$PM_{2.5}$	1
55	Kannur	Satisfactory	58	CO	1
56	Kanpur	Very Poor	327	$PM_{2.5}$	1
57	Karnal	Poor	260	$PM_{2.5}$	1
58	Katni	Poor	283	PM_{10}	1
59	Khanna	Poor	248	$PM_{2.5}$	1
60	Kohima	Satisfactory	53	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Coimbatore, Gaya, Hubballi, Jorapokhar, Kalaburgi, Kochi, Nagpur, Nandesari, Nashik, Solapur, Vatva, Vijayapura as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kolkata	Moderate	134	O_3, $PM_{2.5}$	7
62	Kollam	Moderate	199	$PM_{2.5}$	1
63	Kota	Moderate	132	$PM_{2.5}$	1
64	Kozhikode	Satisfactory	76	PM_{10}	1
65	Kurukshetra	Very Poor	367	$PM_{2.5}$	1
66	Lucknow	Very Poor	343	$PM_{2.5}$	4
67	Ludhiana	Poor	243	$PM_{2.5}$	1
68	Maihar	Good	45	PM_{10}	1
69	Mandi Gobindgarh	Poor	243	$PM_{2.5}$	1
70	Mandideep	Moderate	139	$PM_{2.5}$	1
71	Mandikhera	Poor	230	$PM_{2.5}$	1
72	Manesar	Poor	272	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Coimbatore, Gaya, Hubballi, Jorapokhar, Kalaburgi, Kochi, Nagpur, Nandesari, Nashik, Solapur, Vatva, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Meerut	Very Poor	309	$PM_{2.5}$	2
74	Moradabad	Very Poor	395	$PM_{2.5}$	1
75	Mumbai	Moderate	194	$PM_{2.5}$, CO	6
76	Muzaffarnagar	Very Poor	361	$PM_{2.5}$	1
77	Muzaffarpur	Poor	268	$PM_{2.5}$, O_3	2
78	Mysuru	Satisfactory	64	$PM_{2.5}$	1
79	Narnaul	Moderate	147	PM_{10}	1
80	Navi Mumbai	Poor	234	$PM_{2.5}$	2
81	Noida	Very Poor	321	$PM_{2.5}$, PM_{10}	3
82	Pali	Moderate	147	$PM_{2.5}$	1
83	Palwal	Moderate	163	PM_{10}	1
84	Panchkula	Moderate	153	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Coimbatore, Gaya, Hubballi, Jorapokhar, Kalaburgi, Kochi, Nagpur, Nandesari, Nashik, Solapur, Vatva, Vijayapura as data was not available.
\# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Panipat	Very Poor	324	PM_{10}	1
86	Patiala	Poor	283	$PM_{2.5}$	1
87	Patna	Poor	234	$PM_{2.5}, O_3$	6
88	Pithampur	Moderate	147	$PM_{2.5}$	1
89	Pune	Satisfactory	98	$PM_{2.5}$	1
90	Rajamahendravaram	Satisfactory	97	O_3	1
91	Ramanagara	Moderate	120	$PM_{2.5}$	1
92	Ratlam	Poor	212	PM_{10}	1
93	Rohtak	Moderate	164	$PM_{2.5}$	1
94	Rupnagar	Poor	284	$PM_{2.5}$	1
95	Sagar	Moderate	175	$PM_{2.5}$	1
96	Satna	Satisfactory	66	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Coimbatore, Gaya, Hubballi, Jorapokhar, Kalaburgi, Kochi, Nagpur, Nandesari, Nashik, Solapur, Vatva, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Shillong	Good	22	$PM_{2.5}$	1
98	Siliguri	Moderate	111	$PM_{2.5}$	1
99	Singrauli	Poor	239	$PM_{2.5}$	1
100	Sirsa	Poor	233	$PM_{2.5}$	1
101	Sonipat	Poor	245	$PM_{2.5}$	1
102	Talcher	Moderate	153	O_3	1
103	Thane	Poor	250	PM_{10}	1
104	Thiruvananthapuram	Satisfactory	78	PM_{10}	1
105	Thrissur	Satisfactory	88	PM_{10}	1
106	Tirupati	Moderate	104	$PM_{2.5}$	1
107	Udaipur	Moderate	101	PM_{10}	1
108	Ujjain	Moderate	153	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Coimbatore, Gaya, Hubballi, Jorapokhar, Kalaburgi, Kochi, Nagpur, Nandesari, Nashik, Solapur, Vatva, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Nov 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Vapi	Poor	271	$PM_{2.5}$	1
110	Varanasi	Poor	223	PM_{10}	1
111	Visakhapatnam	Satisfactory	93	PM_{10}	1
112	Yadgir	Moderate	111	O_3	1
113	Yamunanagar	Satisfactory	88	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Coimbatore, Gaya, Hubballi, Jorapokhar, Kalaburgi, Kochi, Nagpur, Nandesari, Nashik, Solapur, Vatva, Vijayapura as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.