

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	176	PM _{2.5}	1
2	Agra	Poor	222	PM _{2.5}	5
3	Ahmedabad	Moderate	142	NO ₂ , PM _{2.5} , PM ₁₀	9
4	Aizawl	Good	19	со	1
5	Ajmer	Satisfactory	96	PM ₁₀	1
6	Alwar	Satisfactory	98	PM ₁₀	1
7	Amaravati	Satisfactory	86	O ₃	1
8	Ambala	Poor	284	PM _{2.5}	1
9	Amritsar	Moderate	166	PM _{2.5}	1
10	Ankleshwar	Poor	281	PM _{2.5}	1
11	Asansol	Poor	212	03	1
12	Aurangabad	Satisfactory	97	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore,
 Davanagere, Dewas, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi,
 Manguraha, Medikeri, Naharlagun, Nandesari, Raichur, Rajgir, Siwan,
 Solapur, Sonipat, Thrissur, Udaipur, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	46	PM ₁₀	1
14	Baghpat	Poor	300	PM _{2.5}	1
15	Bahadurgarh	Very Poor	324	PM _{2.5}	1
16	Ballabgarh	Poor	289	PM _{2.5}	1
17	Bathinda	Moderate	128	PM ₁₀	1
18	Bengaluru	Good	48	PM _{2.5} , PM ₁₀ , CO	8
19	Bettiah	Very Poor	350	PM ₁₀	1
20	Bhagalpur	Very Poor	332	PM _{2.5}	2
21	Bhiwadi	Poor	288	PM _{2.5}	1
22	Bhiwani	Poor	266	PM _{2.5}	1
23	Bhopal	Moderate	140	PM _{2.5}	1
24	Bidar	Poor	246	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore,
 Davanagere, Dewas, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi,
 Manguraha, Medikeri, Naharlagun, Nandesari, Raichur, Rajgir, Siwan,
 Solapur, Sonipat, Thrissur, Udaipur, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Severe	414	PM ₁₀	1
26	Bilaspur	Satisfactory	90	PM ₁₀	1
27	Brajrajnagar	Moderate	168	03	1
28	Bulandshahr	Poor	297	PM _{2.5}	1
29	Buxar	Very Poor	359	PM _{2.5}	1
30	Chamarajanagar	Good	35	PM ₁₀	1
31	Chandigarh	Moderate	138	PM _{2.5} , PM ₁₀	2
32	Chandrapur	Moderate	148	PM _{2.5}	2
33	Charkhi Dadri	Poor	233	PM _{2.5}	1
34	Chennai	Good	42	PM ₁₀ , CO	8
35	Chhapra	Very Poor	353	PM _{2.5}	1
36	Chikkaballapur	Good	30	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore, Davanagere, Dewas, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi, Manguraha, Medikeri, Naharlagun, Nandesari, Raichur, Rajgir, Siwan, Solapur, Sonipat, Thrissur, Udaipur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	27	PM ₁₀	1
38	Damoh	Moderate	124	PM _{2.5}	1
39	Darbhanga	Very Poor	376	PM _{2.5}	1
40	Delhi	Very Poor	331	PM _{2.5}	37
41	Dharuhera	Moderate	136	PM ₁₀	1
42	Eloor	Satisfactory	62	PM ₁₀	1
43	Ernakulam	Satisfactory	63	PM _{2.5}	1
44	Faridabad	Very Poor	317	PM ₁₀ , PM _{2.5}	4
45	Fatehabad	Poor	209	PM _{2.5}	1
46	Firozabad	Poor	258	PM _{2.5}	1
47	Gadag	Satisfactory	65	PM _{2.5}	1
48	Gandhinagar	Moderate	129	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore,
 Davanagere, Dewas, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi,
 Manguraha, Medikeri, Naharlagun, Nandesari, Raichur, Rajgir, Siwan,
 Solapur, Sonipat, Thrissur, Udaipur, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Poor	223	PM _{2.5} , PM ₁₀	3
50	Ghaziabad	Very Poor	310	PM ₁₀ , PM _{2.5}	3
51	Gorakhpur	Moderate	173	PM _{2.5}	1
52	Greater Noida	Poor	272	PM _{2.5}	2
53	Gurugram	Poor	253	PM _{2.5}	3
54	Guwahati	Moderate	166	PM _{2.5}	1
55	Gwalior	Moderate	121	PM _{2.5} , PM ₁₀	2
56	Hajipur	Poor	273	PM _{2.5}	1
57	Haldia	Moderate	187	PM _{2.5}	1
58	Hapur	Poor	273	PM _{2.5}	1
59	Hassan	Good	30	PM ₁₀	1
60	Hisar	Very Poor	324	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore,
 Davanagere, Dewas, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi,
 Manguraha, Medikeri, Naharlagun, Nandesari, Raichur, Rajgir, Siwan,
 Solapur, Sonipat, Thrissur, Udaipur, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Howrah	Poor	253	PM _{2.5}	3
62	Hubballi	Satisfactory	80	PM ₁₀	1
63	Hyderabad	Moderate	132	PM _{2.5}	5
64	Indore	Moderate	124	PM _{2.5}	1
65	Jabalpur	Moderate	155	PM ₁₀	1
66	Jaipur	Moderate	124	PM ₁₀ , PM _{2.5}	3
67	Jalandhar	Moderate	144	PM _{2.5}	1
68	Jind	Poor	287	PM _{2.5}	1
69	Jodhpur	Moderate	175	PM _{2.5}	1
70	Kaithal	Poor	273	PM _{2.5}	1
71	Kalyan	Poor	212	PM _{2.5}	1
72	Kannur	Good	40	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore, Davanagere, Dewas, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi, Manguraha, Medikeri, Naharlagun, Nandesari, Raichur, Rajgir, Siwan, Solapur, Sonipat, Thrissur, Udaipur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kanpur	Moderate	194	PM ₁₀ , PM _{2.5}	3
74	Karnal	Poor	265	PM _{2.5}	1
75	Katihar	Very Poor	343	PM _{2.5}	1
76	Katni	Poor	225	PM ₁₀	1
77	Khanna	Moderate	186	PM _{2.5}	1
78	Kishanganj	Very Poor	355	PM _{2.5}	1
79	Kochi	Satisfactory	97	PM _{2.5}	1
80	Kohima	Satisfactory	66	PM ₁₀	1
81	Kolar	Good	41	SO ₂	1
82	Kolkata	Poor	237	PM _{2.5}	6
83	Kollam	Satisfactory	83	PM _{2.5}	1
84	Koppal	Satisfactory	84	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore,
 Davanagere, Dewas, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi,
 Manguraha, Medikeri, Naharlagun, Nandesari, Raichur, Rajgir, Siwan,
 Solapur, Sonipat, Thrissur, Udaipur, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kota	Poor	228	PM _{2.5}	1
86	Kozhikode	Good	48	PM ₁₀	1
87	Kurukshetra	Very Poor	309	PM _{2.5}	1
88	Lucknow	Poor	227	PM _{2.5}	6
89	Ludhiana	Poor	259	PM _{2.5}	1
90	Maihar	Satisfactory	87	PM _{2.5}	1
91	Mandi Gobindgarh	Moderate	167	PM _{2.5}	1
92	Mandideep	Moderate	111	PM ₁₀	1
93	Mandikhera	Satisfactory	92	PM _{2.5}	1
94	Manesar	Poor	241	PM _{2.5}	1
95	Manglore	Good	40	PM _{2.5}	1
96	Meerut	Poor	270	PM _{2.5}	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore,
 Davanagere, Dewas, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi,
 Manguraha, Medikeri, Naharlagun, Nandesari, Raichur, Rajgir, Siwan,
 Solapur, Sonipat, Thrissur, Udaipur, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Moradabad	Poor	277	PM _{2.5}	2
98	Motihari	Poor	291	PM _{2.5}	1
99	Mumbai	Moderate	181	PM _{2.5}	20
100	Munger	Poor	225	PM ₁₀	1
101	Muzaffarnagar	Poor	292	PM _{2.5}	1
102	Muzaffarpur	Very Poor	369	PM _{2.5}	3
103	Mysuru	Good	36	PM ₁₀	1
104	Nagpur	Moderate	188	PM _{2.5}	1
105	Narnaul	Moderate	190	PM _{2.5}	1
106	Nashik	Moderate	155	PM _{2.5}	1
107	Navi Mumbai	Poor	250	PM _{2.5}	1
108	Noida	Very Poor	312	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Material

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore,
 Davanagere, Dewas, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi,
 Manguraha, Medikeri, Naharlagun, Nandesari, Raichur, Rajgir, Siwan,
 Solapur, Sonipat, Thrissur, Udaipur, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pali	Satisfactory	97	PM _{2.5}	1
110	Palwal	Moderate	148	PM ₁₀	1
111	Panchkula	Moderate	112	PM _{2.5}	1
112	Panipat	Severe	414	PM ₁₀	1
113	Patiala	Poor	258	PM _{2.5}	1
114	Patna	Very Poor	301	PM _{2.5} , PM ₁₀	6
115	Pithampur	Moderate	125	PM ₁₀	1
116	Prayagraj	Poor	209	PM _{2.5}	3
117	Puducherry	Good	40	со	1
118	Pune	Poor	203	PM _{2.5}	3
119	Purnia	Very Poor	335	PM _{2.5}	1
120	Rajamahendravaram	Moderate	113	03	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore,
 Davanagere, Dewas, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi,
 Manguraha, Medikeri, Naharlagun, Nandesari, Raichur, Rajgir, Siwan,
 Solapur, Sonipat, Thrissur, Udaipur, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ramanagara	Good	42	PM _{2.5}	1
122	Ratlam	Moderate	108	PM ₁₀	1
123	Rohtak	Poor	237	PM _{2.5}	1
124	Rupnagar	Poor	245	PM _{2.5}	1
125	Sagar	Satisfactory	67	PM _{2.5}	1
126	Saharsa	Very Poor	352	PM ₁₀	1
127	Sasaram	Very Poor	319	PM _{2.5}	1
128	Satna	Satisfactory	64	PM ₁₀	1
129	Shillong	Good	21	SO ₂	1
130	Shivamogga	Good	50	PM ₁₀	1
131	Siliguri	Moderate	119	PM ₁₀	1
132	Singrauli	Poor	284	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore,
 Davanagere, Dewas, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi,
 Manguraha, Medikeri, Naharlagun, Nandesari, Raichur, Rajgir, Siwan,
 Solapur, Sonipat, Thrissur, Udaipur, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sirsa	Moderate	187	PM _{2.5}	1
134	Srinagar	Satisfactory	84	PM ₁₀	1
135	Talcher	Moderate	115	PM _{2.5}	1
136	Thane	Poor	212	PM ₁₀	1
137	Thiruvananthapuram	Moderate	104	NO ₂ , PM ₁₀	2
138	Thoothukudi	Good	19	PM ₁₀	1
139	Tirupati	Good	42	СО	1
140	Ujjain	Moderate	185	PM _{2.5}	1
141	Vapi	Poor	251	PM _{2.5}	1
142	Varanasi	Moderate	198	PM _{2.5}	3
143	Vatva	Moderate	150	PM ₁₀	1
144	Vijayapura	Satisfactory	55	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore,
 Davanagere, Dewas, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi,
 Manguraha, Medikeri, Naharlagun, Nandesari, Raichur, Rajgir, Siwan,
 Solapur, Sonipat, Thrissur, Udaipur, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Visakhapatnam	Moderate	138	PM _{2.5}	1
146	Vrindavan	Poor	256	PM _{2.5}	1
147	Yadgir	Satisfactory	75	PM ₁₀	1
148	Yamunanagar	Poor	252	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Coimbatore,
 Davanagere, Dewas, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi,
 Manguraha, Medikeri, Naharlagun, Nandesari, Raichur, Rajgir, Siwan,
 Solapur, Sonipat, Thrissur, Udaipur, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.