



Air Quality Index on Feb 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	85	SO ₂	1
2	Agra	Satisfactory	98	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Poor	277	PM _{2.5} , PM ₁₀	8
4	Aizawl	Good	39	PM ₁₀	1
5	Ajmer	Moderate	141	PM _{2.5}	1
6	Alwar	Satisfactory	72	PM ₁₀	1
7	Amaravati	Moderate	110	PM ₁₀	1
8	Ambala	Satisfactory	89	PM ₁₀	1
9	Amritsar	Satisfactory	82	PM ₁₀	1
10	Ankleshwar	Poor	276	PM _{2.5}	1
11	Arrah	Satisfactory	51	NO ₂	1
12	Asansol	Moderate	106	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Baghpur, Bettiah, Bhilai, Chikkamagaluru, Firozabad, Jorapokhar, Kalyan, Katihar, Kishanganj, Kolar, Manguraha, Munger, Naharlagun, Panipat, Pithampur, Purnia, Raichur, Rajgir, Saharsa, Shillong, Talcher, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Moderate	123	PM ₁₀	1
14	Bagalkot	Good	50	PM _{2.5}	1
15	Bahadurgarh	Satisfactory	92	PM _{2.5}	1
16	Ballabgarh	Moderate	176	PM _{2.5}	1
17	Bathinda	Moderate	130	PM ₁₀	1
18	Bengaluru	Moderate	114	PM ₁₀ , PM _{2.5}	10
19	Bhagalpur	Satisfactory	89	PM ₁₀	1
20	Bhiwadi	Poor	201	PM _{2.5}	1
21	Bhiwani	Moderate	136	PM _{2.5}	1
22	Bhopal	Moderate	119	PM ₁₀	1
23	Bidar	Moderate	159	PM ₁₀	1
24	Bihar Sharif	Moderate	106	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Baghpat, Bettiah, Bhilai, Chikkamagaluru, Firozabad, Jorapokhar, Kalyan, Katihar, Kishanganj, Kolar, Manguraha, Munger, Naharlagun, Panipat, Pithampur, Purnia, Raichur, Rajgir, Saharsa, Shillong, Talcher, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Satisfactory	61	PM ₁₀	1
26	Brajrajnagar	Satisfactory	74	O ₃	1
27	Bulandshahr	Satisfactory	83	PM _{2.5}	1
28	Buxar	Satisfactory	99	PM ₁₀	1
29	Chamarajanagar	Good	37	PM ₁₀	1
30	Chandigarh	Satisfactory	94	PM _{2.5} , PM ₁₀	3
31	Chandrapur	Moderate	160	O ₃ , PM ₁₀	2
32	Charkhi Dadri	Moderate	142	PM _{2.5}	1
33	Chennai	Satisfactory	62	O ₃ , CO, PM ₁₀	8
34	Chhapra	Satisfactory	70	PM _{2.5}	1
35	Chikkaballapur	Satisfactory	88	PM _{2.5}	1
36	Coimbatore	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Baghpur, Bettiah, Bhilai, Chikkamagaluru, Firozabad, Jorapokhar, Kalyan, Katihar, Kishanganj, Kolar, Manguraha, Munger, Naharlagun, Panipat, Pithampur, Purnia, Raichur, Rajgir, Saharsa, Shillong, Talcher, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Satisfactory	59	PM _{2.5}	1
38	Darbhanga	Satisfactory	62	CO	1
39	Davanagere	Satisfactory	72	PM ₁₀	1
40	Delhi	Poor	224	PM ₁₀ , PM _{2.5}	38
41	Dewas	Moderate	173	PM ₁₀	1
42	Dharuhera	Moderate	129	PM ₁₀	1
43	Durgapur	Satisfactory	89	PM ₁₀	1
44	Eloor	Satisfactory	63	PM _{2.5}	1
45	Ernakulam	Good	44	NO ₂	1
46	Faridabad	Poor	248	PM _{2.5}	4
47	Fatehabad	Satisfactory	73	PM ₁₀	1
48	Gadag	Satisfactory	57	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Baghpat, Bettiah, Bhilai, Chikkamagaluru, Firozabad, Jorapokhar, Kalyan, Katihar, Kishanganj, Kolar, Manguraha, Munger, Naharlagun, Panipat, Pithampur, Purnia, Raichur, Rajgir, Saharsa, Shillong, Talcher, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Poor	282	PM _{2.5} , PM ₁₀	3
50	Gaya	Satisfactory	89	PM _{2.5} , PM ₁₀	3
51	Ghaziabad	Moderate	181	PM _{2.5}	4
52	Gorakhpur	Good	33	SO ₂	1
53	Greater Noida	Moderate	136	PM ₁₀ , PM _{2.5}	2
54	Gummidipoondi	Satisfactory	57	PM ₁₀	1
55	Gurugram	Poor	213	PM _{2.5}	3
56	Guwahati	Satisfactory	62	PM _{2.5}	2
57	Gwalior	Moderate	129	PM _{2.5}	1
58	Hajipur	Good	47	PM ₁₀	1
59	Haldia	Satisfactory	57	PM ₁₀	1
60	Hapur	Satisfactory	90	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Baghpat, Bettiah, Bhilai, Chikkamagaluru, Firozabad, Jorapokhar, Kalyan, Katihar, Kishanganj, Kolar, Manguraha, Munger, Naharlagun, Panipat, Pithampur, Purnia, Raichur, Rajgir, Saharsa, Shillong, Talcher, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Satisfactory	88	PM ₁₀	1
62	Hisar	Moderate	157	PM _{2.5}	1
63	Howrah	Satisfactory	87	PM ₁₀ , CO	3
64	Hubballi	Satisfactory	87	PM ₁₀	1
65	Hyderabad	Moderate	152	PM ₁₀ , PM _{2.5}	3
66	Indore	Moderate	191	PM ₁₀	1
67	Jabalpur	Moderate	117	PM ₁₀	1
68	Jaipur	Moderate	106	PM ₁₀	2
69	Jalandhar	Satisfactory	81	PM ₁₀	1
70	Jhansi	Moderate	153	PM _{2.5}	1
71	Jind	Satisfactory	74	PM _{2.5}	1
72	Jodhpur	Moderate	187	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Baghpat, Bettiah, Bhilai, Chikkamagaluru, Firozabad, Jorapokhar, Kalyan, Katihar, Kishanganj, Kolar, Manguraha, Munger, Naharlagun, Panipat, Pithampur, Purnia, Raichur, Rajgir, Saharsa, Shillong, Talcher, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Satisfactory	56	PM ₁₀	1
74	Kalaburgi	Moderate	154	PM ₁₀	1
75	Kannur	Satisfactory	51	CO	1
76	Kanpur	Satisfactory	97	PM _{2.5} , PM ₁₀	3
77	Karnal	Satisfactory	58	PM ₁₀	1
78	Katni	Moderate	195	PM ₁₀	1
79	Khanna	Good	46	PM ₁₀	1
80	Kochi	Satisfactory	68	PM _{2.5}	1
81	Kohima	Good	49	PM ₁₀	1
82	Kolkata	Satisfactory	64	PM ₁₀ , O ₃	7
83	Kollam	Satisfactory	98	PM ₁₀	1
84	Koppal	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Baghpur, Bettiah, Bhilai, Chikkamagaluru, Firozabad, Jorapokhar, Kalyan, Katihar, Kishanganj, Kolar, Manguraha, Munger, Naharlagun, Panipat, Pithampur, Purnia, Raichur, Rajgir, Saharsa, Shillong, Talcher, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kota	Moderate	145	PM _{2.5}	1
86	Kozhikode	Satisfactory	63	PM ₁₀	1
87	Kurukshetra	Satisfactory	64	NO ₂	1
88	Lucknow	Satisfactory	85	PM _{2.5} , PM ₁₀	6
89	Ludhiana	Satisfactory	99	PM ₁₀	1
90	Madikeri	Satisfactory	88	CO	1
91	Maihar	Good	17	SO ₂	1
92	Mandi Gobindgarh	Satisfactory	52	PM ₁₀	1
93	Mandideep	Moderate	188	PM _{2.5}	1
94	Mandikhera	Moderate	107	PM ₁₀	1
95	Manesar	Moderate	169	PM _{2.5}	1
96	Manglore	Good	39	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Baghpur, Bettiah, Bhilai, Chikkamagaluru, Firozabad, Jorapokhar, Kalyan, Katihar, Kishanganj, Kolar, Manguraha, Munger, Naharlagun, Panipat, Pithampur, Purnia, Raichur, Rajgir, Saharsa, Shillong, Talcher, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Moderate	116	PM _{2.5}	3
98	Moradabad	Moderate	103	PM _{2.5}	4
99	Motihari	Satisfactory	72	O ₃	1
100	Mumbai	Poor	276	PM _{2.5} , PM ₁₀	18
101	Muzaffarnagar	Moderate	110	PM ₁₀	1
102	Muzaffarpur	Good	45	PM _{2.5}	1
103	Mysuru	Satisfactory	82	O ₃	1
104	Nagpur	Satisfactory	67	PM ₁₀	1
105	Nandesari	Satisfactory	100	CO	1
106	Narnaul	Satisfactory	99	PM _{2.5}	1
107	Nashik	Moderate	119	PM ₁₀	1
108	Navi Mumbai	Poor	274	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Baghpat, Bettiah, Bhilai, Chikkamagaluru, Firozabad, Jorapokhar, Kalyan, Katihar, Kishanganj, Kolar, Manguraha, Munger, Naharlagun, Panipat, Pithampur, Purnia, Raichur, Rajgir, Saharsa, Shillong, Talcher, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Moderate	187	PM _{2.5} , PM ₁₀	4
110	Pali	Moderate	187	PM _{2.5}	1
111	Palwal	Moderate	104	PM ₁₀	1
112	Panchkula	Good	44	PM _{2.5}	1
113	Patiala	Good	49	PM ₁₀	1
114	Patna	Satisfactory	90	NO ₂ , PM ₁₀	6
115	Prayagraj	Satisfactory	87	PM ₁₀	3
116	Puducherry	Satisfactory	54	PM ₁₀	1
117	Pune	Moderate	159	PM _{2.5}	5
118	Rajamahendravaram	Satisfactory	68	PM ₁₀	1
119	Ramanagara	Satisfactory	73	PM ₁₀	1
120	Ratlam	Moderate	163	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Baghpat, Bettiah, Bhilai, Chikkamagaluru, Firozabad, Jorapokhar, Kalyan, Katihar, Kishanganj, Kolar, Manguraha, Munger, Naharlagun, Panipat, Pithampur, Purnia, Raichur, Rajgir, Saharsa, Shillong, Talcher, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rohtak	Satisfactory	96	PM _{2.5}	1
122	Rupnagar	Satisfactory	92	PM ₁₀	1
123	Sagar	Moderate	140	PM ₁₀	1
124	Sasaram	Moderate	181	PM _{2.5}	1
125	Satna	Satisfactory	57	PM ₁₀	1
126	Shivamogga	Satisfactory	61	PM ₁₀	1
127	Siliguri	Good	43	O ₃	1
128	Singrauli	Moderate	129	PM ₁₀	1
129	Sirsa	Satisfactory	86	PM ₁₀	1
130	Siwan	Satisfactory	67	O ₃	1
131	Solapur	Satisfactory	69	CO	1
132	Sonipat	Satisfactory	100	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Baghpat, Bettiah, Bhilai, Chikkamagaluru, Firozabad, Jorapokhar, Kalyan, Katihar, Kishanganj, Kolar, Manguraha, Munger, Naharlagun, Panipat, Pithampur, Purnia, Raichur, Rajgir, Saharsa, Shillong, Talcher, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Srinagar	Moderate	156	PM ₁₀	1
134	Thane	Poor	230	O ₃	1
135	Thiruvananthapuram	Satisfactory	70	PM ₁₀	2
136	Thoothukudi	Satisfactory	65	PM ₁₀	1
137	Tirupati	Satisfactory	99	PM _{2.5}	1
138	Udaipur	Moderate	153	PM _{2.5}	1
139	Ujjain	Moderate	199	PM ₁₀	1
140	Vapi	Poor	229	PM ₁₀	1
141	Varanasi	Satisfactory	78	PM _{2.5} , PM ₁₀	4
142	Vatva	Poor	252	PM _{2.5}	1
143	Vijayapura	Good	46	PM ₁₀	1
144	Visakhapatnam	Satisfactory	87	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Baghpat, Bettiah, Bhilai, Chikkamagaluru, Firozabad, Jorapokhar, Kalyan, Katihar, Kishanganj, Kolar, Manguraha, Munger, Naharlagun, Panipat, Pithampur, Purnia, Raichur, Rajgir, Saharsa, Shillong, Talcher, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vrindavan	Moderate	118	PM _{2.5}	1
146	Yadgir	Moderate	115	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Baghpata, Bettiah, Bhilai, Chikkamagaluru, Firozabad, Jorapokhar, Kalyan, Katihar, Kishanganj, Kolar, Manguraha, Munger, Naharlagun, Panipat, Pithampur, Purnia, Raichur, Rajgir, Saharsa, Shillong, Talcher, Thrissur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.