

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	230	PM _{2.5}	1
2	Agra	Moderate	145	PM _{2.5} , PM ₁₀	5
3	Ahmedabad	Satisfactory	91	PM _{2.5} , PM ₁₀	9
4	Aizawl	Good	21	PM ₁₀	1
5	Ajmer	Moderate	115	PM _{2.5}	1
6	Alwar	Satisfactory	85	PM ₁₀	1
7	Amaravati	Satisfactory	70	03	1
8	Ambala	Moderate	134	PM _{2.5}	1
9	Amritsar	Moderate	133	PM ₁₀	1
10	Ankleshwar	Moderate	177	PM _{2.5}	1
11	Araria	Moderate	176	PM _{2.5}	1
12	Arrah	Moderate	186	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur,
 Davanagere, Gummidipoondi, Haldia, Jodhpur, Jorapokhar, Madikeri, Maihar,
 Mandideep, Manguraha, Naharlagun, Panipat, Siliguri, Thrissur, Udaipur,
 Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	114	O ₃	1
14	Aurangabad	Satisfactory	96	PM ₁₀	1
15	Bagalkot	Good	50	PM _{2.5}	1
16	Baghpat	Poor	250	PM _{2.5}	1
17	Bahadurgarh	Moderate	154	PM _{2.5}	1
18	Ballabgarh	Poor	269	PM _{2.5}	1
19	Bathinda	Moderate	143	PM ₁₀	1
20	Bengaluru	Satisfactory	74	CO, PM ₁₀ , PM _{2.5}	9
21	Bettiah	Moderate	185	PM ₁₀	1
22	Bhagalpur	Poor	272	PM _{2.5}	2
23	Bhiwadi	Poor	256	PM _{2.5}	1
24	Bhiwani	Poor	211	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur,
 Davanagere, Gummidipoondi, Haldia, Jodhpur, Jorapokhar, Madikeri, Maihar,
 Mandideep, Manguraha, Naharlagun, Panipat, Siliguri, Thrissur, Udaipur,
 Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	186	PM _{2.5}	1
26	Bihar Sharif	Moderate	200	PM _{2.5}	1
27	Brajrajnagar	Satisfactory	66	O ₃	1
28	Bulandshahr	Poor	267	PM _{2.5}	1
29	Buxar	Very Poor	317	PM _{2.5}	1
30	Chamarajanagar	Good	34	NO ₂	1
31	Chandigarh	Moderate	156	PM _{2.5} , PM ₁₀	2
32	Chandrapur	Satisfactory	94	PM _{2.5}	2
33	Charkhi Dadri	Moderate	128	PM _{2.5}	1
34	Chennai	Good	41	CO, PM ₁₀ , O ₃	7
35	Chhapra	Poor	298	PM _{2.5}	1
36	Chikkaballapur	Satisfactory	53	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur,
 Davanagere, Gummidipoondi, Haldia, Jodhpur, Jorapokhar, Madikeri, Maihar,
 Mandideep, Manguraha, Naharlagun, Panipat, Siliguri, Thrissur, Udaipur,
 Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	36	PM ₁₀	1
38	Coimbatore	Good	27	PM _{2.5}	1
39	Damoh	Moderate	140	PM _{2.5}	1
40	Darbhanga	Poor	251	PM _{2.5}	1
41	Delhi	Poor	264	PM _{2.5}	31
42	Dewas	Moderate	169	PM _{2.5}	1
43	Dharuhera	Moderate	200	PM _{2.5}	1
44	Durgapur	Moderate	163	PM _{2.5}	1
45	Eloor	Satisfactory	70	PM ₁₀	1
46	Ernakulam	Good	44	PM _{2.5}	1
47	Faridabad	Poor	299	PM _{2.5}	3
48	Fatehabad	Moderate	133	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur,
 Davanagere, Gummidipoondi, Haldia, Jodhpur, Jorapokhar, Madikeri, Maihar,
 Mandideep, Manguraha, Naharlagun, Panipat, Siliguri, Thrissur, Udaipur,
 Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Poor	207	PM _{2.5}	1
50	Gadag	Good	39	PM _{2.5}	1
51	Gandhinagar	Satisfactory	75	PM ₁₀ , SO ₂	3
52	Gaya	Moderate	196	PM _{2.5}	3
53	Ghaziabad	Poor	259	PM _{2.5}	4
54	Gorakhpur	Satisfactory	93	PM _{2.5}	1
55	Greater Noida	Poor	237	PM _{2.5}	1
56	Gurugram	Moderate	181	PM _{2.5} , PM ₁₀	3
57	Guwahati	Poor	220	PM _{2.5}	2
58	Gwalior	Poor	294	PM _{2.5}	1
59	Hajipur	Moderate	158	PM _{2.5}	1
60	Hapur	Moderate	182	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur,
 Davanagere, Gummidipoondi, Haldia, Jodhpur, Jorapokhar, Madikeri, Maihar,
 Mandideep, Manguraha, Naharlagun, Panipat, Siliguri, Thrissur, Udaipur,
 Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Good	39	PM ₁₀	1
62	Hisar	Poor	290	PM _{2.5}	1
63	Howrah	Moderate	166	PM _{2.5} , PM ₁₀	3
64	Hubballi	Satisfactory	70	PM ₁₀	1
65	Hyderabad	Satisfactory	82	PM _{2.5} , PM ₁₀	4
66	Indore	Moderate	184	PM _{2.5}	1
67	Jabalpur	Poor	232	PM _{2.5}	1
68	Jaipur	Moderate	120	PM _{2.5}	1
69	Jalandhar	Moderate	132	PM ₁₀	1
70	Jind	Moderate	178	PM _{2.5}	1
71	Kaithal	Moderate	138	PM _{2.5}	1
72	Kalaburgi	Satisfactory	100	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur, Davanagere, Gummidipoondi, Haldia, Jodhpur, Jorapokhar, Madikeri, Maihar, Mandideep, Manguraha, Naharlagun, Panipat, Siliguri, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Moderate	188	PM _{2.5}	1
74	Kannur	Satisfactory	52	со	1
75	Kanpur	Moderate	162	PM _{2.5}	3
76	Karnal	Moderate	118	PM _{2.5}	1
77	Katihar	Poor	271	PM _{2.5}	1
78	Katni	Moderate	176	PM _{2.5}	1
79	Khanna	Moderate	130	PM _{2.5}	1
80	Kishanganj	Very Poor	322	PM _{2.5}	1
81	Kochi	Satisfactory	89	PM _{2.5}	1
82	Kohima	Satisfactory	64	PM _{2.5}	1
83	Kolar	Satisfactory	59	PM ₁₀	1
84	Kolkata	Moderate	161	PM _{2.5}	6

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur,
 Davanagere, Gummidipoondi, Haldia, Jodhpur, Jorapokhar, Madikeri, Maihar,
 Mandideep, Manguraha, Naharlagun, Panipat, Siliguri, Thrissur, Udaipur,
 Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kollam	Satisfactory	78	PM ₁₀	1
86	Koppal	Satisfactory	73	O ₃	1
87	Kota	Poor	212	PM _{2.5}	1
88	Kozhikode	Good	48	PM ₁₀	1
89	Kurukshetra	Moderate	154	PM _{2.5}	1
90	Lucknow	Moderate	154	PM _{2.5}	5
91	Ludhiana	Moderate	124	PM ₁₀	1
92	Mandi Gobindgarh	Moderate	128	PM _{2.5}	1
93	Mandikhera	Satisfactory	59	PM ₁₀	1
94	Manesar	Moderate	163	PM ₁₀	1
95	Manglore	Good	30	со	1
96	Meerut	Poor	298	PM _{2.5}	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur,
 Davanagere, Gummidipoondi, Haldia, Jodhpur, Jorapokhar, Madikeri, Maihar,
 Mandideep, Manguraha, Naharlagun, Panipat, Siliguri, Thrissur, Udaipur,
 Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Moradabad	Moderate	137	PM _{2.5}	3
98	Motihari	Poor	236	PM _{2.5}	1
99	Mumbai	Moderate	160	PM _{2.5}	14
100	Munger	Very Poor	343	PM _{2.5}	1
101	Muzaffarnagar	Poor	279	PM _{2.5}	1
102	Muzaffarpur	Poor	255	PM _{2.5}	2
103	Mysuru	Satisfactory	52	PM ₁₀	1
104	Nagpur	Satisfactory	80	СО	1
105	Nandesari	Satisfactory	100	СО	1
106	Narnaul	Satisfactory	74	PM _{2.5}	1
107	Nashik	Moderate	113	PM _{2.5}	1
108	Navi Mumbai	Moderate	161	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur,
 Davanagere, Gummidipoondi, Haldia, Jodhpur, Jorapokhar, Madikeri, Maihar,
 Mandideep, Manguraha, Naharlagun, Panipat, Siliguri, Thrissur, Udaipur,
 Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Poor	238	PM _{2.5}	4
110	Pali	Moderate	101	PM _{2.5}	1
111	Palwal	Good	38	PM ₁₀	1
112	Panchkula	Poor	238	PM _{2.5}	1
113	Patiala	Moderate	125	PM _{2.5}	1
114	Patna	Poor	225	PM _{2.5} , PM ₁₀	6
115	Pithampur	Moderate	145	PM _{2.5}	1
116	Prayagraj	Moderate	110	PM _{2.5}	3
117	Puducherry	Good	31	O ₃	1
118	Pune	Moderate	127	PM _{2.5}	3
119	Purnia	Poor	236	PM _{2.5}	1
120	Raichur	Satisfactory	59	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur,
 Davanagere, Gummidipoondi, Haldia, Jodhpur, Jorapokhar, Madikeri, Maihar,
 Mandideep, Manguraha, Naharlagun, Panipat, Siliguri, Thrissur, Udaipur,
 Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Satisfactory	77	03	1
122	Rajgir	Very Poor	320	PM _{2.5}	1
123	Ramanagara	Good	47	PM ₁₀	1
124	Ratlam	Satisfactory	87	PM ₁₀	1
125	Rohtak	Moderate	148	PM _{2.5}	1
126	Rupnagar	Satisfactory	68	PM ₁₀	1
127	Sagar	Good	44	PM _{2.5}	1
128	Saharsa	Poor	259	PM _{2.5}	1
129	Sasaram	Very Poor	333	PM _{2.5}	1
130	Satna	Satisfactory	59	PM ₁₀	1
131	Shillong	Good	28	PM _{2.5}	1
132	Shivamogga	Satisfactory	52	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur,
 Davanagere, Gummidipoondi, Haldia, Jodhpur, Jorapokhar, Madikeri, Maihar,
 Mandideep, Manguraha, Naharlagun, Panipat, Siliguri, Thrissur, Udaipur,
 Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Singrauli	Very Poor	323	PM _{2.5}	1
134	Sirsa	Moderate	150	PM _{2.5}	1
135	Siwan	Very Poor	332	PM _{2.5}	1
136	Solapur	Satisfactory	89	PM _{2.5}	1
137	Sonipat	Moderate	160	PM ₁₀	1
138	Srinagar	Poor	260	PM ₁₀	1
139	Talcher	Moderate	117	NO ₂	1
140	Thane	Moderate	150	PM ₁₀	1
141	Thiruvananthapuram	Good	46	PM ₁₀ , PM _{2.5}	2
142	Thoothukudi	Good	16	PM ₁₀	1
143	Tirupati	Good	37	со	1
144	Ujjain	Moderate	119	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur,
 Davanagere, Gummidipoondi, Haldia, Jodhpur, Jorapokhar, Madikeri, Maihar,
 Mandideep, Manguraha, Naharlagun, Panipat, Siliguri, Thrissur, Udaipur,
 Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vapi	Poor	246	PM _{2.5}	1
146	Varanasi	Moderate	125	PM _{2.5} , PM ₁₀	4
147	Vatva	Satisfactory	88	PM ₁₀	1
148	Vijayapura	Good	50	PM ₁₀	1
149	Visakhapatnam	Satisfactory	63	PM _{2.5}	1
150	Vrindavan	Moderate	118	PM _{2.5}	1
151	Yadgir	Good	50	PM ₁₀	1
152	Yamunanagar	Moderate	124	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur,
 Davanagere, Gummidipoondi, Haldia, Jodhpur, Jorapokhar, Madikeri, Maihar,
 Mandideep, Manguraha, Naharlagun, Panipat, Siliguri, Thrissur, Udaipur,
 Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.