

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	282	PM _{2.5}	1
2	Ahmedabad	Moderate	160	PM _{2.5}	1
3	Ajmer	Satisfactory	90	PM ₁₀	1
4	Alwar	Moderate	106	PM _{2.5}	1
5	Amaravati	Good	46	O ₃	1
6	Ambala	Moderate	120	PM ₁₀	1
7	Amritsar	Moderate	109	PM _{2.5}	1
8	Ankleshwar	Moderate	114	PM _{2.5}	1
9	Asanol	Moderate	194	PM _{2.5}	1
10	Aurangabad	Satisfactory	67	PM ₁₀	1
11	Bahadurgarh	Moderate	122	PM ₁₀	1
12	Ballabgarh	Very Poor	327	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Damoh, Dewas, Haldia, Hubballi, Moradabad, Nagpur, Ujjain, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	126	PM _{2.5}	1
14	Bengaluru	Satisfactory	72	CO, PM ₁₀ , O ₃	10
15	Bhiwadi	Very Poor	318	PM _{2.5}	1
16	Bhiwani	Poor	202	PM _{2.5}	1
17	Bhopal	Moderate	120	PM ₁₀	1
18	Brajrajnagar	Moderate	111	PM _{2.5}	1
19	Bulandshahr	Very Poor	336	PM _{2.5}	1
20	Chandigarh	Satisfactory	95	PM ₁₀	1
21	Chandrapur	Moderate	102	PM _{2.5}	1
22	Chennai	Satisfactory	85	PM _{2.5} , PM ₁₀ , CO	4
23	Chikkaballapur	Satisfactory	66	PM ₁₀	1
24	Chikkamagaluru	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Damoh, Dewas, Haldia, Hubballi, Moradabad, Nagpur, Ujjain, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Coimbatore	Satisfactory	98	NO ₂	1
26	Delhi	Very Poor	312	PM _{2.5}	35
27	Dharuhera	Poor	298	PM ₁₀	1
28	Eloor	Moderate	110	PM ₁₀	1
29	Ernakulam	Satisfactory	100	PM _{2.5}	1
30	Faridabad	Poor	270	PM _{2.5}	1
31	Fatehabad	Satisfactory	95	PM ₁₀	1
32	GandhiNagar	Satisfactory	85	PM ₁₀	1
33	Gaya	Poor	262	PM _{2.5}	1
34	Ghaziabad	Very Poor	328	PM _{2.5}	4
35	Greater_Noida	Very Poor	303	PM _{2.5}	1
36	Gurugram	Poor	266	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Damoh, Dewas, Haldia, Hubballi, Moradabad, Nagpur, Ujjain, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Poor	282	PM _{2.5}	1
38	Gwalior	Poor	278	PM _{2.5} , O ₃	2
39	Hapur	Moderate	176	PM ₁₀	1
40	Hisar	Moderate	177	PM _{2.5}	1
41	Howrah	Poor	247	PM ₁₀ , PM _{2.5} , O ₃	3
42	Hyderabad	Satisfactory	70	PM ₁₀ , PM _{2.5}	5
43	Indore	Moderate	137	PM _{2.5}	1
44	Jabalpur	Moderate	176	PM _{2.5}	1
45	Jaipur	Moderate	104	PM _{2.5} , PM ₁₀	2
46	Jalandhar	Satisfactory	93	PM _{2.5}	1
47	Jind	Poor	241	PM _{2.5}	1
48	Jodhpur	Moderate	187	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Damoh, Dewas, Haldia, Hubballi, Moradabad, Nagpur, Ujjain, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jorapokhar	Moderate	176	PM ₁₀	1
50	Kaithal	Moderate	143	PM ₁₀	1
51	Kalaburagi	Satisfactory	84	PM ₁₀	1
52	Kalyan	Moderate	178	PM ₁₀	1
53	Kanpur	Poor	259	PM _{2.5}	1
54	Karnal	Poor	228	PM _{2.5}	1
55	Katni	Moderate	191	PM _{2.5}	1
56	Khanna	Satisfactory	87	PM ₁₀	1
57	Kochi	Moderate	122	PM _{2.5}	1
58	Kolkata	Poor	242	O ₃ , PM _{2.5}	6
59	Kota	Satisfactory	96	PM ₁₀	1
60	Kozhikode	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Damoh, Dewas, Haldia, Hubballi, Moradabad, Nagpur, Ujjain, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kurukshetra	Moderate	193	PM _{2.5}	1
62	Lucknow	Poor	260	PM _{2.5}	4
63	Ludhiana	Satisfactory	73	PM _{2.5}	1
64	Maihar	Satisfactory	92	PM ₁₀	1
65	Mandi Gobindgarh	Moderate	171	PM _{2.5}	1
66	Mandideep	Satisfactory	100	PM ₁₀	1
67	Mandikhera	Poor	220	PM _{2.5}	1
68	Manesar	Poor	233	PM ₁₀	1
69	Meerut	Poor	220	PM _{2.5}	2
70	Mumbai	Moderate	137	PM ₁₀ , PM _{2.5}	9
71	Muzaffarnagar	Poor	235	PM _{2.5}	1
72	Muzaffarpur	Poor	286	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Damoh, Dewas, Haldia, Hubballi, Moradabad, Nagpur, Ujjain, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mysuru	Satisfactory	67	PM _{2.5}	1
74	Narnaul	Moderate	193	PM _{2.5}	1
75	Nashik	Satisfactory	95	PM ₁₀	1
76	Navi Mumbai	Moderate	175	O ₃ , PM ₁₀ , CO	3
77	Noida	Very Poor	311	PM _{2.5}	4
78	Pali	Satisfactory	94	PM ₁₀	1
79	Palwal	Poor	281	PM _{2.5}	1
80	Panchkula	Satisfactory	77	PM _{2.5}	1
81	Panipat	Poor	251	PM ₁₀	1
82	Patiala	Moderate	103	PM ₁₀	1
83	Patna	Poor	230	PM _{2.5}	4
84	Pithampur	Moderate	117	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Baghpat, Damoh, Dewas, Haldia, Hubballi, Moradabad, Nagpur, Ujjain, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pune	Moderate	128	PM _{2.5}	1
86	Rajamahendravaram	Satisfactory	64	PM ₁₀	1
87	Ramanagara	Good	39	PM ₁₀	1
88	Ratlam	Moderate	140	PM _{2.5}	1
89	Rohtak	Moderate	179	PM _{2.5}	1
90	Rupnagar	Moderate	108	PM _{2.5}	1
91	Sagar	Satisfactory	65	PM _{2.5}	1
92	Satna	Moderate	126	PM ₁₀	1
93	Shillong	Moderate	101	PM _{2.5}	1
94	Siliguri	Poor	288	PM _{2.5}	1
95	Singrauli	Poor	212	PM _{2.5}	1
96	Sirsa	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Damoh, Dewas, Haldia, Hubballi, Moradabad, Nagpur, Ujjain, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Solapur	Moderate	147	PM ₁₀	1
98	Sonipat	Moderate	154	PM ₁₀	1
99	Talcher	Moderate	125	PM _{2.5}	1
100	Thane	Moderate	190	O ₃	1
101	Thiruvananthapuram	Satisfactory	61	PM ₁₀	1
102	Tirupati	Satisfactory	72	со	1
103	Udaipur	Satisfactory	91	PM ₁₀	1
104	Vapi	Poor	232	PM _{2.5}	1
105	Varanasi	Poor	286	PM _{2.5}	1
106	Vatva	Moderate	154	PM ₁₀	1
107	Vijayapura	Satisfactory	72	O ₃	1
108	Visakhapatnam	Moderate	116	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Damoh, Dewas, Haldia, Hubballi, Moradabad, Nagpur, Ujjain, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Yamunanagar	Moderate	193	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Baghpat, Damoh, Dewas, Haldia, Hubballi, Moradabad, Nagpur, Ujjain, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.