

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	182	PM _{2.5}	1
2	Agra	Moderate	118	PM _{2.5} , SO ₂ , PM ₁₀	5
3	Ahmedabad	Moderate	144	PM _{2.5} , PM ₁₀	9
4	Aizawl	Satisfactory	69	PM ₁₀	1
5	Ajmer	Moderate	102	PM ₁₀	1
6	Alwar	Satisfactory	84	PM ₁₀	1
7	Amaravati	Satisfactory	52	O ₃	1
8	Ambala	Moderate	103	PM ₁₀	1
9	Amritsar	Satisfactory	97	PM ₁₀	1
10	Ankleshwar	Moderate	157	PM _{2.5}	1
11	Araria	Moderate	190	PM _{2.5}	1
12	Asansol	Poor	252	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Baghpat, Bettiah, Brajrajnagar, Charkhi Dadri, Damoh, Davanagere, Fatehabad, Gadag, Jorapokhar, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	50	PM _{2.5}	1
14	Bahadurgarh	Poor	269	PM _{2.5}	1
15	Ballabgarh	Moderate	121	PM ₁₀	1
16	Bathinda	Satisfactory	92	PM ₁₀	1
17	Bengaluru	Satisfactory	88	PM ₁₀ , CO	7
18	Bhagalpur	Poor	201	PM _{2.5}	2
19	Bhilai	Satisfactory	53	PM ₁₀	1
20	Bhiwadi	Poor	257	PM _{2.5}	1
21	Bhiwani	Moderate	190	PM _{2.5}	1
22	Bhopal	Moderate	103	O ₃	1
23	Bidar	Satisfactory	54	PM ₁₀	1
24	Bihar Sharif	Moderate	187	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Baghpat, Bettiah, Brajrajnagar, Charkhi Dadri, Damoh, Davanagere, Fatehabad, Gadag, Jorapokhar, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Satisfactory	52	PM ₁₀	1
26	Bulandshahr	Poor	259	PM _{2.5}	1
27	Buxar	Moderate	196	PM ₁₀	1
28	Chamarajanagar	Good	47	PM ₁₀	1
29	Chandigarh	Moderate	117	PM _{2.5} , PM ₁₀	2
30	Chandrapur	Satisfactory	100	со	1
31	Chennai	Satisfactory	84	PM ₁₀	8
32	Chhapra	Poor	212	PM _{2.5}	1
33	Chikkaballapur	Satisfactory	53	PM ₁₀	1
34	Chikkamagaluru	Satisfactory	58	PM ₁₀	1
35	Coimbatore	Satisfactory	56	PM ₁₀	1
36	Darbhanga	Moderate	159	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Baghpat, Bettiah, Brajrajnagar, Charkhi Dadri, Damoh, Davanagere, Fatehabad, Gadag, Jorapokhar, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Delhi	Poor	225	PM _{2.5}	37
38	Dewas	Satisfactory	69	PM ₁₀	1
39	Dharuhera	Poor	220	PM ₁₀	1
40	Durgapur	Poor	234	PM _{2.5}	1
41	Eloor	Satisfactory	80	PM ₁₀	1
42	Ernakulam	Satisfactory	68	PM _{2.5}	1
43	Faridabad	Poor	247	PM _{2.5}	4
44	Firozabad	Moderate	104	PM _{2.5}	1
45	Gandhinagar	Moderate	132	PM _{2.5} , PM ₁₀	2
46	Gaya	Moderate	149	PM ₁₀ , PM _{2.5}	3
47	Ghaziabad	Poor	252	PM _{2.5} , PM ₁₀	4
48	Gorakhpur	Satisfactory	75	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad,
 Baghpat, Bettiah, Brajrajnagar, Charkhi Dadri, Damoh, Davanagere,
 Fatehabad, Gadag, Jorapokhar, Kolar, Koppal, Maihar, Manguraha, Motihari,
 Nandesari, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Greater Noida	Poor	230	PM _{2.5}	2
50	Gummidipoondi	Satisfactory	62	PM ₁₀	1
51	Gurugram	Moderate	176	PM _{2.5} , PM ₁₀	4
52	Guwahati	Poor	218	PM _{2.5}	2
53	Gwalior	Poor	207	PM _{2.5}	1
54	Hajipur	Poor	230	PM _{2.5}	1
55	Haldia	Moderate	122	PM ₁₀	1
56	Hapur	Moderate	196	PM _{2.5}	1
57	Hassan	Satisfactory	70	PM ₁₀	1
58	Hisar	Poor	211	PM _{2.5}	1
59	Howrah	Moderate	187	PM _{2.5} , PM ₁₀	3
60	Hubballi	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Baghpat, Bettiah, Brajrajnagar, Charkhi Dadri, Damoh, Davanagere, Fatehabad, Gadag, Jorapokhar, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hyderabad	Satisfactory	76	PM ₁₀ , PM _{2.5}	5
62	Indore	Satisfactory	95	O ₃	1
63	Jabalpur	Moderate	112	PM ₁₀	1
64	Jaipur	Moderate	101	PM ₁₀	3
65	Jalandhar	Satisfactory	90	PM ₁₀	1
66	Jhansi	Moderate	155	PM ₁₀	1
67	Jind	Satisfactory	93	PM _{2.5}	1
68	Jodhpur	Moderate	160	PM _{2.5}	1
69	Kaithal	Moderate	112	PM _{2.5}	1
70	Kalaburgi	Satisfactory	78	PM ₁₀	1
71	Kalyan	Poor	260	PM _{2.5}	1
72	Kannur	Satisfactory	58	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad,
 Baghpat, Bettiah, Brajrajnagar, Charkhi Dadri, Damoh, Davanagere,
 Fatehabad, Gadag, Jorapokhar, Kolar, Koppal, Maihar, Manguraha, Motihari,
 Nandesari, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kanpur	Moderate	129	PM _{2.5}	3
74	Karnal	Satisfactory	85	PM ₁₀	1
75	Katihar	Poor	243	PM ₁₀	1
76	Katni	Moderate	122	PM ₁₀	1
77	Khanna	Satisfactory	63	PM ₁₀	1
78	Kishanganj	Poor	254	PM _{2.5}	1
79	Kochi	Satisfactory	87	PM _{2.5}	1
80	Kohima	Moderate	112	PM ₁₀	1
81	Kolkata	Moderate	155	PM _{2.5} , PM ₁₀	7
82	Kollam	Satisfactory	99	PM ₁₀	1
83	Kota	Moderate	158	PM _{2.5}	1
84	Kozhikode	Satisfactory	73	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Baghpat, Bettiah, Brajrajnagar, Charkhi Dadri, Damoh, Davanagere, Fatehabad, Gadag, Jorapokhar, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kurukshetra	Moderate	134	PM _{2.5}	1
86	Lucknow	Moderate	113	PM ₁₀ , PM _{2.5} , O ₃	6
87	Ludhiana	Moderate	106	PM ₁₀	1
88	Madikeri	Satisfactory	54	PM ₁₀	1
89	Mandi Gobindgarh	Moderate	118	PM ₁₀	1
90	Mandideep	Moderate	104	PM ₁₀	1
91	Mandikhera	Satisfactory	100	PM ₁₀	1
92	Manesar	Poor	223	PM _{2.5}	1
93	Manglore	Satisfactory	55	со	1
94	Meerut	Poor	204	PM _{2.5} , O ₃	3
95	Moradabad	Moderate	123	PM _{2.5}	3
96	Mumbai	Poor	216	PM _{2.5}	17

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Baghpat, Bettiah, Brajrajnagar, Charkhi Dadri, Damoh, Davanagere, Fatehabad, Gadag, Jorapokhar, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Munger	Moderate	176	PM ₁₀	1
98	Muzaffarnagar	Poor	225	PM _{2.5}	1
99	Muzaffarpur	Poor	222	PM _{2.5} , PM ₁₀	3
100	Mysuru	Satisfactory	80	O ₃	1
101	Nagpur	Satisfactory	100	со	1
102	Naharlagun	Moderate	120	PM ₁₀	1
103	Narnaul	Moderate	157	PM _{2.5}	1
104	Nashik	Satisfactory	72	PM ₁₀	1
105	Navi Mumbai	Poor	242	PM _{2.5}	1
106	Noida	Poor	210	PM _{2.5} , PM ₁₀	4
107	Pali	Moderate	121	PM _{2.5}	1
108	Palwal	Moderate	117	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Baghpat, Bettiah, Brajrajnagar, Charkhi Dadri, Damoh, Davanagere, Fatehabad, Gadag, Jorapokhar, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Panchkula	Satisfactory	72	PM _{2.5}	1
110	Panipat	Moderate	125	PM ₁₀	1
111	Patiala	Satisfactory	90	PM ₁₀	1
112	Patna	Poor	231	PM _{2.5} , PM ₁₀	6
113	Pithampur	Satisfactory	72	PM ₁₀	1
114	Prayagraj	Moderate	104	PM ₁₀	3
115	Puducherry	Satisfactory	60	PM ₁₀	1
116	Pune	Moderate	160	PM _{2.5}	8
117	Purnia	Poor	221	PM _{2.5}	1
118	Raichur	Moderate	107	PM ₁₀	1
119	Rajamahendravaram	Satisfactory	61	PM ₁₀	1
120	Rajgir	Moderate	158	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Baghpat, Bettiah, Brajrajnagar, Charkhi Dadri, Damoh, Davanagere, Fatehabad, Gadag, Jorapokhar, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ramanagara	Satisfactory	54	PM ₁₀	1
122	Ratlam	Satisfactory	66	PM ₁₀	1
123	Rohtak	Moderate	166	PM _{2.5}	1
124	Rupnagar	Poor	206	PM _{2.5}	1
125	Sagar	Satisfactory	55	PM _{2.5}	1
126	Saharsa	Poor	263	PM ₁₀	1
127	Sasaram	Moderate	138	PM _{2.5}	1
128	Satna	Satisfactory	54	PM ₁₀	1
129	Shillong	Satisfactory	56	PM _{2.5}	1
130	Shivamogga	Satisfactory	55	PM ₁₀	1
131	Siliguri	Moderate	156	PM _{2.5}	1
132	Singrauli	Poor	243	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Baghpat, Bettiah, Brajrajnagar, Charkhi Dadri, Damoh, Davanagere, Fatehabad, Gadag, Jorapokhar, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sirsa	Moderate	109	PM ₁₀	1
134	Siwan	Moderate	182	PM _{2.5}	1
135	Sonipat	Moderate	134	PM ₁₀	1
136	Srinagar	Good	42	PM ₁₀	1
137	Talcher	Satisfactory	83	PM ₁₀	1
138	Thiruvananthapuram	Satisfactory	85	PM ₁₀ , PM _{2.5}	2
139	Thoothukudi	Good	44	PM ₁₀	1
140	Thrissur	Satisfactory	61	PM _{2.5}	1
141	Tirupati	Good	35	со	1
142	Udaipur	Moderate	142	PM ₁₀	1
143	Udupi	Satisfactory	62	O ₃	1
144	Ujjain	Moderate	136	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Baghpat, Bettiah, Brajrajnagar, Charkhi Dadri, Damoh, Davanagere, Fatehabad, Gadag, Jorapokhar, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vapi	Poor	201	PM ₁₀	1
146	Varanasi	Satisfactory	92	PM ₁₀ , PM _{2.5}	4
147	Vatva	Moderate	128	PM ₁₀	1
148	Vijayapura	Satisfactory	51	PM ₁₀	1
149	Visakhapatnam	Satisfactory	97	PM ₁₀	1
150	Vrindavan	Moderate	133	PM _{2.5}	1
151	Yadgir	Good	45	PM ₁₀	1
152	Yamunanagar	Moderate	152	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Baghpat, Bettiah, Brajrajnagar, Charkhi Dadri, Damoh, Davanagere, Fatehabad, Gadag, Jorapokhar, Kolar, Koppal, Maihar, Manguraha, Motihari, Nandesari, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.