

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	44	PM _{2.5}	1
2	Agra	Satisfactory	73	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Satisfactory	72	PM ₁₀	8
4	Ajmer	Satisfactory	85	PM ₁₀	1
5	Akola	Satisfactory	58	PM ₁₀	1
6	Alwar	Satisfactory	60	PM ₁₀	1
7	Amaravati	Good	31	PM ₁₀	1
8	Ambala	Satisfactory	97	со	1
9	Amravati	Satisfactory	63	PM ₁₀	2
10	Anantapur	Satisfactory	60	PM ₁₀	1
11	Ankleshwar	Good	39	PM ₁₀	1
12	Araria	Good	44	со	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, itsar, Begusarai, Bhilwara, Boisar, Brajrajnagar, Buxar, Byrı

Chhal, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Notes: Dungarpur, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Koppal, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Nandesari, Palkalaiperur, Panipat, Purnia, Rupnagar, Saharsa, Sasaram, Siwan, Srinagar, Tirupur, Udupi, Ujjain, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	32	PM ₁₀	1
14	Arrah	Satisfactory	83	PM ₁₀	1
15	Asansol	Good	27	PM ₁₀	1
16	Aurangabad (Bihar)	Good	36	PM ₁₀	1
17	Aurangabad (Maharashtra)	Satisfactory	56	PM ₁₀	3
18	Baddi	Moderate	138	PM ₁₀	1
19	Badlapur	Satisfactory	59	PM ₁₀	1
20	Bagalkot	Good	42	PM ₁₀	1
21	Baghpat	Moderate	180	03	1
22	Bahadurgarh	Moderate	142	PM ₁₀	1
23	Ballabgarh	Good	49	PM ₁₀	1
24	Banswara	Satisfactory	78	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Notes:

Chhal, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Dungarpur, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Koppal, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Nandesari, Palkalaiperur, Panipat, Purnia, Rupnagar, Saharsa, Sasaram, Siwan, Srinagar, Tirupur, Udupi, Ujjain, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baran	Satisfactory	68	PM ₁₀	1
26	Bareilly	Satisfactory	62	PM ₁₀	2
27	Baripada	Good	42	PM ₁₀	1
28	Barmer	Satisfactory	69	PM ₁₀	1
29	Bathinda	Moderate	116	PM ₁₀	1
30	Belapur	Good	46	PM ₁₀	1
31	Belgaum	Good	46	СО	1
32	Bengaluru	Good	47	PM ₁₀	10
33	Bettiah	Satisfactory	67	PM _{2.5}	1
34	Bhagalpur	Moderate	122	PM ₁₀	2
35	Bharatpur	Satisfactory	56	PM ₁₀	1
36	Bhilai	Good	23	PM ₁₀ , PM _{2.5}	3

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, itsar, Begusarai, Bhilwara, Boisar, Brajrajnagar, Buxar, Byrı

Chhal, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Notes: Dungarpur, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Koppal, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Nandesari, Palkalaiperur, Panipat, Purnia, Rupnagar, Saharsa, Sasaram, Siwan, Srinagar, Tirupur, Udupi, Ujjain, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwadi	Satisfactory	99	PM ₁₀	1
38	Bhiwandi	Satisfactory	66	PM ₁₀	1
39	Bhiwani	Satisfactory	74	PM ₁₀	1
40	Bhopal	Satisfactory	73	со	3
41	Bidar	Good	39	PM ₁₀	1
42	Bihar Sharif	Good	47	PM ₁₀	1
43	Bikaner	Moderate	106	PM ₁₀	1
44	Bilaspur	Good	37	PM ₁₀	1
45	Bileipada	Satisfactory	56	PM ₁₀	1
46	Bulandshahr	Moderate	102	PM ₁₀	1
47	Bundi	Satisfactory	73	03	1
48	Chamarajanagar	Good	42	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, itsar, Begusarai, Bhilwara, Boisar, Brajrajnagar, Buxar, Byrı

Chhal, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Notes: Dungarpur, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Koppal, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Nandesari, Palkalaiperur, Panipat, Purnia, Rupnagar, Saharsa, Sasaram, Siwan, Srinagar, Tirupur, Udupi, Ujjain, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandigarh	Moderate	123	PM _{2.5}	3
50	Chandrapur	Satisfactory	54	PM ₁₀	1
51	Charkhi Dadri	Satisfactory	65	PM ₁₀	1
52	Chengalpattu	Satisfactory	57	со	1
53	Chennai	Satisfactory	81	CO, PM ₁₀	7
54	Chhapra	Satisfactory	63	PM ₁₀	1
55	Chikkaballapur	Good	41	PM ₁₀	1
56	Chikkamagaluru	Good	41	PM ₁₀	1
57	Chittoor	Good	40	O ₃	1
58	Chittorgarh	Satisfactory	61	PM _{2.5}	1
59	Churu	Satisfactory	59	O ₃	1
60	Cuddalore	Good	21	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, itsar, Begusarai, Bhilwara, Boisar, Brajrajnagar, Buxar, Byrr

Chhal, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Notes: Dungarpur, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Koppal, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Nandesari, Palkalaiperur, Panipat, Purnia, Rupnagar, Saharsa, Sasaram, Siwan, Srinagar, Tirupur, Udupi, Ujjain, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Damoh	Good	30	PM ₁₀	1
62	Dausa	Satisfactory	98	PM ₁₀	1
63	Davanagere	Good	30	PM ₁₀	1
64	Delhi	Moderate	123	PM ₁₀ , PM _{2.5}	35
65	Dewas	Good	48	PM ₁₀	1
66	Dharuhera	Satisfactory	97	PM ₁₀	1
67	Dholpur	Moderate	127	O ₃	1
68	Dhule	Good	43	PM ₁₀	1
69	Durgapur	Good	34	SO ₂	1
70	Eloor	Good	47	PM ₁₀	1
71	Faridabad	Moderate	131	PM ₁₀ , PM _{2.5}	4
72	Fatehabad	Moderate	166	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, itsar, Begusarai, Bhilwara, Boisar, Brajrajnagar, Buxar, Byrr

Chhal, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Notes: Dungarpur, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Koppal, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Nandesari, Palkalaiperur, Panipat, Purnia, Rupnagar, Saharsa, Sasaram, Siwan, Srinagar, Tirupur, Udupi, Ujjain, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Firozabad	Satisfactory	62	PM ₁₀	2
74	Gandhinagar	Satisfactory	59	PM ₁₀ , CO	3
75	Gangtok	Satisfactory	62	SO ₂	1
76	Gaya	Satisfactory	59	со	3
77	Ghaziabad	Moderate	119	PM _{2.5} , PM ₁₀	4
78	Gorakhpur	Moderate	115	PM _{2.5}	1
79	Greater Noida	Moderate	172	PM ₁₀	2
80	Gummidipoondi	Satisfactory	79	PM ₁₀	1
81	Gurugram	Moderate	120	PM _{2.5}	4
82	Guwahati	Satisfactory	67	CO, SO ₂	3
83	Gwalior	Satisfactory	52	PM ₁₀ , O ₃	3
84	Hajipur	Satisfactory	64	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, itsar, Begusarai, Bhilwara, Boisar, Brajrajnagar, Buxar, Byrr

Chhal, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Notes: Dungarpur, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Koppal, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Nandesari, Palkalaiperur, Panipat, Purnia, Rupnagar, Saharsa, Sasaram, Siwan, Srinagar, Tirupur, Udupi, Ujjain, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hanumangarh	Moderate	153	PM ₁₀	1
86	Hapur	Satisfactory	86	PM ₁₀	1
87	Haveri	Good	40	со	1
88	Hisar	Moderate	132	PM ₁₀	1
89	Hosur	Good	33	PM ₁₀	1
90	Howrah	Good	27	со	3
91	Hubballi	Satisfactory	72	PM ₁₀ , CO	2
92	Hyderabad	Satisfactory	66	PM ₁₀	11
93	Indore	Satisfactory	79	PM ₁₀	1
94	Jabalpur	Satisfactory	58	PM ₁₀	3
95	Jaipur	Satisfactory	69	PM ₁₀	6
96	Jaisalmer	Satisfactory	73	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, itsar, Begusarai, Bhilwara, Boisar, Brajrajnagar, Buxar, Byrı

Chhal, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Notes: Dungarpur, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Koppal, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Nandesari, Palkalaiperur, Panipat, Purnia, Rupnagar, Saharsa, Sasaram, Siwan, Srinagar, Tirupur, Udupi, Ujjain, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalandhar	Satisfactory	96	PM ₁₀	1
98	Jalgaon	Satisfactory	91	PM ₁₀	1
99	Jalna	Good	48	03	1
100	Jhalawar	Good	41	PM ₁₀	1
101	Jhansi	Good	35	PM ₁₀	1
102	Jhunjhunu	Satisfactory	83	O ₃	1
103	Jind	Satisfactory	64	СО	1
104	Jodhpur	Satisfactory	54	PM ₁₀	4
105	Kadapa	Good	50	PM _{2.5}	1
106	Kaithal	Satisfactory	87	PM _{2.5}	1
107	Kalyan	Satisfactory	62	СО	1
108	Kannur	Satisfactory	70	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Chhal, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Dungarpur, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Koppal, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Nandesari, Palkalaiperur, Panipat, Purnia, Rupnagar, Saharsa, Sasaram, Siwan, Srinagar, Tirupur, Udupi, Ujjain, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kanpur	Satisfactory	70	PM _{2.5}	4
110	Karauli	Good	40	03	1
111	Karnal	Satisfactory	77	PM ₁₀	1
112	Kashipur	Satisfactory	92	PM ₁₀	1
113	Katihar	Satisfactory	92	со	1
114	Katni	Good	42	PM ₁₀	1
115	Keonjhar	Good	36	PM ₁₀	1
116	Khanna	Satisfactory	78	PM ₁₀	1
117	Khurja	Moderate	141	PM _{2.5}	1
118	Kishanganj	Satisfactory	62	NO ₂	1
119	Kochi	Satisfactory	86	со	1
120	Kohima	Satisfactory	52	SO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, itsar, Begusarai, Bhilwara, Boisar, Brajrajnagar, Buxar, Byrı

Chhal, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Notes: Dungarpur, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Koppal, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Nandesari, Palkalaiperur, Panipat, Purnia, Rupnagar, Saharsa, Sasaram, Siwan, Srinagar, Tirupur, Udupi, Ujjain, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kolar	Good	44	PM ₁₀	1
122	Kolhapur	Good	39	PM ₁₀	2
123	Kolkata	Good	31	SO ₂ , CO	6
124	Kollam	Satisfactory	71	PM ₁₀	1
125	Korba	Good	23	NO ₂	1
126	Kota	Satisfactory	53	PM ₁₀	3
127	Kunjemura	Good	21	со	1
128	Kurukshetra	Satisfactory	97	PM _{2.5}	1
129	Latur	Good	46	PM ₁₀	1
130	Lucknow	Satisfactory	94	PM _{2.5} , PM ₁₀	6
131	Ludhiana	Satisfactory	100	PM ₁₀	1
132	Mahad	Satisfactory	68	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, itsar, Begusarai, Bhilwara, Boisar, Brajrajnagar, Buxar, Byrı

Chhal, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Notes: Dungarpur, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Koppal, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Nandesari, Palkalaiperur, Panipat, Purnia, Rupnagar, Saharsa, Sasaram, Siwan, Srinagar, Tirupur, Udupi, Ujjain, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Maihar	Good	34	СО	1
134	Mandi Gobindgarh	Satisfactory	71	PM ₁₀	1
135	Mandideep	Satisfactory	56	03	1
136	Mandikhera	Good	49	PM ₁₀	1
137	Manesar	Satisfactory	56	PM _{2.5}	1
138	Mangalore	Satisfactory	53	PM ₁₀	1
139	Manguraha	Satisfactory	61	NO ₂	1
140	Meerut	Moderate	102	PM ₁₀	1
141	Moradabad	Satisfactory	94	PM _{2.5} , PM ₁₀	6
142	Motihari	Satisfactory	68	PM ₁₀	1
143	Mumbai	Satisfactory	63	PM _{2.5} , CO	19
144	Munger	Moderate	127	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, itsar, Begusarai, Bhilwara, Boisar, Brajrajnagar, Buxar, Byrı

Chhal, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Notes: Dungarpur, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Koppal, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Nandesari, Palkalaiperur, Panipat, Purnia, Rupnagar, Saharsa, Sasaram, Siwan, Srinagar, Tirupur, Udupi, Ujjain, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Muzaffarnagar	Moderate	171	PM _{2.5}	1
146	Muzaffarpur	Moderate	101	PM _{2.5} , NO ₂	2
147	Mysuru	Good	44	PM ₁₀	1
148	Nagaon	Good	40	03	1
149	Nagpur	Good	41	CO, PM ₁₀	4
150	Naharlagun	Good	30	PM ₁₀	1
151	Nalbari	Satisfactory	66	PM ₁₀	1
152	Nanded	Satisfactory	54	O ₃	1
153	Narnaul	Satisfactory	69	PM ₁₀	1
154	Nashik	Good	39	PM ₁₀	4
155	Navi Mumbai	Satisfactory	55	CO, PM ₁₀	7
156	Nayagarh	Good	33	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, itsar, Begusarai, Bhilwara, Boisar, Brajrajnagar, Buxar, Byrr

Chhal, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Notes: Dungarpur, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Koppal, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Nandesari, Palkalaiperur, Panipat, Purnia,

Rupnagar, Saharsa, Sasaram, Siwan, Srinagar, Tirupur, Udupi, Ujjain, Virar,

vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Noida	Moderate	112	PM _{2.5}	4
158	Ooty	Good	28	PM ₁₀	1
159	Pali	Satisfactory	93	PM ₁₀	1
160	Palwal	Good	40	PM ₁₀	1
161	Panchkula	Moderate	130	PM _{2.5}	1
162	Parbhani	Satisfactory	61	PM ₁₀	1
163	Patiala	Satisfactory	72	PM ₁₀	1
164	Patna	Satisfactory	90	PM _{2.5}	6
165	Pimpri Chinchwad	Good	48	PM _{2.5}	3
166	Pithampur	Satisfactory	82	PM ₁₀	1
167	Pratapgarh	Satisfactory	62	PM ₁₀	1
168	Prayagraj	Satisfactory	86	PM ₁₀	3

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, itsar, Begusarai, Bhilwara, Boisar, Brajrajnagar, Buxar, Byrr

Chhal, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Notes: Dungarpur, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Koppal, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Nandesari, Palkalaiperur, Panipat, Purnia, Rupnagar, Saharsa, Sasaram, Siwan, Srinagar, Tirupur, Udupi, Ujjain, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Puducherry	Satisfactory	55	СО	1
170	Pune	Satisfactory	79	NO ₂ , PM ₁₀	7
171	Raichur	Satisfactory	51	SO ₂	1
172	Raipur	Satisfactory	66	PM ₁₀ , CO	2
173	Rairangpur	Good	29	PM _{2.5}	1
174	Rajamahendravaram	Good	46	PM ₁₀	1
175	Rajgir	Satisfactory	56	PM _{2.5}	1
176	Rajsamand	Good	42	СО	1
177	Ramanagara	Good	34	PM ₁₀	1
178	Ramanathapuram	Good	20	PM _{2.5}	1
179	Ratlam	Good	43	PM ₁₀	1
180	Rishikesh	Good	42	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, itsar, Begusarai, Bhilwara, Boisar, Brajrajnagar, Buxar, Byrı

Notes:

Chhal, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Dungarpur, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Koppal, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Nandesari, Palkalaiperur, Panipat, Purnia,

Rupnagar, Saharsa, Sasaram, Siwan, Srinagar, Tirupur, Udupi, Ujjain, Virar, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Rohtak	Satisfactory	80	PM _{2.5}	1
182	Rourkela	Moderate	140	O ₃	3
183	Sagar	Satisfactory	51	со	2
184	Salem	Good	33	PM _{2.5}	1
185	Samastipur	Satisfactory	62	PM ₁₀	1
186	Sangli	Good	31	O ₃	1
187	Satna	Satisfactory	97	PM ₁₀	1
188	Sawai Madhopur	Satisfactory	53	СО	1
189	Shillong	Good	30	PM ₁₀ , SO ₂	2
190	Shivamogga	Satisfactory	69	PM ₁₀	1
191	Sikar	Satisfactory	83	O ₃	1
192	Silchar	Good	39	СО	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, itsar, Begusarai, Bhilwara, Boisar, Brajrajnagar, Buxar, Byrr

Chhal, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Notes: Dungarpur, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Koppal, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Nandesari, Palkalaiperur, Panipat, Purnia, Rupnagar, Saharsa, Sasaram, Siwan, Srinagar, Tirupur, Udupi, Ujjain, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Siliguri	Good	48	PM ₁₀	1
194	Singrauli	Satisfactory	52	SO ₂	1
195	Sirohi	Good	35	PM ₁₀	1
196	Sirsa	Moderate	103	PM ₁₀	1
197	Sivasagar	Good	24	PM ₁₀	1
198	Solapur	Satisfactory	64	PM ₁₀	3
199	Sonipat	Poor	203	PM _{2.5}	1
200	Sri Ganganagar	Moderate	169	PM ₁₀	1
201	Suakati	Good	38	O ₃	1
202	Surat	Moderate	108	PM ₁₀	1
203	Talcher	Satisfactory	83	NO ₂	1
204	Tensa	Good	39	NO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, itsar, Begusarai, Bhilwara, Boisar, Brajrajnagar, Buxar, Byrı

Chhal, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Notes: Dungarpur, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Koppal, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Nandesari, Palkalaiperur, Panipat, Purnia, Rupnagar, Saharsa, Sasaram, Siwan, Srinagar, Tirupur, Udupi, Ujjain, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	te Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Thane	Good	48	PM ₁₀	2
206	Thiruvananthapuram	Good	32	PM ₁₀ , CO	2
207	Thoothukudi	Good	36	PM ₁₀	1
208	Thrissur	Satisfactory	58	PM ₁₀	1
209	Tirupati	Good	40	NO ₂	2
210	Tonk	Satisfactory	69	PM ₁₀	1
211	Tumakuru	Satisfactory	51	со	1
212	Tumidih	Good	23	03	1
213	Udaipur	Satisfactory	55	PM ₁₀	1
214	Ulhasnagar	Satisfactory	62	PM ₁₀	1
215	Vapi	Moderate	107	со	1
216	Varanasi	Good	29	CO, SO ₂	4

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, itsar, Begusarai, Bhilwara, Boisar, Brajrajnagar, Buxar, Byrr

Chhal, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Notes: Dungarpur, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Koppal, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Nandesari, Palkalaiperur, Panipat, Purnia, Rupnagar, Saharsa, Sasaram, Siwan, Srinagar, Tirupur, Udupi, Ujjain, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Vatva	Satisfactory	79	PM ₁₀	1
218	Vijayapura	Satisfactory	53	PM ₁₀	1
219	Vijayawada	Good	46	NO ₂ , PM ₁₀	3
220	Visakhapatnam	Satisfactory	89	PM ₁₀	1
221	Vrindavan	Good	36	PM ₁₀	1
222	Yadgir	Good	34	PM ₁₀	1
223	Yamunanagar	Moderate	152	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

ritsar, Begusarai, Bhilwara, Boisar, Brajrajnagar, Buxar, Byrni

Chhal, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dindigul, Notes: Dungarpur, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jalore, Jorapokhar, Kalaburgi, Kanchipuram, Koppal, Kozhikode, Madikeri, Malegaon, Milupara, Mira-Bhayandar, Nagaur, Nandesari, Palkalaiperur, Panipat, Purnia, Rupnagar, Saharsa, Sasaram, Siwan, Srinagar, Tirupur, Udupi, Ujjain, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.