

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	48	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	52	03	6
3	Ahmedabad	Satisfactory	66	PM <sub>10</sub> , CO	5
4	Aizawl	Good	31	PM <sub>10</sub>	1
5	Akola	Good	40	PM <sub>10</sub>	1
6	Alwar	Satisfactory	82	PM <sub>10</sub>	1
7	Amaravati	Good	34	PM <sub>10</sub>	1
8	Ambala	Satisfactory	56	03	1
9	Amravati	Good	38	CO, PM <sub>10</sub>	2
10	Amritsar	Satisfactory	64	PM <sub>2.5</sub>	1
11	Anantapur	Good	50	PM <sub>10</sub>	1
12	Ankleshwar	Moderate	154	O <sub>3</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria,

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Moderate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

ol, Aurangabad (Bihar), Bathinda, Bettiah, Bid

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	37	PM <sub>10</sub>	1
14	Arrah	Satisfactory	98	PM <sub>2.5</sub>	1
15	Aurangabad (Maharashtra)	Satisfactory	56	PM <sub>2.5</sub> , PM <sub>10</sub>	3
16	Baddi	Satisfactory	66	O <sub>3</sub>	1
17	Badlapur	Good	49	PM <sub>10</sub>	1
18	Bagalkot	Good	46	PM <sub>10</sub>	1
19	Baghpat	Satisfactory	77	O <sub>3</sub>	1
20	Bahadurgarh	Satisfactory	65	PM <sub>10</sub>	1
21	Ballabgarh	Good	50	PM <sub>10</sub>	1
22	Banswara	Good	44	PM <sub>10</sub>	1
23	Baran	Satisfactory	56	O <sub>3</sub>	1
24	Bareilly	Good	37	PM <sub>10</sub> , SO <sub>2</sub>	2

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria,

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

ol, Aurangabad (Bihar), Bathinda, Bettiah, Bida

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Satisfactory	65	PM <sub>10</sub>	1
26	Barmer	Satisfactory	61	PM <sub>10</sub>	1
27	Begusarai	Poor	206	PM <sub>2.5</sub>	1
28	Belapur	Good	39	со	1
29	Belgaum	Good	48	со	1
30	Bengaluru	Good	50	PM <sub>10</sub>	12
31	Bhagalpur	Moderate	112	PM <sub>10</sub>	2
32	Bharatpur	Satisfactory	60	O <sub>3</sub>	1
33	Bhilai	Good	26	O <sub>3</sub> , NO <sub>2</sub>	3
34	Bhilwara	Satisfactory	60	PM <sub>10</sub>	1
35	Bhiwadi	Moderate	132	PM <sub>10</sub>	1
36	Bhiwandi	Moderate	132	PM <sub>2.5</sub>	1

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria,

ol, Aurangabad (Bihar), Bathinda, Bettiah, Bida

## Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Buxar, Charkhi Dadri, Chengalpattu, Chhal, Darbhanga, Ernakulam, Gadag, Gummidipoondi, Haveri, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Khanna, Kozhikode, Kunjemura, Mahad, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Nandesari, Panipat, Ramanathapuram,

Salem, Samastipur, Sasaram, Siwan, Suakati, Surat, Talcher, Tumakuru, Udupi, Ujjain, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwani	Satisfactory	69	PM <sub>2.5</sub>	1
38	Bhopal	Good	42	PM <sub>10</sub>	3
39	Bihar Sharif	Moderate	106	PM <sub>10</sub>	1
40	Bikaner	Satisfactory	100	PM <sub>10</sub>	1
41	Bilaspur	Moderate	112	со	1
42	Bileipada	Moderate	112	PM <sub>10</sub>	1
43	Bulandshahr	Good	30	PM <sub>10</sub>	1
44	Bundi	Satisfactory	92	PM <sub>10</sub>	1
45	Byrnihat	Poor	205	PM <sub>10</sub>	1
46	Chamarajanagar	Good	40	PM <sub>10</sub>	1
47	Chandigarh	Satisfactory	74	PM <sub>10</sub>	3
48	Chandrapur	Satisfactory	68	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria,

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

ol, Aurangabad (Bihar), Bathinda, Bettiah, Bida

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chennai	Satisfactory	75	PM <sub>10</sub>	7
50	Chhapra	Satisfactory	99	СО	1
51	Chikkaballapur	Good	36	PM <sub>10</sub>	1
52	Chikkamagaluru	Good	27	PM <sub>10</sub>	1
53	Chittoor	Good	31	O <sub>3</sub>	1
54	Chittorgarh	Good	40	PM <sub>10</sub>	1
55	Churu	Satisfactory	91	PM <sub>10</sub>	1
56	Coimbatore	Satisfactory	65	PM <sub>10</sub>	1
57	Cuddalore	Poor	231	NO <sub>2</sub>	1
58	Damoh	Good	20	СО	1
59	Dausa	Moderate	106	PM <sub>10</sub>	1
60	Davanagere	Good	18	PM <sub>2.5</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria,

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

ol, Aurangabad (Bihar), Bathinda, Bettiah, Bida

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dehradun	Satisfactory	96	03	1
62	Delhi	Satisfactory	71	NO <sub>2</sub> , CO	36
63	Dewas	Poor	278	PM <sub>10</sub>	1
64	Dhanbad	Moderate	178	со	1
65	Dharuhera	Satisfactory	67	PM <sub>10</sub>	1
66	Dharwad	Good	40	PM <sub>10</sub>	1
67	Dholpur	Good	49	PM <sub>10</sub>	1
68	Dhule	Good	42	СО	1
69	Dindigul	Good	40	SO <sub>2</sub>	1
70	Durgapur	Satisfactory	58	PM <sub>10</sub>	1
71	Eloor	Satisfactory	68	PM <sub>10</sub>	1
72	Faridabad	Satisfactory	52	PM <sub>10</sub>	3

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria,

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

ol, Aurangabad (Bihar), Bathinda, Bettiah, Bida

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Fatehabad	Moderate	178	03	1
74	Firozabad	Good	33	PM <sub>2.5</sub> , PM <sub>10</sub>	2
75	Gandhinagar	Good	43	CO, PM <sub>10</sub>	3
76	Gangtok	Good	50	SO <sub>2</sub>	1
77	Gaya	Satisfactory	62	03	3
78	Ghaziabad	Satisfactory	54	CO, PM <sub>10</sub>	4
79	Gorakhpur	Good	49	SO <sub>2</sub>	1
80	Greater Noida	Satisfactory	89	PM <sub>10</sub> , O <sub>3</sub>	2
81	Gurugram	Satisfactory	83	PM <sub>2.5</sub>	3
82	Guwahati	Satisfactory	63	PM <sub>2.5</sub> , SO <sub>2</sub>	4
83	Gwalior	Satisfactory	51	O <sub>3</sub> , CO	3
84	Hajipur	Good	28	NO <sub>2</sub>	1

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria,

### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

ol, Aurangabad (Bihar), Bathinda, Bettiah, Bida

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Haldia	Good	40	03	1
86	Hanumangarh	Moderate	195	PM <sub>10</sub>	1
87	Hapur	Good	23	со	1
88	Hassan	Good	45	PM <sub>10</sub>	1
89	Hisar	Satisfactory	76	PM <sub>2.5</sub>	1
90	Howrah	Satisfactory	60	NO <sub>2</sub> , PM <sub>10</sub>	3
91	Hubballi	Good	50	СО	2
92	Hyderabad	Satisfactory	58	PM <sub>10</sub> , NO <sub>2</sub>	14
93	Indore	Good	43	СО	1
94	Jabalpur	Satisfactory	57	O <sub>3</sub> , PM <sub>10</sub>	2
95	Jaipur	Satisfactory	68	PM <sub>10</sub>	5
96	Jaisalmer	Satisfactory	85	PM <sub>10</sub>	1

Notes:

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria,

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

ol, Aurangabad (Bihar), Bathinda, Bettiah, Bida

website(http://cpcb.nic.in) website may be referred.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations,
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalandhar	Satisfactory	95	PM <sub>10</sub>	1
98	Jalgaon	Satisfactory	73	PM <sub>10</sub>	1
99	Jalna	Moderate	104	PM <sub>10</sub>	1
100	Jhalawar	Good	46	03	1
101	Jhansi	Satisfactory	100	PM <sub>10</sub>	1
102	Jhunjhunu	Moderate	194	O <sub>3</sub>	1
103	Jind	Moderate	103	СО	1
104	Jodhpur	Satisfactory	71	PM <sub>10</sub>	5
105	Kadapa	Good	38	PM <sub>2.5</sub>	1
106	Kaithal	Satisfactory	56	PM <sub>10</sub>	1
107	Kanchipuram	Good	30	PM <sub>10</sub>	1
108	Kannur	Satisfactory	77	PM <sub>10</sub>	1

## Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Difference of Di	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

 $^{\star}$  AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria,

ol, Aurangabad (Bihar), Bathinda, Bettiah, Bida

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kanpur	Good	41	PM <sub>10</sub>	3
110	Karauli	Satisfactory	84	03	1
111	Karnal	Good	32	PM <sub>10</sub>	1
112	Kashipur	Good	21	PM <sub>10</sub>	1
113	Katihar	Satisfactory	76	PM <sub>10</sub>	1
114	Katni	Good	49	PM <sub>10</sub>	1
115	Keonjhar	Satisfactory	51	PM <sub>10</sub>	1
116	Khurja	Satisfactory	83	PM <sub>2.5</sub>	1
117	Kishanganj	Good	50	PM <sub>10</sub>	1
118	Kochi	Satisfactory	71	со	1
119	Kohima	Good	42	SO <sub>2</sub>	1
120	Kolar	Good	29	PM <sub>2.5</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria,

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

ol, Aurangabad (Bihar), Bathinda, Bettiah, Bida

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kolhapur	Good	27	O <sub>3</sub> , NO <sub>2</sub>	2
122	Kolkata	Good	48	O <sub>3</sub> , PM <sub>10</sub>	7
123	Kollam	Satisfactory	82	PM <sub>10</sub>	1
124	Koppal	Satisfactory	76	03	1
125	Korba	Good	40	NO <sub>2</sub> , SO <sub>2</sub>	2
126	Kota	Satisfactory	67	PM <sub>10</sub> , PM <sub>2.5</sub>	3
127	Kurukshetra	Satisfactory	61	O <sub>3</sub>	1
128	Latur	Satisfactory	58	PM <sub>10</sub>	1
129	Lucknow	Good	38	PM <sub>10</sub>	6
130	Ludhiana	Moderate	103	PM <sub>10</sub>	1
131	Madikeri	Good	17	PM <sub>2.5</sub>	1
132	Maihar	Good	33	PM <sub>10</sub>	1

Notes:

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria,

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

ol, Aurangabad (Bihar), Bathinda, Bettiah, Bida

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandi Gobindgarh	Moderate	150	PM <sub>2.5</sub>	1
134	Mandideep	Satisfactory	68	03	1
135	Mandikhera	Good	30	PM <sub>10</sub>	1
136	Manesar	Satisfactory	86	PM <sub>10</sub>	1
137	Manguraha	Moderate	200	O <sub>3</sub>	1
138	Meerut	Good	46	CO, O <sub>3</sub>	3
139	Moradabad	Good	49	CO, SO <sub>2</sub>	5
140	Motihari	Good	43	СО	1
141	Mumbai	Satisfactory	54	PM <sub>2.5</sub> , CO	20
142	Munger	Moderate	101	PM <sub>2.5</sub>	1
143	Muzaffarnagar	Good	40	PM <sub>10</sub>	1
144	Muzaffarpur	Moderate	119	со	2

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria,

ol, Aurangabad (Bihar), Bathinda, Bettiah, Bida

### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Mysuru	Satisfactory	63	PM <sub>10</sub>	1
146	Nagaon	Good	45	PM <sub>10</sub>	1
147	Nagaur	Satisfactory	68	03	1
148	Nagpur	Good	35	PM <sub>10</sub> , O <sub>3</sub>	4
149	Naharlagun	Good	17	PM <sub>2.5</sub>	1
150	Nalbari	Good	27	PM <sub>2.5</sub>	1
151	Nanded	Satisfactory	57	PM <sub>10</sub>	1
152	Narnaul	Very Poor	335	PM <sub>10</sub>	1
153	Nashik	Good	30	PM <sub>10</sub> , CO	4
154	Navi Mumbai	Satisfactory	88	PM <sub>10</sub> , CO	3
155	Nayagarh	Satisfactory	55	PM <sub>10</sub>	1
156	Noida	Satisfactory	69	СО	4

Notes:

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria,

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

ol, Aurangabad (Bihar), Bathinda, Bettiah, Bida

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ooty	Good	49	SO <sub>2</sub>	1
158	Pali	Satisfactory	97	PM <sub>10</sub>	1
159	Palkalaiperur	Satisfactory	64	SO <sub>2</sub>	1
160	Palwal	Satisfactory	57	PM <sub>10</sub>	1
161	Panchkula	Satisfactory	53	03	1
162	Parbhani	Good	30	03	1
163	Patiala	Good	49	PM <sub>10</sub>	1
164	Patna	Satisfactory	62	PM <sub>10</sub> , NO <sub>2</sub>	5
165	Pimpri Chinchwad	Good	39	NO <sub>2</sub> , PM <sub>10</sub>	3
166	Pithampur	Good	49	PM <sub>10</sub>	1
167	Pratapgarh	Good	45	PM <sub>10</sub>	1
168	Prayagraj	Good	48	PM <sub>2.5</sub> , PM <sub>10</sub>	3

Notes:

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria,

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

ol, Aurangabad (Bihar), Bathinda, Bettiah, Bida

website(http://cpcb.nic.in) website may be referred.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations,
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Puducherry	Good	41	PM <sub>10</sub>	1
170	Pune	Moderate	102	NO <sub>2</sub> , CO	4
171	Purnia	Satisfactory	67	СО	1
172	Raichur	Good	46	SO <sub>2</sub>	1
173	Raipur	Satisfactory	62	PM <sub>10</sub> , NO <sub>2</sub>	3
174	Rairangpur	Satisfactory	69	PM <sub>10</sub>	1
175	Rajamahendravaram	Good	40	PM <sub>10</sub>	1
176	Rajgir	Good	26	PM <sub>10</sub>	1
177	Rajsamand	Satisfactory	96	СО	1
178	Ramanagara	Satisfactory	52	PM <sub>10</sub>	1
179	Ratlam	Good	40	NO <sub>2</sub>	1
180	Rishikesh	Good	34	O <sub>3</sub>	1

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria,

ol, Aurangabad (Bihar), Bathinda, Bettiah, Bida

## Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Buxar, Charkhi Dadri, Chengalpattu, Chhal, Darbhanga, Ernakulam, Gadag, Gummidipoondi, Haveri, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Khanna, Kozhikode, Kunjemura, Mahad, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Nandesari, Panipat, Ramanathapuram, Salem, Samastipur, Sasaram, Siwan, Suakati, Surat, Talcher, Tumakuru, Udupi, Ujjain, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Rohtak	Good	39	03	1
182	Rourkela	Satisfactory	85	PM <sub>10</sub>	1
183	Rupnagar	Satisfactory	92	PM <sub>10</sub>	1
184	Sagar	Good	49	O <sub>3</sub>	1
185	Saharsa	Very Poor	312	O <sub>3</sub>	1
186	Sangli	Good	23	03	1
187	Satna	Satisfactory	71	PM <sub>10</sub>	1
188	Sawai Madhopur	Satisfactory	89	PM <sub>2.5</sub>	1
189	Shillong	Good	22	SO <sub>2</sub>	1
190	Shivamogga	Satisfactory	59	O <sub>3</sub>	1
191	Sikar	Good	50	PM <sub>10</sub>	1
192	Silchar	Good	31	со	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria,

ol, Aurangabad (Bihar), Bathinda, Bettiah, Bida

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Siliguri	Good	29	СО	1
194	Singrauli	Good	44	NO <sub>2</sub>	1
195	Sirohi	Good	48	PM <sub>10</sub>	1
196	Sirsa	Moderate	122	03	1
197	Sivasagar	Good	16	PM <sub>10</sub>	1
198	Solapur	Satisfactory	92	PM <sub>10</sub>	3
199	Sonipat	Satisfactory	82	PM <sub>10</sub>	1
200	Sri Ganganagar	Moderate	121	PM <sub>10</sub>	1
201	Srinagar	Satisfactory	64	PM <sub>10</sub>	1
202	Tensa	Good	40	PM <sub>10</sub>	1
203	Thane	Good	30	PM <sub>10</sub>	2
204	Thiruvananthapuram	Good	33	PM <sub>10</sub>	2

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria,

### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

ol, Aurangabad (Bihar), Bathinda, Bettiah, Bid

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Thoothukudi	Satisfactory	89	03	1
206	Thrissur	Satisfactory	51	PM <sub>10</sub>	1
207	Tirupati	Good	40	NO <sub>2</sub>	1
208	Tirupur	Good	32	PM <sub>10</sub>	1
209	Tonk	Satisfactory	98	PM <sub>2.5</sub>	1
210	Tumidih	Good	36	PM <sub>10</sub>	1
211	Udaipur	Satisfactory	60	PM <sub>10</sub>	1
212	Vapi	Good	50	СО	1
213	Varanasi	Good	32	SO <sub>2</sub>	3
214	Vatva	Satisfactory	57	PM <sub>10</sub>	1
215	Vijayapura	Good	49	PM <sub>10</sub>	1
216	Vijayawada	Good	43	со	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria,

ol, Aurangabad (Bihar), Bathinda, Bettiah, Bida

## Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	isfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Brajrajnagar, Buxar, Charkhi Dadri, Chengalpattu, Chhal, Darbhanga, Ernakulam, Gadag, Gummidipoondi, Haveri, Hosur, Imphal, Jorapokhar, Kalaburgi, Kalyan, Khanna, Kozhikode, Kunjemura, Mahad, Malegaon, Mangalore, Milupara, Mira-Bhayandar, Nandesari, Panipat, Ramanathapuram, Salem, Samastipur, Sasaram, Siwan, Suakati, Surat, Talcher, Tumakuru, Udupi, Ujjain, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Visakhapatnam	Moderate	121	PM <sub>10</sub>	1
218	Vrindavan	Moderate	131	PM <sub>10</sub>	1
219	Yadgir	Good	31	со	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Araria,

### Possible Health Impacts Notes:

Good	od Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

nsol, Aurangabad (Bihar), Bathinda, Bettiah, Bidar, E

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.