

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	172	PM _{2.5}	1
2	Agra	Very Poor	302	PM _{2.5}	1
3	Ahmedabad	Moderate	116	PM ₁₀	1
4	Aizawl	Satisfactory	72	PM ₁₀	1
5	Ajmer	Satisfactory	94	PM ₁₀	1
6	Alwar	Moderate	101	PM ₁₀	1
7	Amaravati	Good	31	PM ₁₀	1
8	Ambala	Poor	246	PM ₁₀	1
9	Amritsar	Moderate	101	PM ₁₀	1
10	Ankleshwar	Moderate	167	PM _{2.5}	1
11	Asansol	Moderate	185	PM _{2.5}	1
12	Aurangabad	Satisfactory	89	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Charkhi Dadri, Coimbatore, Kohima, Mandi Gobindgarh, Ramanagara, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	37	NO ₂	1
14	Baghpat	Very Poor	311	PM _{2.5}	1
15	Bahadurgarh	Poor	276	PM _{2.5}	1
16	Ballabgarh	Moderate	152	PM ₁₀	1
17	Bathinda	Moderate	123	PM _{2.5}	1
18	Bengaluru	Satisfactory	52	PM ₁₀ , O ₃	10
19	Bhiwadi	Very Poor	326	PM _{2.5}	1
20	Bhiwani	Moderate	154	PM ₁₀	1
21	Bhopal	Moderate	192	PM _{2.5}	1
22	Brajrajnagar	Moderate	153	PM _{2.5}	1
23	Bulandshahr	Very Poor	326	PM _{2.5}	1
24	Chamarajanagar	Satisfactory	60	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Charkhi Dadri, Coimbatore, Kohima, Mandi Gobindgarh, Ramanagara, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	108	PM ₁₀	1
26	Chandrapur	Satisfactory	58	PM ₁₀	2
27	Chennai	Satisfactory	53	PM _{2.5} , O ₃ , PM ₁₀	6
28	Chikkaballapur	Good	48	PM ₁₀	1
29	Chikkamagaluru	Good	44	PM ₁₀	1
30	Damoh	Moderate	130	PM _{2.5}	1
31	Delhi	Poor	296	PM _{2.5}	38
32	Dewas	Moderate	137	PM _{2.5}	1
33	Dharuhera	Poor	265	PM ₁₀	1
34	Eloor	Good	35	со	1
35	Ernakulam	Moderate	102	со	1
36	Faridabad	Poor	297	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Charkhi Dadri, Coimbatore, Kohima, Mandi Gobindgarh, Ramanagara, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Very Poor	360	PM _{2.5}	1
38	Gandhinagar	Satisfactory	85	PM ₁₀	1
39	Gaya	Satisfactory	93	PM _{2.5}	1
40	Ghaziabad	Very Poor	325	PM _{2.5}	4
41	Greater Noida	Very Poor	314	PM _{2.5}	2
42	Gurugram	Poor	275	PM _{2.5}	4
43	Guwahati	Moderate	179	PM _{2.5}	1
44	Gwalior	Poor	297	PM _{2.5}	1
45	Hajipur	Moderate	113	PM _{2.5}	1
46	Hapur	Poor	206	PM ₁₀	1
47	Hisar	Very Poor	341	PM _{2.5}	1
48	Howrah	Moderate	143	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Charkhi Dadri, Coimbatore, Kohima, Mandi Gobindgarh, Ramanagara, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Satisfactory	73	PM ₁₀	1
50	Hyderabad	Satisfactory	62	PM ₁₀ , NO ₂ , O ₃	5
51	Indore	Moderate	138	PM _{2.5}	1
52	Jabalpur	Moderate	183	PM _{2.5}	1
53	Jaipur	Moderate	131	PM _{2.5} , PM ₁₀	3
54	Jalandhar	Moderate	121	PM ₁₀	1
55	Jind	Poor	294	PM _{2.5}	1
56	Jodhpur	Moderate	121	PM _{2.5}	1
57	Jorapokhar	Satisfactory	73	PM ₁₀	1
58	Kaithal	Moderate	157	PM _{2.5}	1
59	Kalaburgi	Good	44	PM ₁₀	1
60	Kalyan	Moderate	119	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Charkhi Dadri, Coimbatore, Kohima, Mandi Gobindgarh, Ramanagara, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	60	PM ₁₀	1
62	Kanpur	Poor	254	PM _{2.5}	1
63	Karnal	Moderate	192	PM _{2.5}	1
64	Katni	Moderate	158	PM _{2.5}	1
65	Khanna	Moderate	110	PM ₁₀	1
66	Kochi	Satisfactory	94	со	1
67	Kolkata	Moderate	130	PM _{2.5} , PM ₁₀	7
68	Kollam	Good	49	PM _{2.5}	1
69	Kota	Moderate	155	PM _{2.5}	1
70	Kozhikode	Satisfactory	60	PM ₁₀	1
71	Kurukshetra	Poor	274	PM _{2.5}	1
72	Lucknow	Poor	220	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Charkhi Dadri, Coimbatore, Kohima, Mandi Gobindgarh, Ramanagara, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ludhiana	Moderate	131	PM ₁₀	1
74	Maihar	Good	49	PM ₁₀	1
75	Mandideep	Satisfactory	69	PM ₁₀	1
76	Mandikhera	Satisfactory	86	PM _{2.5}	1
77	Manesar	Poor	257	PM _{2.5}	1
78	Medikeri	Good	34	O ₃	1
79	Meerut	Poor	292	PM _{2.5}	3
80	Moradabad	Poor	262	PM _{2.5}	1
81	Mumbai	Moderate	141	PM _{2.5} , PM ₁₀	17
82	Muzaffarnagar	Poor	255	PM _{2.5}	1
83	Muzaffarpur	Very Poor	346	PM _{2.5}	1
84	Mysuru	Good	32	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Charkhi Dadri, Coimbatore, Kohima, Mandi Gobindgarh, Ramanagara, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nagpur	Satisfactory	69	со	1
86	Nandesari	Moderate	162	со	1
87	Narnaul	Poor	207	PM _{2.5}	1
88	Nashik	Satisfactory	61	PM _{2.5}	1
89	Navi Mumbai	Moderate	130	PM _{2.5}	2
90	Noida	Very Poor	306	PM _{2.5}	4
91	Pali	Moderate	106	PM ₁₀	1
92	Palwal	Moderate	150	PM ₁₀	1
93	Panchkula	Poor	210	PM _{2.5}	1
94	Panipat	Poor	205	PM ₁₀	1
95	Patiala	Moderate	130	PM ₁₀	1
96	Patna	Poor	223	PM _{2.5} , PM ₁₀	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Charkhi Dadri, Coimbatore, Kohima, Mandi Gobindgarh, Ramanagara, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Moderate	171	PM _{2.5}	1
98	Pune	Satisfactory	62	O ₃ , PM _{2.5}	2
99	Rajamahendravaram	Satisfactory	83	PM ₁₀	1
100	Ratlam	Moderate	125	PM _{2.5}	1
101	Rohtak	Poor	224	PM _{2.5}	1
102	Rupnagar	Moderate	137	PM _{2.5}	1
103	Sagar	Satisfactory	78	PM _{2.5}	1
104	Satna	Satisfactory	61	PM ₁₀	1
105	Shillong	Satisfactory	63	PM _{2.5}	1
106	Shivamogga	Satisfactory	51	PM ₁₀	1
107	Siliguri	Moderate	176	PM _{2.5}	1
108	Singrauli	Moderate	185	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Charkhi Dadri, Coimbatore, Kohima, Mandi Gobindgarh, Ramanagara, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sirsa	Poor	225	PM _{2.5}	1
110	Solapur	Satisfactory	78	PM ₁₀	1
111	Sonipat	Moderate	158	PM _{2.5}	1
112	Talcher	Moderate	107	PM ₁₀	1
113	Thane	Moderate	136	PM ₁₀	1
114	Thiruvananthapuram	Satisfactory	52	CO, PM ₁₀	2
115	Thoothukudi	Good	36	O ₃	1
116	Thrissur	Satisfactory	54	PM ₁₀	1
117	Tirupati	Good	28	PM ₁₀	1
118	Udaipur	Satisfactory	100	PM ₁₀	1
119	Ujjain	Moderate	185	O ₃	1
120	Vapi	Moderate	130	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Charkhi Dadri, Coimbatore, Kohima, Mandi Gobindgarh, Ramanagara, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Moderate	103	O ₃	1
122	Vatva	Moderate	106	PM ₁₀	1
123	Vijayapura	Good	40	PM _{2.5}	1
124	Visakhapatnam	Moderate	132	PM ₁₀	1
125	Yamunanagar	Very Poor	329	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Charkhi Dadri, Coimbatore, Kohima, Mandi Gobindgarh, Ramanagara, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.