



## Air Quality Index on May 31, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	122	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	112	NO <sub>2</sub>	1
3	Ajmer	Satisfactory	93	PM <sub>2.5</sub>	1
4	Alwar	Moderate	134	PM <sub>10</sub>	1
5	Amaravati	Satisfactory	76	PM <sub>10</sub>	1
6	Ambala	Moderate	158	OZONE	1
7	Amritsar	Moderate	124	PM <sub>10</sub>	1
8	Ankleshwar	Satisfactory	77	PM <sub>10</sub>	1
9	Asanol	Satisfactory	77	PM <sub>10</sub>	1
10	Aurangabad	Moderate	105	PM <sub>2.5</sub>	1
11	Baghpat	Very Poor	321	PM <sub>10</sub>	1
12	Bahadurgarh	Moderate	198	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Bulandshahr, Hubballi, Kalaburagi, Khanna, Navi Mumbai, Talcher as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on May 31, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Very Poor	338	PM <sub>10</sub>	1
14	Bathinda	Moderate	111	PM <sub>10</sub>	1
15	Bengaluru	Satisfactory	84	OZONE, PM <sub>10</sub> , PM <sub>2.5</sub>	7
16	Bhiwadi	Poor	274	PM <sub>10</sub>	1
17	Bhiwani	Poor	247	PM <sub>2.5</sub>	1
18	Brajrajnagar	Moderate	109	CO	1
19	Chandrapur	Moderate	104	PM <sub>10</sub>	1
20	Chennai	Moderate	122	PM <sub>2.5</sub> , OZONE	3
21	Chikkaballapur	Satisfactory	78	PM <sub>10</sub>	1
22	Damoh	Satisfactory	80	PM <sub>2.5</sub>	1
23	Delhi	Poor	280	PM <sub>10</sub>	33
24	Dewas	Moderate	126	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Bulandshahr, Hubballi, Kalaburagi, Khanna, Navi Mumbai, Talcher as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on May 31, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dharuhera	Moderate	165	PM <sub>10</sub>	1
26	Durgapur	Satisfactory	78	PM <sub>10</sub>	1
27	Eloor	Good	43	CO	1
28	Faridabad	Moderate	138	OZONE	1
29	Fatehabad	Very Poor	301	PM <sub>10</sub>	1
30	GandhiNagar	Satisfactory	99	PM <sub>10</sub>	1
31	Gaya	Satisfactory	96	PM <sub>2.5</sub>	1
32	Ghaziabad	Very Poor	339	PM <sub>10</sub>	3
33	Greater_Noida	Poor	272	PM <sub>10</sub>	1
34	Gurugram	Poor	270	PM <sub>2.5</sub>	1
35	Guwahati	Satisfactory	74	OZONE	1
36	Haldia	Satisfactory	65	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Bulandshahr, Hubballi, Kalaburagi, Khanna, Navi Mumbai, Talcher as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on May 31, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Very Poor	344	PM <sub>10</sub>	1
38	Hisar	Poor	288	PM <sub>10</sub>	1
39	Howrah	Satisfactory	75	PM <sub>10</sub>	3
40	Hyderabad	Satisfactory	100	PM <sub>10</sub> , PM <sub>2.5</sub>	6
41	Jaipur	Moderate	116	PM <sub>10</sub>	3
42	Jalandhar	Moderate	141	PM <sub>10</sub>	1
43	Jind	Poor	251	PM <sub>10</sub>	1
44	Jodhpur	Moderate	197	PM <sub>2.5</sub>	1
45	Jorapokhar	Satisfactory	73	PM <sub>10</sub>	1
46	Kaithal	Moderate	169	PM <sub>10</sub>	1
47	Kanpur	Moderate	159	PM <sub>2.5</sub>	1
48	Karnal	Moderate	189	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Bulandshahr, Hubballi, Kalaburagi, Khanna, Navi Mumbai, Talcher as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on May 31, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kolkata	Satisfactory	91	PM <sub>10</sub>	1
50	Kota	Moderate	130	PM <sub>10</sub>	1
51	Kurukshetra	Moderate	148	PM <sub>10</sub>	1
52	Loni_Dehat	Very Poor	354	PM <sub>10</sub>	1
53	Lucknow	Poor	212	PM <sub>2.5</sub>	4
54	Ludhiana	Moderate	130	PM <sub>2.5</sub>	1
55	Maihar	Satisfactory	61	PM <sub>10</sub>	1
56	Mandi Gobindgarh	Poor	216	PM <sub>10</sub>	1
57	Mandideep	Poor	201	PM <sub>10</sub>	1
58	Mandikhera	Moderate	144	PM <sub>10</sub>	1
59	Manesar	Poor	217	PM <sub>10</sub>	1
60	Moradabad	Poor	249	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Bulandshahr, Hubballi, Kalaburagi, Khanna, Navi Mumbai, Talcher as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on May 31, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mumbai	Satisfactory	71	CO	1
62	Muzaffarnagar	Poor	246	OZONE	1
63	Muzaffarpur	Satisfactory	80	PM <sub>2.5</sub>	1
64	Nagpur	Moderate	151	OZONE	1
65	Narnaul	Moderate	125	PM <sub>10</sub>	1
66	Nashik	Good	50	PM <sub>10</sub>	1
67	Noida	Very Poor	320	PM <sub>10</sub>	2
68	Pali	Moderate	114	PM <sub>10</sub>	1
69	Palwal	Poor	282	PM <sub>2.5</sub>	1
70	Panchkula	Satisfactory	79	PM <sub>2.5</sub>	1
71	Panipat	Poor	290	PM <sub>10</sub>	1
72	Patiala	Moderate	131	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Bulandshahr, Hubballi, Kalaburagi, Khanna, Navi Mumbai, Talcher as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on May 31, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Patna	Moderate	172	OZONE	1
74	Pithampur	Moderate	139	PM <sub>10</sub>	1
75	Pune	Satisfactory	68	PM <sub>2.5</sub>	1
76	Rajamahendravaram	Satisfactory	82	OZONE	1
77	Ratlam	Moderate	143	PM <sub>10</sub>	1
78	Rohtak	Poor	257	PM <sub>2.5</sub>	1
79	Rupnagar	Moderate	187	PM <sub>2.5</sub>	1
80	Satna	Moderate	146	PM <sub>10</sub>	1
81	Siliguri	Satisfactory	62	OZONE	1
82	Singrauli	Very Poor	315	PM <sub>10</sub>	1
83	Sirsa	Poor	242	PM <sub>10</sub>	1
84	Solapur	Satisfactory	96	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Bulandshahr, Hubballi, Kalaburagi, Khanna, Navi Mumbai, Talcher as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on May 31, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Sonipat	Poor	260	PM <sub>10</sub>	1
86	Thane	Satisfactory	55	PM <sub>10</sub>	1
87	Thiruvananthapuram	Satisfactory	65	PM <sub>10</sub>	1
88	Tirupati	Satisfactory	76	PM <sub>10</sub>	1
89	Udaipur	Moderate	143	PM <sub>10</sub>	1
90	Ujjain	Moderate	125	PM <sub>10</sub>	1
91	Vapi	Satisfactory	54	PM <sub>10</sub>	1
92	Varanasi	Poor	227	PM <sub>10</sub>	1
93	Vatva	Moderate	119	PM <sub>10</sub>	1
94	Vijayawada	Satisfactory	68	PM <sub>2.5</sub>	1
95	Visakhapatnam	Satisfactory	97	PM <sub>10</sub>	1
96	Yamunanagar	Poor	214	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Bulandshahr, Hubballi, Kalaburagi, Khanna, Navi Mumbai, Talcher as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.