

### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	293	PM <sub>2.5</sub>	1
2	Ahmedabad	Poor	249	NO <sub>2</sub>	1
3	Ajmer	Moderate	119	PM <sub>2.5</sub>	1
4	Amaravati	Satisfactory	73	PM <sub>10</sub>	1
5	Ambala	Poor	298	PM <sub>2.5</sub>	1
6	Amritsar	Very Poor	360	PM <sub>2.5</sub>	1
7	Asanol	Poor	242	PM <sub>2.5</sub>	1
8	Aurangabad	Satisfactory	82	PM <sub>2.5</sub>	1
9	Baghpat	Severe	446	PM <sub>2.5</sub>	1
10	Bahadurgarh	Very Poor	397	PM <sub>2.5</sub>	1
11	Ballabgarh	Very Poor	327	PM <sub>10</sub>	1
12	Bathinda	Very Poor	333	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Alwar, Ankleshwar, Muzaffarnagar, Nagpur, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	77	PM <sub>10</sub> , OZONE	8
14	Bhiwadi	Severe	448	PM <sub>10</sub>	1
15	Bhiwani	Severe	471	PM <sub>2.5</sub>	1
16	Bhopal	Poor	201	PM <sub>2.5</sub>	1
17	Brajrajnagar	Moderate	127	PM <sub>10</sub>	1
18	Bulandshahr	Very Poor	382	PM <sub>10</sub>	1
19	Chandigarh	Poor	242	PM <sub>2.5</sub>	1
20	Chandrapur	Moderate	107	PM <sub>10</sub>	2
21	Chennai	Satisfactory	64	PM <sub>2.5</sub>	2
22	Chikkaballapur	Satisfactory	61	PM <sub>10</sub>	1
23	Coimbatore	Satisfactory	79	PM <sub>2.5</sub>	1
24	Damoh	Moderate	152	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Alwar, Ankleshwar, Muzaffarnagar, Nagpur, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Severe	456	PM <sub>2.5</sub>	33
26	Dewas	Moderate	124	OZONE	1
27	Dharuhera	Severe	431	PM <sub>10</sub>	1
28	Eloor	Good	44	со	1
29	Faridabad	Severe	446	PM <sub>2.5</sub>	1
30	Fatehabad	Severe	430	PM <sub>10</sub>	1
31	GandhiNagar	Moderate	103	PM <sub>2.5</sub>	1
32	Gaya	Poor	243	PM <sub>2.5</sub>	1
33	Ghaziabad	Severe	467	PM <sub>2.5</sub>	4
34	Greater_Noida	Severe	462	PM <sub>2.5</sub>	2
35	Gurugram	Severe	447	PM <sub>2.5</sub>	1
36	Guwahati	Moderate	122	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Alwar, Ankleshwar, Muzaffarnagar, Nagpur, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Haldia	Moderate	104	PM <sub>10</sub>	1
38	Hapur	Very Poor	394	PM <sub>10</sub>	1
39	Hisar	Severe	476	PM <sub>2.5</sub>	1
40	Howrah	Poor	258	PM <sub>2.5</sub>	3
41	Hubballi	Moderate	133	PM <sub>10</sub>	1
42	Hyderabad	Moderate	124	PM <sub>2.5</sub> , PM <sub>10</sub>	6
43	Indore	Moderate	149	PM <sub>10</sub>	1
44	Jabalpur	Moderate	160	PM <sub>2.5</sub>	1
45	Jaipur	Poor	249	PM <sub>2.5</sub> , PM <sub>10</sub>	3
46	Jalandhar	Poor	276	PM <sub>2.5</sub>	1
47	Jind	Severe	445	PM <sub>2.5</sub>	1
48	Jodhpur	Moderate	169	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Alwar, Ankleshwar, Muzaffarnagar, Nagpur, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jorapokhar	Moderate	145	PM <sub>10</sub>	1
50	Kaithal	Very Poor	313	PM <sub>2.5</sub>	1
51	Kalaburagi	Moderate	101	PM <sub>2.5</sub>	1
52	Kalyan	Moderate	149	PM <sub>2.5</sub>	1
53	Kanpur	Severe	412	PM <sub>2.5</sub>	1
54	Karnal	Very Poor	316	PM <sub>2.5</sub>	1
55	Katni	Poor	255	PM <sub>2.5</sub>	1
56	Khanna	Poor	258	PM <sub>10</sub>	1
57	Kolkata	Poor	231	PM <sub>2.5</sub> , PM <sub>10</sub>	7
58	Kota	Satisfactory	98	PM <sub>10</sub>	1
59	Kurukshetra	Very Poor	321	PM <sub>2.5</sub>	1
60	Lucknow	Very Poor	354	PM <sub>2.5</sub>	4

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Alwar, Ankleshwar, Muzaffarnagar, Nagpur, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ludhiana	Poor	267	PM <sub>2.5</sub>	1
62	Maihar	Satisfactory	60	PM <sub>10</sub>	1
63	Mandi Gobindgarh	Poor	226	PM <sub>2.5</sub>	1
64	Mandideep	Poor	238	PM <sub>10</sub>	1
65	Mandikhera	Very Poor	376	PM <sub>2.5</sub>	1
66	Manesar	Severe	463	PM <sub>10</sub>	1
67	Meerut	Poor	297	PM <sub>2.5</sub>	3
68	Moradabad	Very Poor	317	PM <sub>2.5</sub>	1
69	Mumbai	Moderate	132	PM <sub>2.5</sub> , PM <sub>10</sub>	9
70	Muzaffarpur	Very Poor	326	PM <sub>2.5</sub>	1
71	Mysuru	Satisfactory	71	PM <sub>10</sub>	1
72	Narnaul	Very Poor	380	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Alwar, Ankleshwar, Muzaffarnagar, Nagpur, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nashik	Moderate	138	PM <sub>2.5</sub>	1
74	Navi Mumbai	Moderate	186	PM <sub>2.5</sub>	2
75	Noida	Severe	470	PM <sub>2.5</sub>	4
76	Pali	Moderate	107	PM <sub>2.5</sub>	1
77	Palwal	Severe	401	PM <sub>2.5</sub>	1
78	Panchkula	Moderate	130	PM <sub>2.5</sub>	1
79	Panipat	Severe	408	PM <sub>2.5</sub>	1
80	Patiala	Poor	285	PM <sub>2.5</sub>	1
81	Patna	Very Poor	373	PM <sub>2.5</sub>	1
82	Pithampur	Moderate	110	PM <sub>10</sub>	1
83	Pune	Moderate	135	PM <sub>2.5</sub>	1
84	Rajamahendravaram	Satisfactory	95	OZONE	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Alwar, Ankleshwar, Muzaffarnagar, Nagpur, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ramanagara	Satisfactory	67	PM <sub>10</sub>	1
86	Ratlam	Moderate	177	PM <sub>10</sub>	1
87	Rohtak	Severe	412	PM <sub>2.5</sub>	1
88	Rupnagar	Poor	207	PM <sub>2.5</sub>	1
89	Satna	Moderate	132	PM <sub>10</sub>	1
90	Siliguri	Moderate	158	PM <sub>10</sub>	1
91	Singrauli	Poor	259	PM <sub>2.5</sub>	1
92	Sirsa	Severe	415	PM <sub>10</sub>	1
93	Solapur	Moderate	114	PM <sub>10</sub>	1
94	Sonipat	Poor	247	PM <sub>2.5</sub>	1
95	Talcher	Moderate	192	PM <sub>10</sub>	1
96	Thane	Satisfactory	95	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Alwar, Ankleshwar, Muzaffarnagar, Nagpur, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Thiruvananthapuram	Satisfactory	70	со	1
98	Tirupati	Good	42	PM <sub>10</sub>	1
99	Udaipur	Satisfactory	93	PM <sub>10</sub>	1
100	Ujjain	Moderate	158	OZONE	1
101	Vapi	Poor	244	PM <sub>2.5</sub>	1
102	Varanasi	Poor	299	PM <sub>2.5</sub>	1
103	Vatva	Moderate	173	PM <sub>10</sub>	1
104	Visakhapatnam	Satisfactory	71	PM <sub>10</sub>	1
105	Yadgir	Satisfactory	90	OZONE	1
106	Yamunanagar	Poor	280	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Alwar, Ankleshwar, Muzaffarnagar, Nagpur, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.