

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	169	PM _{2.5}	1
2	Agra	Poor	286	PM _{2.5}	1
3	Ahmedabad	Poor	201	O ₃	1
4	Aizawl	Good	22	PM ₁₀	1
5	Ajmer	Moderate	101	PM ₁₀	1
6	Alwar	Moderate	106	PM ₁₀	1
7	Amaravati	Moderate	160	PM _{2.5}	1
8	Ambala	Poor	234	PM _{2.5}	1
9	Amritsar	Moderate	147	PM _{2.5}	1
10	Ankleshwar	Moderate	169	PM ₁₀	1
11	Asansol	Poor	247	PM _{2.5}	1
12	Aurangabad	Satisfactory	90	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Brajrajnagar, Chikkamagaluru, Coimbatore, Dharuhera, Eloor, Jind, Kollam, Muzaffarnagar, Muzaffarpur, Panchkula, Ramanagara, Ratlam, Shillong, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	66	PM ₁₀	1
14	Baghpat	Very Poor	319	PM _{2.5}	1
15	Bahadurgarh	Poor	271	PM _{2.5}	1
16	Ballabgarh	Moderate	171	PM _{2.5}	1
17	Bathinda	Moderate	136	PM ₁₀	1
18	Bengaluru	Moderate	120	PM _{2.5} , O ₃	8
19	Bhiwani	Moderate	170	PM ₁₀	1
20	Bhopal	Moderate	158	PM ₁₀	1
21	Bulandshahr	Severe	401	PM _{2.5}	1
22	Chamarajanagar	Good	35	PM ₁₀	1
23	Chandigarh	Moderate	134	PM _{2.5}	1
24	Chandrapur	Moderate	104	PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Brajrajnagar, Chikkamagaluru, Coimbatore, Dharuhera, Eloor, Jind, Kollam, Muzaffarnagar, Muzaffarpur, Panchkula, Ramanagara, Ratlam, Shillong, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	199	PM ₁₀	1
26	Chennai	Satisfactory	89	PM _{2.5} , PM ₁₀	4
27	Chikkaballapur	Satisfactory	99	PM _{2.5}	1
28	Damoh	Moderate	132	PM _{2.5}	1
29	Delhi	Very Poor	332	PM _{2.5}	36
30	Dewas	Satisfactory	97	03	1
31	Durgapur	Poor	211	PM ₁₀	1
32	Ernakulam	Satisfactory	90	PM _{2.5}	1
33	Faridabad	Poor	289	PM _{2.5} , PM ₁₀	4
34	Fatehabad	Poor	261	PM _{2.5}	1
35	Gandhinagar	Satisfactory	65	PM ₁₀	1
36	Gaya	Poor	216	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Brajrajnagar, Chikkamagaluru, Coimbatore, Dharuhera, Eloor, Jind, Kollam, Muzaffarnagar, Muzaffarpur, Panchkula, Ramanagara, Ratlam, Shillong, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Very Poor	391	PM _{2.5}	4
38	Greater Noida	Very Poor	366	PM _{2.5}	2
39	Gurugram	Poor	271	PM _{2.5}	4
40	Guwahati	Poor	237	PM _{2.5}	1
41	Gwalior	Poor	225	PM _{2.5}	1
42	Hajipur	Poor	252	PM ₁₀	1
43	Haldia	Moderate	163	PM ₁₀	1
44	Hapur	Moderate	171	PM ₁₀	1
45	Hisar	Poor	287	PM _{2.5}	1
46	Howrah	Very Poor	323	PM ₁₀ , PM _{2.5}	3
47	Hubballi	Moderate	157	PM _{2.5}	1
48	Hyderabad	Moderate	126	PM _{2.5} , PM ₁₀	5

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Brajrajnagar, Chikkamagaluru, Coimbatore, Dharuhera, Eloor, Jind, Kollam, Muzaffarnagar, Muzaffarpur, Panchkula, Ramanagara, Ratlam, Shillong, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Satisfactory	95	PM ₁₀	1
50	Jabalpur	Moderate	190	PM ₁₀	1
51	Jaipur	Poor	219	PM _{2.5}	3
52	Jalandhar	Moderate	138	PM _{2.5}	1
53	Jodhpur	Moderate	164	PM _{2.5}	1
54	Jorapokhar	Poor	236	PM ₁₀	1
55	Kaithal	Moderate	182	PM ₁₀	1
56	Kalaburgi	Moderate	119	PM ₁₀	1
57	Kalyan	Moderate	141	PM ₁₀	1
58	Kannur	Satisfactory	97	PM _{2.5}	1
59	Kanpur	Severe	426	PM _{2.5}	2
60	Karnal	Moderate	108	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Brajrajnagar, Chikkamagaluru, Coimbatore, Dharuhera, Eloor, Jind, Kollam, Muzaffarnagar, Muzaffarpur, Panchkula, Ramanagara, Ratlam, Shillong, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Poor	258	PM _{2.5}	1
62	Khanna	Moderate	168	PM _{2.5}	1
63	Kochi	Satisfactory	100	PM _{2.5}	1
64	Kohima	Satisfactory	58	PM ₁₀	1
65	Kolkata	Very Poor	321	PM _{2.5}	5
66	Koppal	Satisfactory	90	PM ₁₀	1
67	Kota	Moderate	141	PM _{2.5}	1
68	Kozhikode	Satisfactory	92	PM ₁₀	1
69	Kurukshetra	Poor	284	PM _{2.5}	1
70	Lucknow	Very Poor	387	PM _{2.5}	4
71	Ludhiana	Poor	204	PM _{2.5}	1
72	Maihar	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Brajrajnagar, Chikkamagaluru, Coimbatore, Dharuhera, Eloor, Jind, Kollam, Muzaffarnagar, Muzaffarpur, Panchkula, Ramanagara, Ratlam, Shillong, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Moderate	135	PM ₁₀	1
74	Mandideep	Moderate	134	PM _{2.5}	1
75	Mandikhera	Satisfactory	75	PM ₁₀	1
76	Manesar	Moderate	183	PM _{2.5}	1
77	Medikeri	Satisfactory	79	PM ₁₀	1
78	Meerut	Very Poor	370	PM _{2.5}	2
79	Moradabad	Severe	476	PM _{2.5}	1
80	Mumbai	Moderate	151	PM _{2.5} , O ₃ , PM ₁₀	16
81	Mysuru	Satisfactory	81	O ₃	1
82	Nagpur	Satisfactory	66	PM ₁₀	1
83	Nandesari	Moderate	112	со	1
84	Narnaul	Poor	231	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Brajrajnagar, Chikkamagaluru, Coimbatore, Dharuhera, Eloor, Jind, Kollam, Muzaffarnagar, Muzaffarpur, Panchkula, Ramanagara, Ratlam, Shillong, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nashik	Satisfactory	90	PM _{2.5}	1
86	Navi Mumbai	Moderate	182	PM _{2.5}	2
87	Noida	Very Poor	363	PM _{2.5}	3
88	Pali	Satisfactory	86	PM ₁₀	1
89	Palwal	Moderate	113	PM ₁₀	1
90	Panipat	Poor	210	PM ₁₀	1
91	Patiala	Moderate	159	PM _{2.5}	1
92	Patna	Very Poor	360	PM _{2.5}	5
93	Pithampur	Satisfactory	95	PM ₁₀	1
94	Pune	Moderate	120	PM _{2.5}	3
95	Raichur	Moderate	123	PM _{2.5}	1
96	Rajamahendravaram	Moderate	156	O ₃	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Brajrajnagar, Chikkamagaluru, Coimbatore, Dharuhera, Eloor, Jind, Kollam, Muzaffarnagar, Muzaffarpur, Panchkula, Ramanagara, Ratlam, Shillong, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rohtak	Poor	288	PM _{2.5}	1
98	Rupnagar	Moderate	149	PM _{2.5}	1
99	Sagar	Moderate	102	PM _{2.5}	1
100	Satna	Moderate	106	PM ₁₀	1
101	Shivamogga	Satisfactory	84	PM ₁₀	1
102	Siliguri	Poor	230	PM _{2.5}	1
103	Singrauli	Poor	230	PM _{2.5}	1
104	Sirsa	Moderate	147	PM _{2.5}	1
105	Solapur	Moderate	106	PM ₁₀	1
106	Sonipat	Moderate	159	PM ₁₀	1
107	Talcher	Moderate	111	PM ₁₀	1
108	Thiruvananthapuram	Moderate	103	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Brajrajnagar, Chikkamagaluru, Coimbatore, Dharuhera, Eloor, Jind, Kollam, Muzaffarnagar, Muzaffarpur, Panchkula, Ramanagara, Ratlam, Shillong, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thoothukudi	Satisfactory	90	O ₃	1
110	Thrissur	Moderate	111	O ₃	1
111	Tirupati	Moderate	109	PM _{2.5}	1
112	Udaipur	Moderate	147	PM _{2.5}	1
113	Ujjain	Moderate	191	PM _{2.5}	1
114	Vapi	Moderate	180	PM _{2.5}	1
115	Varanasi	Very Poor	378	PM _{2.5}	1
116	Vatva	Moderate	121	NO ₂	1
117	Vijayapura	Satisfactory	83	PM ₁₀	1
118	Visakhapatnam	Poor	217	PM _{2.5}	1
119	Yadgir	Satisfactory	94	PM ₁₀	1
120	Yamunanagar	Very Poor	400	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwadi, Brajrajnagar, Chikkamagaluru, Coimbatore, Dharuhera, Eloor, Jind, Kollam, Muzaffarnagar, Muzaffarpur, Panchkula, Ramanagara, Ratlam, Shillong, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.